

LBL

issue

053/



MODERN LIGHTING
THAT'S RELEVANT,
CLEAN AND SIMPLE
WITH GREAT
ATTENTION TO DETAIL,
PRICED SMART FOR ALL
TO ENJOY.

WELCOME TO LBL LIGHTING.





WE HAVE IT ALL.
WHETHER YOU ARE SEEKING
CONTEMPORARY, STYLISH
LIGHTING TO OUTFIT
YOUR NEW HOME OR
NEED PRICED SMART BUT
CREATIVE LIGHTING DESIGNS
FOR YOUR STATE-OF-THE-ART
OFFICE COMPLEX.

CHECK US OUT, YOU'RE ONLY A PAGE AWAY >>>

Visual Index

Chandeliers

Linear Suspension

Line-Voltage Pendants

Low-Voltage Pendants

Low-Voltage Heads

Flush Mounts

Wall Sconces

Bath

Outdoor

Monorail Hardware

Canopies & Accessories

Reference
(Lamp/LED Specs)

Item Numbers
& Product Specs

Index
by Model Name
by Model Number Prefix

06

20

42

56

128

230

258

282

336

362

395

412


428

433

490

STAY CONNECTED. 24/7.

We strive to provide the best printed literature in the industry. Equally important to us is to deliver compelling, relevant and helpful digital resources for those who prefer to live and work online. We continually update [lblinghting.com](http://lblighting.com) to enhance our images, simplify navigation and provide new tools to enrich the product search and specification process.



ENHANCED PRODUCT SEARCH

easily sort products by category, name, color, new, downloadable or LED

GROUP DOWNLOADS

easily select multiple spec sheets and download them all at once

DOWNLOADABLE HI-RES IMAGES

share with others or use in professional layouts for advertising, design boards, specification proposals, etc.

360° VIRTUAL TOUR

allows you to 'walk through' our flagship showroom to quickly compare styles, see light outputs, and understand scale.

HOW TO BUY

tools to quickly find local retail showrooms and online retailers who offer LBL Lighting

ITEM NUMBER GENERATOR

to quickly build out item numbers and share a wishlist

GROWING SELECTION OF VIDEOS

to learn about designers' inspirations and showcase key product features

LINKS TO LBL LIGHTING'S SOCIAL MEDIA

Facebook, Twitter, Pinterest and Houzz





CHANDELIERS

LED

Indicates which fixtures are LED or have an LED option. All LED lumen outputs are provided as Delivered Lumens unless otherwise noted.

CF

Indicates which fixtures have a Fluorescent option. Most fluorescent fixtures include an Instant Start ballast. Contact LBL Quotes Department, quotes@generation-brands.com, when using occupancy sensors. Program Start ballast options may be available custom.

ADA

Indicates which fixtures are ADA Compliant.

T24

Title 24 compliant if used with JA8 or JA8-E approved light bulbs.

T24

Title 24 compliant when used with included lamp.

T24

Title 24 compliant & listed in CEC Appliance database.

T24

Title 24 compliant high efficacy light source that is not required to be listed in CEC Appliance database.



Batons
38



Candora Collection
(3 sizes)
26




Constellation
40



Interlace Collection
(3 sizes)
24



Line Wave
(2 sizes)
34



Photon Collection
(2 sizes)
22



Sphere Collection
(3 sizes)
28



Tallo Collection
(2 sizes)
30




Torque Collection
(2 sizes)
32



Twilight 20
36

LINEAR SUSPENSION




Arka
52



Bling
44



Calix
53



East River
54

LINEAR SUSPENSION



Essence
48



Essence Trio
49



Ortex
50



Xterna
46

LED
Indicates which fixtures are LED or have an LED option. All LED lumen outputs are provided as Delivered Lumens unless otherwise noted.

CF
Indicates which fixtures have a Fluorescent option. Most fluorescent fixtures include an Instant Start ballast. Contact LBL Quotes Department, quotes@generation-brands.com, when using occupancy sensors. Program Start ballast options may be available custom.

ADA
Indicates which fixtures are ADA Compliant.

T24
Title 24 compliant if used with JA8 or JA8-E approved light bulbs.

T24
Title 24 compliant when used with included lamp.

T24
Title 24 compliant & listed in CEC Appliance database.

T24
Title 24 compliant high efficacy light source that is not required to be listed in CEC Appliance database.

LINE-VOLTAGE PENDANTS



Abbey Grande
110



Allea
66



Amphora
68



Astora Collection
(2 sizes)
58



Briolette Grande
92



Crossblend Collection
(2 sizes)
80



Dahling Grande
109



Dolly Grande
118




Drop
101



Duke Collection
(2 sizes)
84



Erlen
127



Facette Grande
88

LINE-VOLTAGE PENDANTS

LED

Indicates which fixtures are LED or have an LED option. All LED lumen outputs are provided as Delivered Lumens unless otherwise noted.

CF

Indicates which fixtures have a Fluorescent option. Most fluorescent fixtures include an Instant Start ballast. Contact LBL Quotes Department, quotes@generation-brands.com, when using occupancy sensors. Program Start ballast options may be available custom.

ADA

Indicates which fixtures are ADA Compliant.

T24

Title 24 compliant if used with JA8 or JA8-E approved light bulbs.

T24

Title 24 compliant when used with included lamp.

T24

Title 24 compliant & listed in CEC Appliance database.

T24

Title 24 compliant high efficacy light source that is not required to be listed in CEC Appliance database.




Fiona Grande
93



Isla
94



Juniper
119




Karif
102



Kendall
116



Lania Collection
(3 sizes)
82



Lifo
78




Loft Collection
(2 sizes)
74



Mason Collection
(2 styles)
96



Mati Collection
(4 styles)
98



Mekanik
124




Menara Collection
(2 sizes)
60




Mezzo Collection
(2 sizes)
76



Milo
70




Miyu
100



Noema
69



Oma
86



Ornata
90





Perf
126



Rock Candy Cylinder
114

LINE-VOLTAGE PENDANTS



LED
Indicates which fixtures are LED or have an LED option. All LED lumen outputs are provided as Delivered Lumens unless otherwise noted.

CF
Indicates which fixtures have a Fluorescent option. Most fluorescent fixtures include an Instant Start ballast. Contact LBL Quotes Department, quotes@generation-brands.com, when using occupancy sensors. Program Start ballast options may be available custom.

ADA
Indicates which fixtures are ADA Compliant.

T24
Title 24 compliant if used with JA8 or JA8-E approved light bulbs.

T24
Title 24 compliant when used with included lamp.

T24
Title 24 compliant & listed in CEC Appliance database.

T24
Title 24 compliant high efficacy light source that is not required to be listed in CEC Appliance database.

LOW-VOLTAGE PENDANTS



LOW-VOLTAGE PENDANTS

LED

Indicates which fixtures are LED or have an LED option. All LED lumen outputs are provided as Delivered Lumens unless otherwise noted.

CF

Indicates which fixtures have a Fluorescent option.

Most fluorescent fixtures include an Instant Start ballast. Contact LBL Quotes Department, quotes@generation-brands.com, when using occupancy sensors. Program Start ballast options may be available custom.

ADA

Indicates which fixtures are ADA Compliant.

T24

Title 24 compliant if used with JA8 or JA8-E approved light bulbs.

T24

Title 24 compliant when used with included lamp.

T24

Title 24 compliant & listed in CEC Appliance database.

T24

Title 24 compliant high efficacy light source that is not required to be listed in CEC Appliance database.



Bling
212



Bonn
160



Briolette
162




Bullé
208



Chill
180



Coliseum
196




Corinna
146



Crystal Ball
225



Cylia
178



Cypree Collection
(2 sizes)
164



Dahling Collection
(2 sizes)
157



Dimensions
188



Dolly
186



Emi
181



Facette
130



Flow
220



Flute
200



Gelato
223




Horizon
154



Hover
219

LOW-VOLTAGE PENDANTS



LED
Indicates which fixtures are LED or have an LED option. All LED lumen outputs are provided as Delivered Lumens unless otherwise noted.

CF
Indicates which fixtures have a Fluorescent option. Most fluorescent fixtures include an Instant Start ballast. Contact LBL Quotes Department, quotes@generation-brands.com, when using occupancy sensors. Program Start ballast options may be available custom.

ADA
Indicates which fixtures are ADA Compliant.

T24
Title 24 compliant if used with JA8 or JA8-E approved light bulbs.

T24
Title 24 compliant when used with included lamp.

T24
Title 24 compliant & listed in CEC Appliance database.

T24
Title 24 compliant high efficacy light source that is not required to be listed in CEC Appliance database.

LOW-VOLTAGE PENDANTS

LED

Indicates which fixtures are LED or have an LED option. All LED lumen outputs are provided as Delivered Lumens unless otherwise noted.

CF

Indicates which fixtures have a Fluorescent option. Most fluorescent fixtures include an Instant Start ballast. Contact LBL Quotes Department, quotes@generation-brands.com, when using occupancy sensors. Program Start ballast options may be available custom.

ADA

Indicates which fixtures are ADA Compliant.

T24

Title 24 compliant if used with JA8 or JA8-E approved light bulbs.

T24

Title 24 compliant when used with included lamp.

T24

Title 24 compliant & listed in CEC Appliance database.

T24

Title 24 compliant high efficacy light source that is not required to be listed in CEC Appliance database.



Onyx Collection
(4 styles)
198



Ooni
224



Oreon
136



Paige
150



Rachel
183



Relic No. 2
184



Renée I
137



Rio
182



Rocket
226



Rocks
214



Seguro
179



Sophia
204



Sphere
134



Tear-SII Coax
202




Togan
138



Top-Si Coax
192



Trista
148



Tube 2
228



Vortex
222



Zollo
172

LOW-VOLTAGE HEADS



Accessories
249

LED



Apex Swivel
244

LED



Auri
232

LED



Bare Head Apollo
Swivel I
250

LED

Indicates which fixtures are LED or have an LED option. All LED lumen outputs are provided as Delivered Lumens unless otherwise noted.

CF

Indicates which fixtures have a Fluorescent option. Most fluorescent fixtures include an Instant Start ballast. Contact LBL Quotes Department, quotes@generation-brands.com, when using occupancy sensors. Program Start ballast options may be available custom.

ADA

Indicates which fixtures are ADA Compliant.

T24

Title 24 compliant if used with JA8 or JA8-E approved light bulbs.

T24

Title 24 compliant when used with included lamp.

T24

Title 24 compliant & listed in CEC Appliance database.

T24

Title 24 compliant high efficacy light source that is not required to be listed in CEC Appliance database.

LED



Bare Head Swivel I
236

LED



Bare Head Swivel II
252

LED



Merlino Swivel II
254

LED



Mini-Dome I Swivel I
240

LED



Modo
248

LED



Mono-Arc
257

LED



Mono-Tel
257

LED



Orbit Swivel I
242

LED



Rev Swivel
234

LED



Shield Galleria
257

LED



Shield Swivel I
238

LED



Swing
245

LED



Twin Spot Swivel
233

LED



Vent
246

FLUSH MOUNTS

LED

Indicates which fixtures are LED or have an LED option. All LED lumen outputs are provided as Delivered Lumens unless otherwise noted.

CF

Indicates which fixtures have a Fluorescent option. Most fluorescent fixtures include an Instant Start ballast. Contact LBL Quotes Department, quotes@generation-brands.com, when using occupancy sensors. Program Start ballast options may be available custom.

ADA

Indicates which fixtures are ADA Compliant.

T24

Title 24 compliant if used with JA8 or JA8-E approved light bulbs.

T24

Title 24 compliant when used with included lamp.

T24

Title 24 compliant & listed in CEC Appliance database.

T24

Title 24 compliant high efficacy light source that is not required to be listed in CEC Appliance database.

LED



Anella
262

LED



Capture
272

LED

ADA



Crest Collection
(3 sizes)
266

LED



Crossblend
264

CF

T24



Fiona 18
279

LED



Flection
277

LED

T24



Lania
261

LED



Lifo
263

LED

T24

T24



Moon Dance
278

LED



Sphere Flush
274

LED

ADA



Tenur Round Collection
(2 sizes)
270

LED

ADA



Tenur Square Collection
(2 sizes)
268

LED

ADA



Vantra
276

LED



Vessa
280

LED

T24



Vetra
260

LED

ADA



Zahra Collection
(3 sizes)
271

WALL SCONCES

LED
ADA



Airin
304

LED
ADA



Ashland
306

LED
ADA



Camelot
309

LED



Capture
296

LED
Indicates which fixtures are LED or have an LED option. All LED lumen outputs are provided as Delivered Lumens unless otherwise noted.

CF
Indicates which fixtures have a Fluorescent option. Most fluorescent fixtures include an Instant Start ballast. Contact LBL Quotes Department, quotes@generation-brands.com, when using occupancy sensors. Program Start ballast options may be available custom.

ADA
Indicates which fixtures are ADA Compliant.

T24
Title 24 compliant if used with JA8 or JA8-E approved light bulbs.

T24
Title 24 compliant when used with included lamp.

T24
Title 24 compliant & listed in CEC Appliance database.

T24
Title 24 compliant high efficacy light source that is not required to be listed in CEC Appliance database.



Clifton
332

CF
LED
ADA
T24



Dahling
322

LED
ADA



Dolly
294

LED
ADA
T24



East River
314

LED



Ellis 12
292

CF
LED
ADA
T24



Ensu
335

CF
LED
ADA
T24



Fiona
330

LED
ADA



Hanna
311

LED
T24



Jarvas
289

CF
LED
T24



Juniper
327

LED
ADA



Kenton
316

LED
T24



Lania
285

LED



Lufe Round
290

LED



Lufe Square
291

CF
ADA



Lynk 12
293

CF
ADA



Mini Rock Candy
Cylinder
286

WALL SCONCES

LED

Indicates which fixtures are LED or have an LED option. All LED lumen outputs are provided as Delivered Lumens unless otherwise noted.

CF

Indicates which fixtures have a Fluorescent option. Most fluorescent fixtures include an Instant Start ballast. Contact LBL Quotes Department, quotes@generation-brands.com, when using occupancy sensors. Program Start ballast options may be available custom.

ADA

Indicates which fixtures are ADA Compliant.

T24

Title 24 compliant if used with JA8 or JA8-E approved light bulbs.

T24

Title 24 compliant when used with included lamp.

T24

Title 24 compliant & listed in CEC Appliance database.

T24

Title 24 compliant high efficacy light source that is not required to be listed in CEC Appliance database.



Monty
320



Omni Medium
324



Omni Small
326



Onyx Cylinder
308



Pavia
328



Presidio
319



Rami
318



Showtime
310



Siena
334



Sphere Wall
298



Sphere Flush
300




Tear Drop
331




Tenur Round Collection
(2 sizes)
302



Tenur Square Collection
(2 sizes)
303



Top
288



Vantra
313



Vetra
284

BATH

CF
LED
ADA



Alban
345

LED
ADA



Denton Collection
(2 sizes)
350

CF
LED
ADA



Dover
352

LED



Ellis Collection
(3 sizes)
344

CF
LED
ADA



Final Call Medium
348

LED
ADA



Jarvas Collection
(3 sizes)
338

LED
ADA



Linea Collection
(2 sizes)
346

ADA



Lola
359

LED
ADA



Lufe Round Collection
(4 sizes)
340

LED
ADA



Lufe Square Collection
(4 sizes)
341

CF
ADA



Lynk Collection
(3 sizes)
342

CF
LED
ADA



Mia
356

LED



Rania
358

LED
ADA



Steele Collection
(2 sizes)
339

LED



Twin Tube
360

LED



Vertura Collection
(2 sizes)
354

LED
Indicates which fixtures are LED or have an LED option. All LED lumen outputs are provided as Delivered Lumens unless otherwise noted.

CF
Indicates which fixtures have a Fluorescent option. Most fluorescent fixtures include an Instant Start ballast. Contact LBL Quotes Department, quotes@generation-brands.com, when using occupancy sensors. Program Start ballast options may be available custom.

ADA
Indicates which fixtures are ADA Compliant.

T24
Title 24 compliant if used with JA8 or JA8-E approved light bulbs.

T24
Title 24 compliant when used with included lamp.

T24
Title 24 compliant & listed in CEC Appliance database.

T24
Title 24 compliant high efficacy light source that is not required to be listed in CEC Appliance database.

OUTDOOR

LED

Indicates which fixtures are LED or have an LED option. All LED lumen outputs are provided as Delivered Lumens unless otherwise noted.

CF

Indicates which fixtures have a Fluorescent option. Most fluorescent fixtures include an Instant Start ballast. Contact LBL Quotes Department, quotes@generation-brands.com, when using occupancy sensors. Program Start ballast options may be available custom.

ADA

Indicates which fixtures are ADA Compliant.

T24

Title 24 compliant if used with JA8 or JA8-E approved light bulbs.

T24

Title 24 compliant when used with included lamp.

T24

Title 24 compliant & listed in CEC Appliance database.

T24

Title 24 compliant high efficacy light source that is not required to be listed in CEC Appliance database.

LED
ADA
T24



Avela
376

LED
T24



Aviva Collection
(2 sizes)
375

LED
ADA
T24



East River
374

CF



Eclipse
392

LED
T24



Hunter Collection
(2 sizes)
373

CF
T24



Modular Industrial Collection
(2 sizes)
387

LED
T24
T24



Moon Dance Collection
(2 sizes + flush)
380

LED
T24



Nate Collection
(2 sizes)
370

LED
ADA
T24



Neutrino
368

CF
T24



New York Collection
(3 sizes)
388

CF
T24



Palm Lane Collection
(2 sizes)
378

LED
T24



Peak
366

LED
ADA
T24



Pier 60 Collection
(3 sizes)
382

LED
T24



Presidio Wet
393

LED
T24



Quadrate
364

LED
ADA
T24



Raven Collection
(2 sizes)
386

LED
ADA
T24



Tav Collection
(2 sizes)
381

CF
T24



Tubular Collection
(3 sizes)
390

LED
T24




Upstate Collection
(2 sizes)
385

LED
T24



Uptown Collection
(2 sizes)
384

LED
ADA
T24



Windfall
372






DRAW ATTENTION TO YOUR SPACE. CHANDELIERS



Do chandeliers really work in a contemporary space?

Just in like traditional settings, contemporary décor often needs a crowing touch. Our beautifully crafted, sleek contemporary chandeliers will create the desired focal point, provide functional and dimmable illumination to set just the right atmosphere, and generate lively conversation as the show-stopper in any contemporary residential or commercial space. Several of our chandeliers are offered in a variety of sizes, enabling you to select the absolutely perfect statement piece to achieve your design vision.




PHOTON COLLECTION

This quintessential starburst silhouette is fun and playful while still being tailored and elegant. This modern interpretation of a chandelier has solid acrylic arms which are squarely faceted to ensure an even glow from the integrated LED light source shining from the core.



Photon 48
shown in aged brass
TO ORDER SEE PAGE 473



Photon 34
shown in satin nickel
TO ORDER SEE PAGE 473

Finish



AB
aged brass



SC
satin nickel

Dimensions

Photon 34
34" x 23.5"

Photon 48
48" x 31.8"



INTERLACE COLLECTION

A grand aluminum outer ring is machined to receive hundreds of hand-strung strands of stainless steel cable which create an intricate, interwoven pattern. Powerful LEDs shine inward upon the reflective cables to create visually interesting general illumination. Independent suspension cables allow multiple hanging angles.



Interlace 18
shown in satin nickel
TO ORDER SEE PAGE 452

Interlace
shown in black
TO ORDER SEE PAGE 452

Interlace 45 (shown in photo)
TO ORDER SEE PAGE 452

Finish



BL
black



SC
satin nickel

Dimensions

Interlace 18
18" x 1.1"

Interlace
29.5" x 1.1"

Interlace 45
45" x 1.1"



CANDORA COLLECTION

Symmetrical lines are nicely balanced by the open and airy design of this geometric silhouette. The integrated LED light source shines downward through the sculptural structure for a dramatic, contemporary effect.



Candora 19
shown in black

TO ORDER SEE PAGE 440



Candora 34
shown in aged brass
TO ORDER SEE PAGE 441



Candora 29
shown in matte white
TO ORDER SEE PAGE 441


Finish



BL
black



AB
aged brass



WH
matte white

Dimensions

Candora 19
18.6" x 22"

Candora 29
29" x 34"

Candora 34
34.3" x 40"



SPHERE COLLECTION

A unique crisscross patterned die-cast aluminum heat sink supports your choice of seeded cast glass, frosted white or cast smoke glass globes. The optional warm color dimming LED module gradually changes color from 3000K to 2200K as it dims to mimic traditional halogen lamping.



Sphere 3-Light
shown in satin nickel and cast clear
TO ORDER SEE PAGE 478




Sphere 7-Light
shown in rubberized black and cast clear
TO ORDER SEE PAGE 478




Sphere II-Light
shown in rubberized white and cast smoke
TO ORDER SEE PAGE 479

Finish


BL
rubberized
black


SC
satin
nickel


WH
rubberized
white

Glass Color


CR
cast
clear


FR
frost


SM
cast
smoke

Dimensions

Sphere 3
72"

Sphere 7
72"

Sphere II
72"

See more of this collection on page 120, 134, 274, 298, 300



TALLO COLLECTION

This soft, airy contemporary take on a traditional chandelier is inspired by a waterfall. Gracefully curving arms flow downward, each finished with an acrylic tip illuminated by an embedded LED source to accent the central LED module shining down from the crown.



Tallo 6
shown in black
TO ORDER SEE PAGE 480



Tallo 12
shown in satin nickel
TO ORDER SEE PAGE 481

Finish



BL
black



SC
satin nickel

Dimensions

Tallo 6
22.3" x 20"

Tallo 12
26.6" x 26"

TORQUE COLLECTION

The traditional 5-arm chandelier gets an ultra-modern revamp as the typical 3-dimensional silhouette is simplified to its most elemental level: a single, ultra-sleek plane of beautifully diffused LED light.





Shown with Ambiance High Output Module on Lx Cable System



Torque 27


shown in matte white

TO ORDER SEE PAGE 484

Finish



SC
satin nickel



WH
matte white

Dimensions

Torque 18
18" x 0.78"

Torque 27
27" x 0.78"

Torque 18

shown in satin nickel

TO ORDER SEE PAGE 483



LINE WAVE COLLECTION

A random pattern of asymmetric lengths converge to form this dramatic chandelier. Candelabra-based lamps at each of the six tips glow to highlight the structure and create a simple yet impactful statement.



Line Wave 2
shown in satin nickel
TO ORDER SEE PAGE 456




Line Wave
shown in aged brass
TO ORDER SEE PAGE 456

Finish



AB
aged brass



SC
satin nickel

Dimensions

Line Wave
23.7" x 24"

Line Wave 2
48" x 19.4" x 15.9"



TWILIGHT 20

Twenty frosted glass teardrops suspended on stainless steel arms create an airy chandelier of dramatic scale.



Twilight 20

shown in satin nickel and frost

TO ORDER SEE PAGE 485

Finish



SC
satin nickel

Optional Glass Teardrop Accessory



Amber Blue Frost

Dimensions

40" x 60" or 120"



BATONS

Make a dramatic statement with this elegant suspension fixture. Six 'batons' of varying length and angles capture their signature twirling motion in stunning still life.



Batons

shown in satin nickel and frost

TO ORDER SEE PAGE 439

Finish



SC
satin nickel

Glass Color



FR
frost


Dimensions

24" x 60" or 120"



CONSTELLATION

Pebble-shaped hand-blown opal glass with silver leaf suspended at various lengths from a metal canopy create a stunning chandelier.



Constellation
shown in satin nickel and opal
TO ORDER SEE PAGE 442

Finish



SC
satin nickel

Glass Color



OP
opal

Dimensions

36" x 26" or 36"



SIMPLE. CLEAN. STRAIGHT. LINEAR SUSPENSION



What is a linear suspension fixture and why should I consider one?

Whether you choose to place a linear suspension fixture over a kitchen island, pool table, desk in your home office or over a hotel front desk, board room table, or retail counter, these sleek, versatile fixtures illuminate a long expanse of space without the bulk or visual clutter of hanging multiple chandeliers or pendants. Many offered with the latest in LED technology, LBL Lighting's linear suspension fixtures direct high quality light output right where it's needed, and some provide ambient uplight as well.



BLING

A gently curving linear fixture suspends 26 discs of transparent crystal with sandblasted interior and decorative metal accents.



Bling

shown in satin nickel and clear discs

TO ORDER SEE PAGE 439

Finish



SC
satin nickel

Glass Color



CR
clear

Dimensions


41.2" x 25" to 76"

See more of this collection
on page 212



XTERNA

Inspired by metal elevator gates of the early 20th century, upward and downward firing LEDs embedded within its unique structure which are gradually revealed as it extends to a fully and easily customizable length from 7" to 76".





CREATE CUSTOM LENGTHS

Xterna


shown in white

TO ORDER SEE PAGE 489

Finish



SC
satin nickel



WH
white

Dimensions

6.4" to 76.6" x 2.0"

ESSENCE

The ultimate in modern minimalism, the clean horizontal line of this 50" linear suspension piece will make a dramatic statement while not detracting from its beautiful surroundings. It emits a warm LED glow downward, ideal for illuminating a dining room table, kitchen island or conference table.



Essence

shown in satin nickel

TO ORDER SEE PAGE 448

Finish



AB
aged brass



SC
satin nickel

Dimensions

50" x 0.8" x 0.8"

ESSENCE TRIO

Three streamlined linear lengths are staggered randomly to create this dramatic and oversized modern interpretation of a chandelier. Linear LEDs create a downward glow. A true statement is always made when this fixture is installed in restaurants, hotel lobbies, retail boutiques and modern residences.



Essence Trio

shown in aged brass

TO ORDER SEE PAGE 448

Finish



AB
aged brass



SC
satin nickel

Dimensions

(3x) 50" x 0.8" x 0.8"

ORTEX

Inspired by the increasingly thin profile of modern electronics, this futuristic yet grounded form features optimized LEDs shrouded within an extruded aluminum body to provide plenty of downward task light and a touch of indirect uplight.





Ortex
shown in white
TO ORDER SEE PAGE 472


Finish



BL
black



SI
silver




WH
white

Dimensions


50" x 6.125" x 1.1"

ARKA

Inspired by modern architecture and clean lines, this open form design creates a visual weightlessness. The gently curved silhouette of the LED light guide provides an even wash of illumination.



Arka
shown in polished chrome
TO ORDER SEE PAGE 437



Arka
shown in rubberized black
TO ORDER SEE PAGE 437

Finish



BL
rubberized
black



PC
polished
chrome

Dimensions

48.5" x 5.4" x 2.6"



CALIX 7-LIGHT

Ultra-sleek and modern, the structural linear aluminum frame encases seven infinitely aimable LED spotlights.



Calix 7-Light

shown in satin nickel

TO ORDER SEE PAGE 440



Finish



SC
satin nickel


Dimensions

49.4" x 4.5" x 1.0"



EAST RIVER


Inspired by the underlying structure of bridges, this LED-powered fixture provides indirect uplight as well as task-oriented downlight which accentuates the interior of its architectural bridge-like trusses.



East River

shown in brushed aluminum exterior /
brushed aluminum interior

TO ORDER SEE PAGE 446



East River

shown in brushed aluminum
exterior / orange interior

TO ORDER SEE PAGE 446

Finish



AL
brushed aluminum
exterior / brushed
aluminum interior



AO
brushed
aluminum exterior /
orange interior

Dimensions

47.2" x 7.2" x 6.5"

See more of this collection
on page 314, 374



MAKE A DESIGN STATEMENT. LINE-VOLTAGE PENDANTS



What is Line Voltage and why do I want that in my pendant?

Line voltage, or 120 volts, is the standard voltage found throughout homes in Canada and the United States. It is often the preferred voltage in lighting fixtures as they are simpler to wire and install, take readily available light bulbs and provide a larger scale than their mini or low-voltage pendant counterparts. Great either installed solo or in multiples, these LBL Lighting fixtures offer the dual benefit of powerful, functional illumination and the addition of a strong design element in a space's overall décor.



ASTORA COLLECTION

A fluted profile gives this classic, soft cone silhouette a contemporary flair.
Color-coordinated cloth cords and canopies match each finish option.



Astora Grande
shown in satin gold

TO ORDER SEE PAGE 437



Astora


shown in matte white

TO ORDER SEE PAGE 437


Finish



GD
satin gold



GM
gunmetal



WH
matte white

Dimensions


Astora
11.9" x 10"

Astora Grande
17.6" x 15"



MENARA COLLECTION

Moroccan-inspired design notes give life to this visually stimulating spun-metal pendant. Each finish includes coordinating cloth cord.



Menara Grande
shown in aluminum

TO ORDER SEE PAGE 461



Menara
shown in white

TO ORDER SEE PAGE 461

Finish



AL
aluminum



WH
white

Dimensions

Menara
14" x 13"

Menara Grande
22" x 20"



TOGAN COLLECTION

Echoes of hand-spun pottery ring through in the symmetrical design of this unique line-voltage pendant. Its spun-metal shade is offered in fully and partially painted variations and includes a white cloth cord to complete the contemporary look.



Togan Grande

shown in white top with aluminum bottom

TO ORDER SEE PAGE 483



Togan

shown in white top with white bottom

TO ORDER SEE PAGE 483

Finish



WHAL
white top with
aluminum
bottom



WHWH
white top with
white bottom

Dimensions

Togan
12" x 8"

Togan Grande
20" x 13"

See more of this collection
on page 138

ZEVO

This oversized version of a popular industrial-inspired design creates a bold statement no matter which finish option is selected. Fixtures with this ubiquitous silhouette were used for decades in warehouses, factories, barns and are now found in hip restaurants and eclectic homes.





Zevo
shown in black exterior /
gold interior
TO ORDER SEE PAGE 490



Zevo
shown in fossil gray
TO ORDER SEE PAGE 490



Zevo
shown in matte white
TO ORDER SEE PAGE 490

Finish



BLGD
black exterior /
gold interior



FG
fossil gray



WH
matte white

Dimensions

18" x 7.5"



ALLEA

With an industrial design inspiration, this spun metal pendant boasts a clean, contemporary, tapered design. Multiple finish options allow for the ability to create completely different looks, from subtle to bold.



Allea
shown in black exterior / gold interior
with black cloth cord

TO ORDER SEE PAGE 436



Allea
shown in fossil gray
with black cloth cord

TO ORDER SEE PAGE 436



Allea
shown in matte white
with white cloth cord

TO ORDER SEE PAGE 436

Finish



BLGD
black exterior /
gold interior



FG
fossil gray /
fossil gray



WH
matte white /
matte white

Dimensions

11.3" x 14"

AMPHORA

A simple modern spun metal shade references industrial lighting of the postwar manufacturing boom of the 1940s. Its smooth lines and rolled edges create a clean, distinctive look for residential or commercial lighting applications.



Color



ALWH
brushed
aluminum
exterior /
gloss white
interior



WHAL
gloss white
exterior /
brushed
aluminum
interior

Amphora

shown in gloss white exterior /
brushed aluminum interior

TO ORDER SEE PAGE 436

Amphora

shown in brushed aluminum exterior /
gloss white interior

TO ORDER SEE PAGE 436

Dimensions

8.1" x 10"

NOEMA

The elegant lines of this sophisticated yet simple pendant are energized with a contemporary color palette. The black, matte white and matte gold finishes can create dramatic contrast or aesthetic harmony in any given space with the downlight providing both task and accent lighting.



Noema
shown in black exterior /
gold interior
TO ORDER SEE PAGE 470

Noema
shown in matte white
TO ORDER SEE PAGE 470

Noema
shown in matte gold
TO ORDER SEE PAGE 470

Finish



BLGD
black exterior /
gold interior



GD
matte gold



WH
matte white

Dimensions

9.7" x 14"



MILO

The traditional silhouette of early twentieth century factory lights is reinvigorated with this colorful, modern twist.



Milo
shown in gray exterior / chartreuse interior
TO ORDER SEE PAGE 462



Milo
shown in white exterior / champagne interior
TO ORDER SEE PAGE 462

Finish



GC
gray exterior /
chartreuse
interior



WA
white exterior /
champagne
interior



WO
white exterior /
orange
interior

Dimensions

14.5" x 13.1"



SIGNAL COLLECTION

Impressive scale and a graceful silhouette allow the spun-metal shade's beautiful hand-painted metallic texture and color to take center stage. Available in eight finish/color combinations, rubberized paint creates a flawlessly smooth exterior finish.



Signal
shown in rubberized
white exterior /
gold interior
TO ORDER SEE PAGE
478



Signal
shown in rubberized gray
exterior / platinum interior
TO ORDER SEE PAGE 478



Signal Grande
shown in rubberized white exterior / blue interior
TO ORDER SEE PAGE 478



Signal Grande
shown in rubberized gray exterior / copper interior
TO ORDER SEE PAGE 478

Finish

 GYBU rubberized gray exterior / blue interior	 WHBU rubberized white exterior / blue interior
 GYCP rubberized gray exterior / copper interior	 WHCP rubberized white exterior / copper interior
 GYGD rubberized gray exterior / gold interior	 WHGD rubberized white exterior / gold interior
 GYPL rubberized gray exterior / platinum interior	 WHPL rubberized white exterior / platinum interior

Dimensions

Signal 6.1" x 14"	Signal Grande 17" x 20"
-----------------------------	-----------------------------------

See more of this collection on page 140



LOFT COLLECTION

This stylized and elevated interpretation of industrial high bay lighting features rubberized paint on the ribbed spun-metal shade to provide a smooth, matte finish while a choice of metallic-plated cages adds a custom look.



Loft
shown in brushed aluminum / white interior
with black cage

TO ORDER SEE PAGE 457



Loft Grande
shown in rubberized white / white interior
without cage

TO ORDER SEE PAGE 457


Finish



AL
brushed aluminum /
white interior



BL
rubberized black /
white interior



WH
rubberized white /
white interior

Cage Color



BL
black



CP
copper



PN
polished
nickel



WH
white



NC
none

Dimensions

Loft
11.6" x 14.6"

Loft Grande
17.3" x 21.6"



MEZZO COLLECTION

This modern interpretation of a warehouse fixture incorporates a spun-metal shade over hand-blown opal glass whose acid-etched, matte finish creates a subtle glow when illuminated.



Mezzo
shown in gray and opal
TO ORDER SEE PAGE 462



Mezzo Grande
shown in white and opal
TO ORDER SEE PAGE 462

Finish



GY
gray



WH
white

Glass Color



OP
opal

Dimensions

Mezzo
5.4" x 14.2"

Mezzo Grande
16" x 21.75"

LIFO

Two rounded high-gloss metal panels come together to create a symmetrical, contemporary shade around the central light source. The simple use of negative space adds visual interest to this clean profile.





Lifo
shown in gray
TO ORDER SEE PAGE 455




Lifo
shown in white
TO ORDER SEE PAGE 455

Finish



GY
gray



WH
white

Dimensions

8" x 13"

See more of this collection
on page 263



CROSSBLEND COLLECTION

Perforated with a random geometric pattern around the lower perimeter, the metal shade allows light to shine through creating a striking effect. The classic drum and cylinder shade silhouettes are wholly updated with this unexpected treatment.



Shown with Crossblend Flush, p.264



Crossblend Grande
shown in matte white

TO ORDER SEE PAGE 442



Crossblend
shown in matte white

TO ORDER SEE PAGE 442

Finish



WH
matte white

Dimensions

Crossblend
6" x 13"

Crossblend Grande
20" x 10"

See more of this collection
on page 264

LANIA COLLECTION

Clear glass is hand-blown into a custom mold lined with brass wire in a honeycomb pattern and later textured to create a unique, layered effect. There's a rustic yet refined quality about this design that will nicely accent a whole host of interior décor.





Shown with Lania Wall, p.285



Lania Large
shown in clear with brass mesh
TO ORDER SEE PAGE 454



Lania Small
shown in clear with brass mesh
TO ORDER SEE PAGE 455



Lania Grande
shown in clear with brass mesh
TO ORDER SEE PAGE 454

Glass Color



CR
clear with brass mesh

Dimensions

Lania Small
3" x 9.4"

Lania Large
4.8" x 16.5"

Lania Grande
20" x 10.5"

See more of this collection
on page 261, 285



DUKE COLLECTION

Two sizes of glass shades are edge-lit with LEDs to highlight your choice of silver mica flakes or spherical glass beads (fizz) which are embedded within.



DESIGN: Zetterberg Custom Homes and Remodeling LLC



Duke Grande
shown in bronze and
clear glass with fizz

TO ORDER SEE PAGE 446




Duke
shown in satin nickel and
clear glass with silver mica

TO ORDER SEE PAGE 446

Finish



BZ
bronze



SC
satin nickel

Glass Color



CRFR
clear with fizz



CRMS
clear with
silver mica

Dimensions

Duke
15" x 8.6"

Duke Grande
20" x 10.3"



OMA

A clean, contemporary interpretation of a simple bowl pendant, the botanic inspiration is clear as the softly slumped glass panels come together around the central LED module to create the hint of a tropical vibe.



Oma

shown in smoke

TO ORDER SEE PAGE 470



Oma


shown in frosted white

TO ORDER SEE PAGE 470

Glass Color



SM
smoke



WH
frosted white

Dimensions

27.8" x 9.4"



FACETTE GRANDE

Sophisticated elegance exudes from this grand molded-glass pendant. Light flows through hundreds of triangular facets at the bottom of the shade, with the upper portion purposefully masked with texturized paint to create negative space, depth and dimension.



Facette Grande
shown in black top with smoke bottom
TO ORDER SEE PAGE 449



Facette Grande
shown in white top with clear bottom
TO ORDER SEE PAGE 449

Glass Paint Finish



BLSM
black top with
smoke bottom



WHCR
white top with
clear bottom

Dimensions

16.5" x 14.4"

See more of this collection
on page 130

ORNATA


A special treatment process gives this molded-glass shade a rich metallic appearance. When turned off it is opaque. However, when lit, it becomes translucent, allowing the colorful underlying glass to illuminate.





Ornata

shown in satin nickel and silver
exterior / aqua interior
with the light off



Ornata

shown in satin nickel and silver
exterior / aqua interior
with the light on

TO ORDER SEE PAGE 471



Ornata

shown in satin nickel and silver
exterior / champagne interior
with the light off



Ornata

shown in satin nickel and silver
exterior / champagne interior
with the light on

TO ORDER SEE PAGE 471

Finish



SC
satin nickel

Glass Color



SIAQ
silver exterior /
aqua interior



SICA
silver exterior /
champagne interior

Dimensions

8.9" x 8.8"

BRIOLETTE GRANDE

Transparent glass is formed into an unexpectedly large teardrop shape, then hand-finished with unique semi-opaque facets which create visual interest and subtly obscure the light source.

Finish



BZ
bronze



SC
satin nickel

Glass Color



FR
frost



SM
smoke

Dimensions

8.7" x 14"

See more of this collection
on page 162



Briolette Grande
shown in satin nickel and frost
TO ORDER SEE PAGE 440

Briolette Grande
shown in bronze and smoke
TO ORDER SEE PAGE 440

FIONA GRANDE

Classic drum-shaped pendant is available in a selection of modern fabrics with a opal glass diffuser.



Fiona Grande
shown in satin nickel and linen
TO ORDER SEE PAGE 450



Fiona Grande
shown in satin nickel and pebble
TO ORDER SEE PAGE 450



Fiona Grande
shown in satin nickel and pewter
TO ORDER SEE PAGE 450

Finish



BZ
bronze



SC
satin nickel

Color



LI
linen



PB
pebble



PE
pewter

Dimensions


26" x 10"

See more of this collection
on page 279, 330



ISLA

Irregular round-shaped glass with a hand-blown organic seeded technique leaves hundreds of bubbles suspended within the glass.



Isla
shown in bronze and amber
TO ORDER SEE PAGE 452



Isla
shown in bronze with brown
TO ORDER SEE PAGE 452



Isla
shown in bronze and smoke
TO ORDER SEE PAGE 452



Isla
shown in satin nickel and aqua
TO ORDER SEE PAGE 452



Isla
shown in satin nickel and clear
TO ORDER SEE PAGE 452

Finish



BZ
bronze



SC
satin nickel

Glass Color



AM
amber



AQ
aqua



BR
brown



CR
clear



SM
smoke

Dimensions

9.8" x 8.7"

See more of this collection
on page 176



MASON COLLECTION

A modern twist on an iconic shape. The Mason has a rich transparent glass that surrounds an opal glass diffuser. With the Mason Classic, an Edison lamp adds an eclectic edge to this transparent glass pendant.



DESIGN: ownbydesign PHOTOGRAPHER: Mark Boisclair



Mason Classic
shown in satin nickel
and amber
TO ORDER SEE PAGE 460



Mason Classic
shown in satin nickel
and clear
TO ORDER SEE PAGE 460




Mason
shown in satin nickel
and amber
TO ORDER SEE PAGE 460



Mason
shown in satin nickel
and clear
TO ORDER SEE PAGE 460

Finish



BZ
bronze



SC
satin nickel

Glass Color



AM
amber



CR
clear

Dimensions

6.7" x 9.8"

See more of this collection
on page 158



MATI COLLECTION

Sometimes subtle is exactly what you need. Installed individually or in multiples throughout a large commercial space, these designs have understated appeal.



Mati CII
shown in satin nickel and white
TO ORDER SEE PAGE 460



Mati CI8
shown in satin nickel and smoke
TO ORDER SEE PAGE 460



Mati FI6
shown in satin nickel and white
TO ORDER SEE PAGE 461



Mati CN9
shown in satin nickel and smoke
TO ORDER SEE PAGE 461

Finish




SC
satin nickel

Glass Color



SM
smoke



WH
white

Dimensions

Mati CII
6" x 10.9"

Mati CI8
6" x 18.4"

Mati CN9
7.5" x 8.9"

Mati FI6
6.5" x 16.4"

MIYU

Beautiful transparent teardrop-shaped glass with silver leaf band surrounds an opal glass diffuser.

Finish



BZ
bronze




SC
satin nickel

Glass Color



BR
dark brown



GY
gray



BU
steel blue

Dimensions

10" x 12.8"

See more of this collection
on page 170



Miyu

shown in satin nickel and dark brown

TO ORDER SEE PAGE 466



Miyu

shown in satin nickel and steel blue

TO ORDER SEE PAGE 466



Miyu

shown in satin nickel and gray

TO ORDER SEE PAGE 466

DROP

Tall, gently curved cone-shaped glass is accented by a decorative metal finial.



Drop

shown in satin nickel and blue

TO ORDER SEE PAGE 446

Drop

shown in polished chrome and opal

TO ORDER SEE PAGE 446

Finish



BL
black



PC
polished
chrome



SC
satin nickel

Glass Color



BU
blue



OP
opal

Dimensions

5" x 11.5"



KARIF

A collage of modern materials uniquely combine to create an artistic LED pendant. The adjustable nylon strap supports the fixture by way of an open loop in the metal housing which in turn supports the cone-shaped glass shade. An asymmetrically placed cloth cord accents the fixture while providing power.



Karif
shown with clear glass and
white housing with white cord
TO ORDER SEE PAGE 454



Karif
shown with smoke glass and
white housing with white cord
TO ORDER SEE PAGE 454



Karif
shown with opal glass and
gray housing with red cord
TO ORDER SEE PAGE 454


Glass Color



CR
clear



SM
smoke



OP
opal

Accent Color



GY
charcoal
gray with
red cord



WH
white with
white cord

Dimensions

8" x 10.5"



VETRA COLLECTION

Inspired by textiles, a linen weave design is silk screened on to the hand-blown glass shade, creating a textured surface through which the light softly glows. The artisan glass treatment is a subtle design element that gives this clean, contemporary profile a warm, tailored look.



Vetra Grande
shown in linen glass

TO ORDER SEE PAGE 489



Vetra
shown in linen glass

TO ORDER SEE PAGE 488

Glass Color



LN
linen glass

Dimensions

Vetra
3" x 10"


Vetra Grande
7.1" x 16"

See more of this collection
on page 260, 284



TRISTA GRANDE

In this luxurious pendant, light escapes through dozens of thin slits in the metallic finish to create a sparkling effect, as varying line thickness and spacing makes every piece of glass slightly unique.



Trista Grande
shown in satin nickel and gold
TO ORDER SEE PAGE 484


Finish



BL
black



SC
satin nickel



WH
white

Glass Color



GD
gold

Dimensions

4.8" x 18"

See more of this collection
on page 148

VARIA

A large hand-blown glass cylinder is artistically crafted to create a series of angled indentations which influence the perception of the diffused light as it passes through the glass.



Finish



BZ
bronze



SC
satin nickel

Glass Color



CR
clear



SM
smoke

Dimensions

6" x 16"

Varia

shown in satin nickel and clear

TO ORDER SEE PAGE 487

Varia

shown in bronze and smoke

TO ORDER SEE PAGE 487

DAHLING GRANDE

A translucent glass cylinder featuring thousands of embedded bubbles and soft frit accents gradually transitions its color from opal to gray.



Dahling Grande
shown in satin nickel and gray-opal
TO ORDER SEE PAGE 444

Finish



BZ
bronze



SC
satin nickel

Glass Color



GO
gray-opal

Dimensions

6" x 16"

See more of this collection
on page 156, 322

ABBEY GRANDE

Grand, colorfully transparent stained glass-style outer glass cylinder surrounds an opal inner glass to gently diffuse the light.



Finish



BZ
bronze



SC
satin nickel

Glass Color



AMR
amber-red



BAR
blue-amber-
red

Dimensions

6.5" x 14.6"

See more of this collection
on page 211

Abbey Grande
shown in bronze and amber-red
TO ORDER SEE PAGE 435

Abbey Grande
shown in satin nickel and blue-amber-red
TO ORDER SEE PAGE 435

TINDRA

Inspired by the unexpected beauty of crumpled paper, the hand-blown glass is carefully crafted by artisans in Poland for a unique modern look.



Tindra

shown in bronze and opal

TO ORDER SEE PAGE 482

Tindra

shown in satin nickel and transparent smoke

TO ORDER SEE PAGE 482

Finish



BZ
bronze




SC
satin nickel

Glass Color



OP
opal glass



SM
transparent
smoke glass

Dimensions

5.5" x 18.6"



VERA

Hand-blown opal glass is hand-carved to create a hammered look inspired by elegant stemware.



Vera
shown in satin nickel and opal-silver
TO ORDER SEE PAGE 488

Finish



SC
satin nickel

Glass Color



OS
opal-silver

Dimensions

4.5" x 16.8"

See more of this collection
on page 152

ROCK CANDY CYLINDER

Cylinder of hand-blown transparent glass is rolled in clear crystal frit and flash heated to create this unique texture. An inner opal glass diffuser adds depth to the pendant.





Rock Candy Cylinder
shown in bronze and clear
TO ORDER SEE PAGE 476



Rock Candy Cylinder
shown in bronze and dark amber
TO ORDER SEE PAGE 476



Rock Candy Cylinder
shown in satin nickel and smoke
TO ORDER SEE PAGE 476

Finish




BZ
bronze



SC
satin nickel

Glass Color



CR
clear



AM
dark amber



SM
smoke

Dimensions

4.8" x 15.8"

See more of this collection
on page 168, 169, 286

The image shows a modern dining area. Three orange glass pendant lights hang from the ceiling. Below them is a dark wood dining table with a laptop and glasses on it. The background is a wall with a rusted metal texture.

KENDALL

Soft curves and rich color combine to create a sophisticated modern glass pendant. Hand-blown by artisans in Poland, its gentle color gradation, lighter at the top to darker at the bottom, makes the thick glass even more engaging.



Kendall
shown in satin nickel and orange
TO ORDER SEE PAGE 454

Kendall
shown in satin nickel and smoke
TO ORDER SEE PAGE 454

Finish



BZ
bronze



SC
satin nickel

Glass Color



OR
orange



SM
smoke

Dimensions

5" x 14.5"

DOLLY GRANDE

Three slots in this large distinctive metal cylinder reveal an inner layer of brilliant rhinestones creating a jeweled lighting effect.

Color



SCCR
satin nickel
exterior / clear
crystal interior



BLBL
rubberized black
exterior / black
crystal interior



SCGD
satin nickel
exterior / gold
crystal interior

Dimensions

5.4" x 14.5"

See more of this collection
on page 186, 294



Dolly Grande
shown in satin nickel exterior /
clear crystal interior

TO ORDER SEE PAGE 445



Dolly Grande
shown in black exterior /
black crystal interior

TO ORDER SEE PAGE 445



Dolly Grande
shown in satin nickel exterior /
gold crystal interior

TO ORDER SEE PAGE 445

JUNIPER

Tall mouth-blown glass cylinder is enriched with organically imperfect sandblasted vertical stripes.



Juniper

shown in satin nickel and opal

TO ORDER SEE PAGE 453

Finish



PC
polished nickel



SC
satin nickel

Glass Color



OP
opal

Dimensions

4.3" x 13.8"

See more of this collection
on page 327



SPHERE

A unique crisscross patterned die-cast aluminum heat sink supports your choice of seeded cast glass, frosted white or cast smoke glass globes. The optional warm color dimming LED module gradually changes color from 3000K to 2200K as it dims to mimic traditional halogen lamping.



Sphere
shown in satin nickel
and cast smoke
TO ORDER SEE PAGE 479



Sphere
shown in rubberized black
and cast clear
TO ORDER SEE PAGE 479



Sphere
shown in rubberized white
and frost
TO ORDER SEE PAGE 479

Finish



BL
rubberized black



SC
satin nickel



WH
rubberized white

Glass Color



CR
cast
clear



FR
frost



SM
cast
smoke

Dimensions


4" x 4"

See more of this collection
on page 29, 134, 274, 298, 300

ZURI

Created by Italian artisans to replicate the look of crumpled metal. When turned off, it has an opaque metal appearance. However, when lit, it becomes a mysteriously translucent light fixture.





Zuri
shown in bronze and copper
TO ORDER SEE PAGE 490



Zuri
shown in satin nickel and silver
TO ORDER SEE PAGE 490

Finish



BZ
bronze



SC
satin nickel

Glass Color



CP
copper



SI
silver

Dimensions

9" x 9.3"

See more of this collection
on page 142



MEKANIC

The utilitarian troubleshooting light found in every auto repair shop in America just received an upgrade. Its larger scale and metallic finish combine with a downward-firing LED light source for the curious impression of a lampless fixture.



Mekanik
shown in rubberized black exterior /
copper interior

TO ORDER SEE PAGE 461



Mekanik
shown in rubberized black exterior /
satin nickel interior

TO ORDER SEE PAGE 461

Finish




BL
black

Color



BC
rubberized black exterior /
copper interior



BS
rubberized black exterior /
satin nickel interior

Dimensions

5.2" x 14.2"

PERF

A perforated metal cylinder with chrome coat finish surrounds a frosted acrylic inner cylinder.



Color



cc
chrome coat

Dimensions

4.1" x 10.3"

Perf

shown in chrome coat

TO ORDER SEE PAGE 473

ERLEN

This oversized glass pendant named for the German chemist who created the iconic flask shape features a reflective solid metal appearance when off, and a partially translucent look when illuminated.



Erlen
shown in black and mercury
TO ORDER SEE PAGE 448

Finish



BL
black

Glass Color



ME
mercury

Dimensions

8.7" x 15"



LESS IS MORE. LOW-VOLTAGE PENDANTS



What is a low-voltage pendant and why is it preferable?

One of the main benefits of low-voltage fixtures is their compact size and flexibility. Having less voltage means the fixtures require different types of light bulbs and wiring and can be used on streamlined track systems, all of which can be less intrusive in the space, while allowing you to place several fixtures exactly where you want them. LBL Lighting low-voltage pendants can be purchased with one of three mounting options to best suit your application: Monopoint, Monorail or Fusion Jack.

FACETTE

Sophisticated elegance exudes from this sleek molded glass pendant. Light flows through hundreds of triangular facets at the bottom of the elongated shade, with the upper portion being purposefully masked with texturized paint to draw the eye toward the light.





Facette
shown in satin nickel and
black top with smoke bottom
[TO ORDER SEE PAGE 449](#)



Facette
shown in satin nickel and
white top with clear bottom
[TO ORDER SEE PAGE 449](#)

Finish



SC
satin nickel

Glass Color



BLSM
black top with
smoke bottom



WHCR
white top with
clear bottom

Dimensions

4" x 19"

[See more of this collection
on page 88](#)



ADARA

Hints of inspiration from African folk art can be seen in the hypnotic texture and slender shape of this unique pendant. A ribbed surface created by molding the glass combines with a frosted texture to gently diffuse the light.



Adara
shown in satin nickel and frost
TO ORDER SEE PAGE 435



Adara
shown in bronze and smoke
TO ORDER SEE PAGE 435



Adara
shown in satin nickel and steel blue
TO ORDER SEE PAGE 435

Finish



BZ
bronze



SC
satin nickel

Glass Color



FR
frost



SM
smoke



BU
steel blue


Dimensions

4.1" x 23.5"



SPHERE

A unique crisscross patterned die-cast aluminum heat sink supports your choice of seeded cast glass, frosted white or cast smoke glass globes. The optional warm color dimming LED module gradually changes color from 3000K to 2200K as it dims to mimic traditional halogen lamping.



Sphere

shown in rubberized black
and cast smoke glass

TO ORDER SEE PAGE 479



Sphere

shown in rubberized white
and cast clear glass

TO ORDER SEE PAGE 479

Finish



BL
rubberized
black



SC
satin nickel



WH
rubberized
white

Glass Color



CR
cast
clear



FR
frost



SM
cast
smoke

Dimensions

4" x 4"

See more of this collection
on page 29, 120, 274, 298, 300

OREON

A celestial inspiration is clearly evident in this contemporary pendant. Concentric satin nickel rings create a kinetic effect and reflect the light as they are illuminated by the glow emanating from the central white glass globe.




Finish



SC
satin nickel

Glass Color



WH
white

Dimensions

11.8" x 11.8"

Oreon

shown in satin nickel and white

TO ORDER SEE PAGE 471

RENÉE I

Sleek, elongated opal glass pendant is capped off with a decorative metal stem.



Renée I

shown in satin nickel and opal

TO ORDER SEE PAGE 476

Finish



SC
satin nickel

Glass Color



OP
opal

Dimensions

2.6" x 9.9"



TOGAN

Echoes of hand-spun pottery ring throughin the symmetrical design of this unique low-voltage pendant. Its spun-metal shade features rubberized paint and is offered in fully and partially coated variations.



Togan
shown in satin nickel and
white top / aluminum bottom
TO ORDER SEE PAGE 483



Togan
shown in satin nickel and
white top / white bottom
TO ORDER SEE PAGE 483

Finish



SC
satin nickel

Color



WHAL
white top /
aluminum
bottom



WHWH
white top /
white bottom

Dimensions

12" x 8"

See more of this collection
on page 62



MINI-SIGNAL

Impressive scale and a graceful silhouette allow the spun metal shade's beautiful hand-painted metallic texture and color to take center stage. Available in eight finish/color combinations, rubberized paint creates a flawlessly smooth exterior finish.



Mini-Signal
shown in rubberized
gray exterior /
gold interior

TO ORDER
SEE PAGE 465



Mini-Signal
shown in rubberized
white exterior /
platinum interior

TO ORDER
SEE PAGE 465



Mini-Signal
shown in rubberized
gray exterior /
blue interior

TO ORDER
SEE PAGE 465



Mini-Signal
shown in rubberized
white exterior /
copper interior

TO ORDER
SEE PAGE 465



Mini-Signal
shown in rubberized
gray exterior /
platinum interior

TO ORDER
SEE PAGE 465

Finish



GYBU
rubberized
gray exterior /
blue interior



WHBU
rubberized
white exterior /
blue interior



GYCP
rubberized
gray exterior /
copper interior



WHCP
rubberized
white exterior /
copper interior



GYGD
rubberized
gray exterior /
gold interior



WHGD
rubberized
white exterior /
gold interior



GYPL
rubberized
gray exterior /
platinum interior



WHPL
rubberized
white exterior /
platinum interior

Dimensions

Mini Signal
4.1" x 8"

See more of this collection
on page 72



MINI-ZURI

Created by Italian artisans to replicate the look of crumpled metal. When turned off, it has an opaque metal appearance. However, when lit, it becomes a mysteriously translucent light fixture.



Mini-Zuri
shown in satin nickel and black
TO ORDER SEE PAGE 466



Mini-Zuri
shown in bronze and copper
TO ORDER SEE PAGE 466



Mini-Zuri
shown in satin nickel and silver
TO ORDER SEE PAGE 466

Finish



BZ
bronze



SC
satin nickel

Glass Color



BL
black



CP
copper



SI
silver

Dimensions

5" x 6"

See more of this collection
on page 122

LEXUM

Elegance takes form in this hand-carved solid crystal pendant inspired by current trends of asymmetrical facets in home accessories and jewelry.



Finish



BZ
bronze



SC
satin nickel

Glass Color



CR
optic crystal

Dimensions

3" x 3.7"

Lexum
shown in bronze and optic crystal
TO ORDER SEE PAGE 455

Lexum
shown in satin nickel and optic crystal
TO ORDER SEE PAGE 455

MINI-DIA

Inspired by the classic eight-faceted crystals that have been hanging from traditional chandeliers for centuries, hand-blown glass is lowered into a custom mold to create these over-sized crystals.



Mini-Dia

shown in satin nickel
and clear

TO ORDER SEE PAGE 462

Mini-Dia

shown in bronze and
transparent brown

TO ORDER SEE PAGE 462

Mini-Dia

shown in bronze and
transparent charcoal

TO ORDER SEE PAGE 462

Finish



BZ
bronze



SC
satin nickel

Glass Color



CR
clear



BR
transparent
brown



GY
transparent
charcoal

Dimensions

2.6" x 14.4"

CORINNA

The tall, slender silhouette features thousands of iridescent bubbles created by infusing molten glass with a special compound to produce a chemical reaction. To protect these details, the outer surface is coated in smooth, clear glass.

Finish



BZ
bronze



SC
satin nickel

Glass Color



CZ
clear with
bronze bubbles



CC
clear with
clear bubbles



YZ
gray with
bronze bubbles

Dimensions

2" x 18"



Corinna

shown in satin nickel and
clear with bronze bubbles

TO ORDER SEE PAGE 442

Corinna

shown in satin nickel and
clear with clear bubbles

TO ORDER SEE PAGE 442

Corinna

shown in satin nickel and
gray with bronze bubbles

TO ORDER SEE PAGE 442

MONACO

A slim, dramatic silhouette starts as a cylindrical shape at the top, then gradually migrates to a square profile at the bottom.



Monaco

shown in bronze and gold bubble

TO ORDER SEE PAGE 467

Monaco


shown in satin nickel and gold bubble

TO ORDER SEE PAGE 467

Finish



BZ
bronze



SC
satin nickel

Glass Color



GD
gold bubble

Dimensions

3" x 18"



TRISTA

In this luxurious pendant, light escapes through dozens of thin slits in the metallic finish to create a sparkling effect, as varying line thickness and spacing makes every piece of glass slightly unique.



Trista
shown in satin nickel and gold
TO ORDER SEE PAGE 484

Finish



SC
satin nickel

Glass Color



GD
gold

Dimensions

2.5" x 14"

See more of this collection
on page 106

PAIGE

The natural beauty and dramatic movement of wind over water are captured in this hand-blown glass pendant.





Paige
shown in satin nickel and clear
TO ORDER SEE PAGE 472



Paige
shown in satin nickel and light amber
TO ORDER SEE PAGE 472

Finish



BZ
bronze



SC
satin nickel

Glass Color



CR
clear



AM
light amber



SM
smoke

Dimensions

3.7" x 12"



MINI-VERA

Hand-blown opal glass is hand-carved to create a hammered look inspired by elegant stemware.



Mini-Vera

shown in satin nickel and opal-silver

TO ORDER SEE PAGE 466

Finish



sc
satin nickel

Glass Color



os
opal-silver

Dimensions

3" x 10.5"

See more of this collection
on page 112



HORIZON

Mouth-blown pendant with rich color and a deep, clear draw inspired by slow-moving lava flow.



Horizon

shown in satin nickel and opal

TO ORDER SEE PAGE 451

Horizon

shown in satin nickel and steel blue

TO ORDER SEE PAGE 451

Finish



BZ
bronze



SC
satin nickel

Glass Color



OP
opal



BU
steel blue

Dimensions

3.2" x 8.8"



DAHLING COLLECTION

A transparent glass cylinder featuring thousands of embedded bubbles and soft frit accents that gradually transition its color from opal to gray.



Dahling

shown in satin nickel and gray-opal

TO ORDER SEE PAGE 444




Mini-Dahling


shown in satin nickel and gray-opal

TO ORDER SEE PAGE 462

Finish



BZ
bronze



SC
satin nickel

Glass Color



GO
gray-opal

Dimensions

Mini-Dahling
3" x 7.1"

Dahling
4.3" x 10"

See more of this collection
on page 109, 322



MINI-MASON

A modern twist on an iconic shape. Rich transparent glass surrounds an opal glass diffuser.



Mini-Mason

shown in satin nickel and clear

TO ORDER SEE PAGE 464

Mini-Mason

shown in satin nickel and steel blue

TO ORDER SEE PAGE 464

Finish



BZ
bronze



SC
satin nickel

Glass Color



AM
amber



BR
brown



BU
steel blue



CR
clear

Dimensions

4.9" x 8.1"

See more of this collection
on page 96



BONN

A transparent cone of glass features a wide hand-etched band across its center which provides visual interest while naturally diffusing the light.





PHOTOGRAPHER: Raul J. Garcia Photography, 2010



Bonn
shown in satin nickel
and amber
TO ORDER SEE PAGE 439



Bonn
shown in satin nickel
and clear
TO ORDER SEE PAGE 439



Bonn
shown in satin nickel
and smoke
TO ORDER SEE PAGE 439

Finish



BZ
bronze



SC
satin nickel

Glass Color



AM
amber



CR
clear



SM
smoke

Dimensions

3.8" x 13"



BRIOLETTE

Transparent glass is formed into a classic teardrop shape, then manipulated by hand to create unique semi-opaque facets.



Briolette
shown in bronze and amber
TO ORDER SEE PAGE 440



Briolette
shown in bronze and smoke
TO ORDER SEE PAGE 440

Finish



BZ
bronze



SC
satin nickel


Glass Color



AM
amber



FR
frost



SM
smoke

Dimensions

4.3" x 7.5"

See more of this collection
on page 92

CYPREE LARGE

Simple organic-shaped frosted glass pendant in a dramatically slim modern silhouette.

Finish



BZ
bronze



SC
satin nickel

Glass Color



AM
amber



CR
clear



FR
frost



GR
olive green



PR
amethyst



SM
transparent smoke

Dimensions

3" x 27"



Cypree Large
shown in satin nickel
and amber

TO ORDER SEE PAGE 443

Cypree Large
shown in bronze
and amethyst

TO ORDER SEE PAGE 443

Cypree Large
shown in bronze
and olive green

TO ORDER SEE PAGE 443

Cypree Large
shown in satin nickel
and clear

TO ORDER SEE PAGE 443

CYPREE SMALL

Simple organic-shaped frosted glass pendant in a dramatically slim modern silhouette.



Cypree Small
shown in bronze
and amber

TO ORDER SEE PAGE 443

Cypree Small
shown in satin nickel
and clear

TO ORDER SEE PAGE 443

Cypree Small
shown in satin nickel
and frost

TO ORDER SEE PAGE 443

Cypree Small
shown in bronze
and transparent smoke

TO ORDER SEE PAGE 443

Finish



BZ
bronze



SC
satin nickel

Glass Color



AM
amber



CR
clear



FR
frost



GR
olive green



PR
amethyst



SM
transparent
smoke

Dimensions

3" x 14"



MINI-ISIS CYLINDER

Streams of thick glass piping are formed into a glass cylinder and diffused with an inner frosted glass cylinder.



Mini-Isis Cylinder
shown in satin nickel and aqua
TO ORDER SEE PAGE 463



Mini-Isis Cylinder
shown in satin nickel and clear
TO ORDER SEE PAGE 463



Mini-Isis Cylinder
shown in bronze and smoke
TO ORDER SEE PAGE 463



Mini-Isis Cylinder
shown in bronze and amber
TO ORDER SEE PAGE 463

Finish



BZ
bronze



SC
satin nickel

Glass Color



AM
amber



AQ
aqua



CR
clear



SM
smoke

Dimensions

3" x 10.5"

MINI-ROCK CANDY CYLINDER

Cylinder of hand-blown transparent glass is rolled in clear crystal frit and flash heated to create this unique texture. Inner opal glass diffuser adds depth to the pendant.

Finish



BZ
bronze



SC
satin nickel

Glass Color



AM
dark amber



CR
clear



SM
smoke

Dimensions

3.6" x 10.2"

See more of this collection
on page 114, 169, 286



Mini-Rock Candy Cylinder
shown in satin nickel and clear

TO ORDER SEE PAGE 464

Mini-Rock Candy Cylinder
shown in bronze and dark amber

TO ORDER SEE PAGE 464

Mini-Rock Candy Cylinder
shown in satin nickel and smoke

TO ORDER SEE PAGE 464

MINI-ROCK CANDY ROUND

Sphere of hand-blown transparent glass is rolled in clear crystal frit and flash heated to create this unique texture.



Mini-Rock Candy Round

shown in bronze and clear


TO ORDER SEE PAGE 465

Mini-Rock Candy Round

shown in satin nickel and smoke

TO ORDER SEE PAGE 465

Finish



BZ
bronze



SC
satin nickel

Glass Color



CR
clear



SM
smoke

Dimensions

6.6" x 7.4"


See more of this collection
on page 114, 168, 286

MINI-MIYU

Each beautifully transparent teardrop-shaped glass shade features a wide silver leaf band which is gently illuminated by an inner diffuser as it organically orbits its circumference. The hand-blown nature of this piece ensures no two shades are exactly alike.



Finish



BZ
bronze



SC
satin nickel

Glass Color



BU
steel blue



GR
gray

Dimensions

5" x 7"

See more of this collection
on page 100

Mini-Miyu

shown in bronze and gray

TO ORDER SEE PAGE 464

Mini-Miyu

shown in satin nickel and steel blue

TO ORDER SEE PAGE 464

AQUARII

Inspired by the organic nature of churning ocean surf, this hand-blown glass globe features complex layers of color and bubbles to ensure no two pieces are exactly alike.



Aquarii


shown in bronze and ivory

TO ORDER SEE PAGE 436

Aquarii

shown in satin nickel and opal

TO ORDER SEE PAGE 436



Aquarii

shown in satin nickel and steel blue

TO ORDER SEE PAGE 436

Finish



BZ
bronze



SC
satin nickel

Glass Color



BU
steel blue



IV
ivory



OP
opal

Dimensions

6.3" x 7"

ZOLLO

Spherical Italian blown glass shade with a highly detailed organic crackle pattern delivers a rich depth to any decor.





Zollo
shown in bronze and blue
TO ORDER SEE PAGE 490



Zollo
shown in satin nickel and gray
TO ORDER SEE PAGE 490

Finish



SC
satin nickel

Glass Color



BU
blue



GY
gray

Dimensions

6.5" x 5.7"



MINI-JASPER

Outer transparent glass and inner cased opal glass are hand-blown and then hand-paddled for a unique, organic look.



Mini-Jasper
shown in satin nickel and clear
TO ORDER SEE PAGE 464



Mini-Jasper
shown in satin nickel and steel blue
TO ORDER SEE PAGE 464

Finish



BZ
bronze



SC
satin nickel

Glass Color



BU
steel blue



CR
clear

Dimensions

8.7" x 7.8"



MINI-ISLA

Irregular round-shaped glass with a hand-blown organic seeded technique leaves hundreds of bubbles suspended within the glass.



Mini-Isla
shown in bronze and amber
TO ORDER SEE PAGE 464

Mini-Isla
shown in bronze and smoke
TO ORDER SEE PAGE 464

Mini-Isla
shown in satin nickel and clear
TO ORDER SEE PAGE 464

Mini-Isla
shown in satin nickel and aqua
TO ORDER SEE PAGE 464

Finish



BZ
bronze




SC
satin nickel

Glass Color



AM
amber



AQ
aqua



CR
clear



SM
smoke

Dimensions

7" x 6.1"

See more of this collection
on page 94

CYLIA

Modern-shaped hand-blown iridescent glass pendant is capped with a decorative metal detail.



Finish



BZ
bronze



SC
satin nickel

Glass Color



AM
amber



OP
opal

Dimensions

5.5" x 4.4"

Cylia

shown in bronze and amber
TO ORDER SEE PAGE 443

Cylia

shown in satin nickel and opal
TO ORDER SEE PAGE 443

SEGURO

Beautifully colored transparent glass features a unique crackle texture on the lower third of the shade.



Seguro

shown in satin nickel and clear

TO ORDER SEE PAGE 477

Seguro

shown in satin nickel and smoke

TO ORDER SEE PAGE 477

Finish



BZ
bronze



SC
satin nickel

Glass Color



CR
clear



SM
smoke

Dimensions

5" x 11"

CHILL

Organic-shaped transparent glass with fractured-ice texture and frosted scavo finish to help diffuse the light.



Finish



BZ
bronze



SC
satin nickel

Glass Color



AM
amber



BU
blue



CR
clear

Dimensions

6.1" x 8"

Chill

shown in bronze and amber

TO ORDER SEE PAGE 44I

Chill

shown in satin nickel and clear

TO ORDER SEE PAGE 44I

Chill

shown in bronze and blue

TO ORDER SEE PAGE 44I

EMI

Gently curving mouth-blown glass features two-toned powder frit in an organic flowing pattern.



Emi
shown in satin nickel
and gray / dark purple
TO ORDER SEE PAGE 448




Emi
shown in satin nickel and
light chocolate / brown
TO ORDER SEE PAGE 448



Emi
shown in satin nickel
and ivory / brown
TO ORDER SEE PAGE 448

Finish



BZ
bronze



SC
satin nickel

Glass Color



CB
light chocolate /
brown



IB
ivory / brown



YP
gray / dark
purple

Dimensions

4.1" x 8"

RIO

Mouth-blown glass pendant has a rich smoke-like movement of color throughout.



Finish



BZ
bronze



SC
satin nickel

Glass Color



BB
amber /
dark brown



BG
brown / gray

Dimensions

3.8" x 9.6"

Rio

shown in satin nickel
and amber / dark brown

TO ORDER SEE PAGE 476

Rio

shown in bronze
and brown / gray

TO ORDER SEE PAGE 476

RACHEL

Elegant Murano glass shades are enriched with organically shaped pattern and accents of silver leaf.



Rachel
shown in satin nickel
and latte / opal
TO ORDER SEE PAGE 475

Rachel
shown in satin nickel
and mocha / latte
TO ORDER SEE PAGE 475

Rachel
shown in bronze
and opal / amber
TO ORDER SEE PAGE 475

Finish



BZ
bronze



SC
satin nickel

Glass Color



LTOP
latte / opal



MOLT
mocha / latte



OPAM
opal / amber

Dimensions

3.9" x 12"



RELIC NO.2

Pear-shaped mouth-blown glass shade has playful silver accents and an inner opal glass diffuser.



DESIGN: Zetterberg Custom Homes and Remodeling LLC




Relic No.2
shown in satin nickel and amber
TO ORDER SEE PAGE 475



Relic No.2
shown in satin nickel and clear
TO ORDER SEE PAGE 475

Finish



BZ
bronze



SC
satin nickel

Glass Color



AM
amber



CR
clear

Dimensions


5.4" x 7"




DOLLY

Slotted metal cylinder reveals an inner layer of brilliant rhinestones.





Finish



SC
satin nickel

Color



BLBL
black exterior /
black crystal interior



BLCR
black exterior /
clear crystal interior



BLGD
black exterior /
gold crystal interior



SCCR
satin nickel exterior /
clear crystal interior




SCOR
satin nickel exterior /
orange crystal interior

SELECT AN INTERIOR COLOR

Standard



Custom – Contact the LBL Quotes Department to order custom colors.




Dimensions

3.3" x 10.6"

See more of this collection
on page 118, 294

DIMENSIONS

Large optically pure crystals by SWAROVSKI are elegantly illuminated by rich halogen light.





Dimensions
shown in bronze and clear
TO ORDER SEE PAGE 445




Dimensions
shown in bronze and dark amber
TO ORDER SEE PAGE 445



Dimensions
shown in satin nickel and prismatic multicolor
TO ORDER SEE PAGE 445

Finish



BZ
bronze



SC
satin nickel

Crystal Color



AM
dark amber



AB
prismatic multicolor



CR
clear

Dimensions

4.3" x 6.4"

NEUTRON

A sleek cylinder comprised of metal and acrylic is enhanced by a punch of white or colored light.



Neutron
shown in satin nickel and clear with amber lamp
TO ORDER
SEE PAGE 469

Neutron
shown in satin nickel and clear with cool white lamp
TO ORDER
SEE PAGE 469

Neutron
shown in satin nickel and frost with cool white lamp
TO ORDER
SEE PAGE 469

Neutron
shown in satin nickel and frost with green lamp
TO ORDER
SEE PAGE 469

Neutron
shown in satin nickel and frost with warm white lamp
TO ORDER
SEE PAGE 469

Neutron
shown in satin nickel and frost with blue lamp
TO ORDER
SEE PAGE 469

Neutron
shown in satin nickel and frost with red lamp
TO ORDER
SEE PAGE 469

Finish
SC
satin nickel

Acrylic Color
CR
clear
FR
frost

Lamp Color
AM
amber
BU
blue
GR
green
RD
red
RG
RGB
WW
warm white
WH
cool white

Dimensions
2" x 20.9"



TOP-SI COAX

Opal-cased glass enclosed in hand-blown transparent cylindrical shaped glass.



Top-Si Coax
shown in satin nickel
and amber
TO ORDER SEE PAGE 483

Top-Si Coax
shown in satin nickel
and clear
TO ORDER SEE PAGE 483

Top-Si Coax
shown in satin nickel
and opal
TO ORDER SEE PAGE 483

Finish



SC
satin nickel

Glass Color



AM
amber



CR
clear



OP
opal

Dimensions

2" x 8"



ICICLE

Colorful frit is integrated into crystalline glass with a beautifully clear deep draw to imitate a slowly melting icicle.




Icicle
shown in bronze
and amber
TO ORDER SEE PAGE 452

Icicle
shown in satin nickel
and clear
TO ORDER SEE PAGE 452

Icicle
shown in satin nickel
and opal
TO ORDER SEE PAGE 452

Icicle
shown in satin nickel
and blue
TO ORDER SEE PAGE 452

Finish



BZ
bronze



SC
satin nickel

Glass Color



AM
amber



BU
blue



CR
clear



OP
opal

Dimensions

2.3" x 9.3"

COLISEUM

A simple, midsized cylinder comprised of a natural alabaster tiles for a warm, organic lighting effect.



Finish



BZ
bronze



SC
satin nickel

Glass Color



OP
opal

Dimensions

4.8" x 8.7"

Coliseum

shown in satin nickel and opal

TO ORDER SEE PAGE 44I

MINI-INDULGENT

Dramatic, fluted mouth-blown glass shade is peppered with colorful frit accents.



Mini-Indulgent
shown in bronze
and amber

TO ORDER SEE PAGE 463



Mini-Indulgent
shown in satin nickel
and red

TO ORDER SEE PAGE 463



Mini-Indulgent
shown in satin nickel
and opal

TO ORDER SEE PAGE 463

Finish



BZ
bronze



SC
satin nickel

Glass Color



AM
amber



OP
opal



RD
red

Dimensions

4.4" x 5.8"

ONYX COLLECTION

Each pendant is carved from a solid block of genuine onyx stone. Available in cone, cylinder, dome and teardrop forms.





Onyx Cone
shown in bronze and onyx
TO ORDER SEE PAGE 471



Onyx Cylinder
shown in bronze and onyx
TO ORDER SEE PAGE 471

Onyx Dome
shown in bronze and onyx
TO ORDER SEE PAGE 471



Onyx Teardrop
shown in satin nickel
and onyx
TO ORDER SEE PAGE 471

Finish



BZ
bronze



SC
satin nickel

Stone Color



ON
onyx

Dimensions


Cone
3.8" x 6.4"
Cylinder
3.9" x 8"
Dome
3.9" x 5.8"
Tear Drop
4" x 6"

See more of this collection
on page 308



FLUTE

Crystal clear, elliptical-shaped Italian mouth-blown fluted glass pendant adds sophisticated sparkle to any room.



Flute

shown in satin nickel
and amber

TO ORDER SEE PAGE 450



Flute

shown in satin nickel
and clear

TO ORDER SEE PAGE 450

Finish



BZ
bronze



SC
satin nickel

Glass Color



AM
amber



CR
clear

Dimensions

3.5" x 7"

TEAR-SII COAX

Mouth-blown teardrop-shaped cased glass pendant features opaque white or deeply saturated blue or red.

Finish



SC
satin nickel

Glass Color



BU
blue



OP
opal



RD
red

Dimensions

4" x 7.4"



Tear-sii-coax

shown in satin nickel
and blue

TO ORDER SEE PAGE 482



Tear-sii-coax

shown in satin nickel
and opal

TO ORDER SEE PAGE 482



Tear-sii-coax

shown in satin nickel
and red

TO ORDER SEE PAGE 482

BANJA

Teardrop-shaped glass is richly layered with multi-colored frit, each color featuring a subtle gold undertone.



Banja
shown in satin nickel
and aquamarine
TO ORDER SEE PAGE 438

Banja
shown in bronze
and ivory opaque
TO ORDER SEE PAGE 438

Finish



BZ
bronze



SC
satin nickel

Glass Color



AQ
aquamarine



IW
ivory opaque

Dimensions

4" x 7.4"

SOPHIA

Dome-shaped hand-blown glass shades feature creative texturing and a decorative metal stem.





Sophia
shown in bronze and amber
TO ORDER SEE PAGE 478

Sophia
shown in satin nickel and clear
TO ORDER SEE PAGE 478

Finish



BZ
bronze



SC
satin nickel

Glass Color



AM
amber



CR
clear

Dimensions

4.5" x 2.5"



LILY

Mouth-blown transparent colored glass pendant is inspired by its namesake, and each organic fixture is slightly unique in shape and color.



Lily
shown in amber
TO ORDER SEE PAGE 456



Lily
shown in opal
TO ORDER SEE PAGE 456



Lily
shown in red
TO ORDER SEE PAGE 456

Finish



BZ
bronze



SC
satin nickel

Glass Color



AM
amber



OP
opal



RD
red

Dimensions

4" x 28"



BULLÉ

Mouth-blown spheres of crystal each with a perfectly placed pattern of tiny air bubbles create a glimmering effect.



Bullé

shown in satin nickel and clear

TO ORDER SEE PAGE 440

Bullé

shown in satin nickel and blue

TO ORDER SEE PAGE 440

Finish



BZ
bronze



SC
satin nickel

Crystal Color



BU
blue



CR
clear

Dimensions

4" x 4"

NEPTUNE I

Mouth-blown glass sphere with organic swirls of color. The handmade nature of this piece ensures no two are exactly alike.



Neptune I

shown in satin nickel
and amber

TO ORDER SEE PAGE 468

Neptune I

shown in satin nickel
and blue

TO ORDER SEE PAGE 468

Finish



BZ
bronze



SC
satin nickel

Glass Color



AM
amber



BU
blue



OP
opal



RD
red

Dimensions

5" x 3.8"



Neptune I

shown in satin nickel
and opal

TO ORDER SEE PAGE 468

Neptune I

shown in satin nickel
and red

TO ORDER SEE PAGE 468

ABBHEY


Colorfully transparent stained glass-style outer glass cylinder surrounds an opal inner glass shade to gently diffuse the light.



Abbey
shown in satin nickel and amber-red
TO ORDER SEE PAGE 435

Abbey
shown in bronze and blue-amber-red
TO ORDER SEE PAGE 435

Finish



BZ
bronze



SC
satin nickel

Glass Color



AMR
amber-red



BAR
blue-amber-red

Dimensions

3.5" x 7.5"

See more of this collection
on page 110



BLING

A disc of solid transparent crystal with sandblasted interior and decorative metal accents is illuminated from within.



Bling

shown in satin nickel and clear
pendants sold individually

TO ORDER SEE PAGE 439

Finish



SC
satin nickel

Glass Color



CR
clear

Dimensions

2.4" x 1" x 3.2"

See more of this collection
on page 44



ROCKS


Large cube of crystalline glass creates a simple, classic pendant.



Rocks
shown in bronze and clear
TO ORDER SEE PAGE 477

Rocks
shown in satin nickel and clear
TO ORDER SEE PAGE 477

Finish



BZ
bronze



SC
satin nickel

Glass Color



CR
clear

Dimensions

3.1" x 3.1 x 4.9"



MINI-MONTY

Mouth-blown elliptical shaped Murano glass fused with millefiore glass and silver flakes.



Mini-Monty
shown in satin nickel and blue
TO ORDER SEE PAGE 464



Mini-Monty
shown in bronze and mocha
TO ORDER SEE PAGE 464



Mini-Monty
shown in bronze and opal
TO ORDER SEE PAGE 464



Mini-Monty
shown in satin nickel and red
TO ORDER SEE PAGE 464

Finish



BZ
bronze



SC
satin nickel

Glass Color



BU
blue



MO
mocha



OP
opal



RD
red

Dimensions

4" x 5.5"

See more of this collection
on page 320

MADELEINE

These delicate flute-shaped glass pendants are composed of colorful frit combinations and an iris overlay for a mirror-like effect when off.

Finish



BZ
bronze



SC
satin nickel

Glass Color



BU
blue



PR
purple



RD
red



TO
tortoise

Dimensions

3.3" x 13.5"



Madeleine
shown in satin nickel
and blue

TO ORDER SEE PAGE 460



Madeleine
shown in satin nickel
and purple

TO ORDER SEE PAGE 460



Madeleine
shown in bronze
and red

TO ORDER SEE PAGE 460



Madeleine
shown in bronze
and tortoise

TO ORDER SEE PAGE 460

HOVER

Floating glass disc shrouded by a slim bronze- or satin nickel-plated metal body.




Hover
shown in bronze
TO ORDER SEE PAGE 451



Hover
shown in satin nickel
TO ORDER SEE PAGE 451

Finish



BZ
bronze



SC
satin nickel

Dimensions

5.6" x 3.3"



FLOW

Transparent mouth-blown glass cone with embedded strands of black- or amber-colored glass creates understated sparkle.



Flow
shown in bronze and amber
TO ORDER SEE PAGE 450



Flow
shown in satin nickel and black
TO ORDER SEE PAGE 450

Finish



BZ
bronze



SC
satin nickel

Glass Color



AM
amber



BL
black

Dimensions

3.5" x 5.3"

VORTEX

Mouth-blown elliptical-shaped glass delicately wrapped with bands of colorful glass.



Finish



SC
satin nickel

Glass Color



AM
amber



BU
blue



RD
red

Dimensions

4" x 7.3"

Vortex

shown in satin nickel
and amber

TO ORDER SEE PAGE 489

Vortex

shown in satin nickel
and red

TO ORDER SEE PAGE 489

Vortex

shown in satin nickel
and blue

TO ORDER SEE PAGE 489

GELATO

Mouth-blown sphere of transparent colored glass featuring flowing stripes of iris.



Gelato
shown in bronze
and amber
TO ORDER SEE PAGE 450



Gelato
shown in satin nickel
and blue
TO ORDER SEE PAGE 450



Gelato
shown in satin nickel
and clear
TO ORDER SEE PAGE 450

Finish



BZ
bronze



SC
satin nickel

Glass Color



AM
amber



BU
blue



CR
clear

Dimensions

4.6" x 5"

OONI

Italian hand-blown glass sphere encased by hand-placed glass point decoration.



Ooni
shown in satin nickel
and amber
TO ORDER SEE PAGE 471



Ooni
shown in satin nickel
and clear
TO ORDER SEE PAGE 471



Ooni
shown in satin nickel
and blue
TO ORDER SEE PAGE 471

Finish



SC
satin nickel

Glass Color



AM
amber



BU
blue



CR
clear

Dimensions

5.5" x 4.4"

CRYSTAL BALL


Hundreds of bubbles are suspended within mouth-blown glass orbs with decorative metallic stems



Crystal Ball
shown in bronze and clear
TO ORDER SEE PAGE 443

Crystal Ball
shown in satin nickel and clear
TO ORDER SEE PAGE 443

Finish



BZ
bronze



SC
satin nickel

Glass Color



CR
clear

Dimensions

2" x 2"



ROCKET

Sleekly styled satin nickel steel shade with symmetrically patterned holes creates a contemporary industrial-inspired profile.



Rocket

shown in satin nickel

TO ORDER SEE PAGE 476

Finish



SC
satin nickel

Dimensions

2" x 8.9"



TUBE 2

Borosilicate glass tubes suspended on metal rods.



Tube 2
shown in bronze and frost
TO ORDER SEE PAGE 484

Finish



BL
black



BZ
bronze



SC
satin nickel

Glass Color



FR
frost

Dimensions

1.4" x 72"



HIGHLIGHT WHAT MATTERS. LOW-VOLTAGE HEADS




Why do I use a directional head versus a pendant?

Low-voltage heads are small, amiable, spot lights. Like their low-voltage pendant counterparts, they are sought after for their compact size and versatile mounting options. Using low-voltage heads allows you to create spot light or general illumination in very subtle ways versus using much larger line voltage options. Providing the ultimate flexibility, they can be easily redirected as you rearrange the furniture, buy new artwork, or change the décor/color of your space. With several styles and accessories to choose from, our low-voltage heads complement a wide array of contemporary settings. LBL Lighting low-voltage heads are also available with Monopoint, Monorail or Fusion Jack mounting hardware.

AURI


Modern consumer electronics inspire the futuristic, appearance of the Auri low-voltage head. This fixture features a unique, powerful oval-shaped LED light source optimized through use of an internal reflector. Rotates 360° and tilts 350°.



Finish



SC
satin nickel



WS
rubberized
white

Auri

shown in satin nickel

TO ORDER SEE PAGE 437

Auri

shown in rubberized white / satin nickel

TO ORDER SEE PAGE 437

Dimensions

2.9" x 2.5" x 3"

TWIN SPOT SWIVEL

Two independent MRI6 swivel heads double the beam direction and illumination versatility. Rotates 360° and tilts 260°.



Twin Spot Swivel
shown in satin nickel


TO ORDER SEE PAGE 486



Twin Spot Swivel
shown in bronze

TO ORDER SEE PAGE 486

Finish



BZ
bronze



SC
satin nickel

Dimensions

3.3" x 2" (per head)



REV SWIVEL

Swivel low-voltage head swivels 360° around stem and pivots 180° for total beam control.



Rev Swivel

shown in bronze

TO ORDER SEE PAGE 476

Rev Swivel

shown in satin nickel

TO ORDER SEE PAGE 476

Finish



BZ
bronze



SC
satin nickel

Dimensions

3.3" x 2.3"



BARE HEAD SWIVEL

The ultimate in simplicity, this adjustable head rotates 360° and pivots 260° to direct the beam of a bare MR16 lamp.



ARCHITECT: Smith & Vansant Architects PHOTOGRAPHER: Rob Karosis



Bare Head Swivel I
shown in bronze
TO ORDER SEE PAGE 438



Bare Head Swivel I
shown in satin nickel
TO ORDER SEE PAGE 438

Finish



BZ
bronze



SC
satin nickel

Dimensions

2.5" x 2"

Compatible accessories
on page 255



SHIELD SWIVEL

Shade in bronze, frosted borosilicate glass or anodized aluminum in silver or black. Rotates 360° and tilts 90°.



Shield Swivel I
shown in bronze and frost
TO ORDER SEE PAGE 477



Shield Swivel I
shown in satin nickel and black
TO ORDER SEE PAGE 477



Shield Swivel I
shown in bronze and bronze
TO ORDER SEE PAGE 477



Shield Swivel I
shown in satin nickel and silver
TO ORDER SEE PAGE 477

Finish




BZ
bronze



SC
satin nickel

Color



BL
black



BZ
bronze



FR
frost



SI
silver

Dimensions

2.4" x 2.5"



MINI-DOME I SWIVEL I

Ultra-simple hardware design combined with your choice of elegant transparent glass shade. Rotates 360° and tilts 90°.



Mini-Dome I Swivel I
shown in bronze and amber
TO ORDER SEE PAGE 463



Mini-Dome I Swivel I
shown in satin nickel and clear
TO ORDER SEE PAGE 463



Mini-Dome I Swivel I
shown in bronze and frost
TO ORDER SEE PAGE 463

Finish



BZ
bronze



SC
satin nickel

Glass Color



AM
amber



CR
clear



FR
frost

Dimensions

2.5" x 3.1"

ORBIT SWIVEL I

Simplistic low-voltage head available with a satin nickel or bronze steel reflector. Rotates 360° and tilts 90°.



Orbit Swivel I
shown in bronze
TO ORDER SEE PAGE 471



Orbit Swivel I
shown in satin nickel
TO ORDER SEE PAGE 471

Finish



BZ
bronze



SC
satin nickel

Dimensions

2.5" x 3.1"

APEX SWIVEL

This simple, industrial-inspired head rotates 360°, tilts 210° and is offered in three stem lengths and two finishes.



Apex Swivel
shown in bronze

TO ORDER SEE PAGE 436



Apex Swivel
shown in satin nickel

TO ORDER SEE PAGE 436

Finish



BZ
bronze



SC
satin nickel

Dimensions

4" x 2.8"

SWING

Art Deco-inspired low-voltage head with multiple accessory options and proprietary 6 watt LED module. Rotates 360°, pivots 90°. Accessory required; compatible accessories (sold separately): Mini-Rock Candy, Onyx Cone, Sigma, and Voti Accessories. See p. 249.



Swing

shown in satin nickel with optional
mini-rock candy accessory (sold separately)

TO ORDER SEE PAGE 480



Swing

shown in satin nickel with optional
onyx cone accessory (sold separately)

TO ORDER SEE PAGE 480



Swing

shown in bronze with optional
sigma accessory (sold separately)

TO ORDER SEE PAGE 480




Swing

shown in bronze with optional
voti accessory (sold separately)

TO ORDER SEE PAGE 480

Finish



BZ
bronze



SC
satin nickel

Dimensions (without accessories)

2.2" x 1.3"

Compatible accessories
on page 249



VENT

Sleek head with multiple accessory options; rotates 360°, pivots 90° for excellent beam control. Accessory required; compatible accessories (sold separately): Mini-Rock Candy, Onyx Cone, Sigma, and Voti Accessories. See p. 249.



Vent

shown in satin nickel with optional
mini-rock candy accessory (sold separately)

TO ORDER SEE PAGE 487



Vent

shown in bronze with optional
onyx cone accessory (sold separately)

TO ORDER SEE PAGE 487



Vent

shown in satin nickel with optional
sigma accessory (sold separately)

TO ORDER SEE PAGE 487



Vent

shown in bronze with optional
voti accessory (sold separately)

TO ORDER SEE PAGE 487

Finish



BZ
bronze



SC
satin nickel

Dimensions (without accessories)

4.4" x 1.2"

Compatible accessories
on page 249

MODO

Modern head with multiple accessory options. Rotates 360° and pivots 90° for excellent beam control.
Compatible Metal Accessory, see p. 249.




Modo
shown in bronze
TO ORDER SEE PAGE 466



Modo
shown in bronze with optional
modo metal shield accessory (sold separately)
TO ORDER SEE PAGE 466

Finish



BZ
bronze



SC
satin nickel

Dimensions

3.3" x 2.4"

Compatible accessories
on page 249


SWING / VENT HEAD ACCESSORIES

voti

Rounded frosted glass with integrated satin nickel or bronze lens holder.

Can hold up to two lenses or louvers (sold separately).

Finish



BZ
bronze



SC
satin nickel

Glass Color



AM
amber



BU
blue



FR
frost

Dimensions

2.3" x 2"



Voti Accessory
amber | frost | blue

TO ORDER SEE PAGE 480

mini-rock candy

Rounded shade of mouth-blown transparent glass rolled in clear crystal frit and flash heated to create this unique texture.

Can hold one lens or louver (sold separately).

Glass Color



CR
clear



AM
dark amber



SM
smoke

Dimensions

3" x 2.25"



Mini-Rock Candy Accessory
smoke | dark amber | clear

TO ORDER SEE PAGE 480

onyx cone

Cone-shaped onyx shade. Can hold one lens or louver (sold separately).

Stone Color



ON
honey onyx

Dimensions

Onyx Cone
3.5" x 1.8"




Onyx Cone Accessory
honey onyx

TO ORDER SEE PAGE 480

sigma

Rounded metal shade. Can hold one lens or louver (sold separately).

Finish



BZ
bronze



SC
satin nickel

Dimensions

Onyx Cone
2.5" x 1.8"



Sigma Accessory
bronze | satin nickel

TO ORDER SEE PAGE 480

MODO HEAD ACCESSORIES

modo metal shield

Modern metal shade. Compatible with Modo Head only.

Finish



BZ
bronze



SC
satin nickel

Dimensions

Modo Metal Shield
3.1" x 1.6"



Modo Metal Shield Accessory
satin nickel | bronze

TO ORDER SEE PAGE 466



BARE HEAD APOLLO SWIVEL I

This space-age inspired adjustable head rotates 360° and pivots 260° to direct the beam.



Bare Head Apollo Swivel I
shown in satin nickel
TO ORDER SEE PAGE 438

Bare Head Apollo Swivel I
shown in bronze
TO ORDER SEE PAGE 438

Finish



BZ
bronze



SC
satin nickel

Dimensions

5.5" x 2"

Compatible accessories
on page 255



BARE HEAD SWIVEL II

This adjustable head features clean design with decorative flair while rotating 360° and pivoting 260° to direct the beam of a bare MR16 lamp.



Bare Head Swivel II

shown in bronze

TO ORDER SEE PAGE 438



Bare Head Swivel II

shown in satin nickel

TO ORDER SEE PAGE 438

Finish



BZ
bronze



SC
satin nickel

Dimensions

2.5" x 2"


Compatible accessories
on page 255

MERLINO SWIVEL II

Contemporary low-voltage head featuring high quality metal finish and a beautiful frosted glass cylinder. Rotates 360°, pivots 260°.



Finish



BZ
bronze



SC
satin nickel

Glass Color



FR
frost

Dimensions

3.4" x 2.3"

Merlino Swivel II
shown in satin nickel and frost
TO ORDER SEE PAGE 466

HEAD ACCESSORIES

For use with single clips (MRI6). Clips available in black (BK) or silver (SI).

structure clip

Clip onto any bare MRI6 lamp.



shown in silver

Structural Clip

black | silver

TO ORDER SEE PAGE 45I

diffuser / spread lenses

Clip onto any bare MRI6 lamp.



grid

stripe

frost

Diffuser / Spread Lenses

TO ORDER SEE PAGE 45I

flite paper*

Clip onto any bare MRI6 lamp.

*Only compatible with bare head apollo swivel I and bare head swivel I

For use with single clips (MRI6):
clips available in black (BK) or silver (SI)



FPII
For MRI6 lamps



FPI6
For MRI6 lamps

Flite Paper

TO ORDER SEE PAGE 45I

louver lens holders (MRI6)

For use with louver lens holder.



silver



black



bronze

Louver Lens Holders

TO ORDER SEE PAGE 45I

structure louver

For use with louver lens holder.



Structural Louver

TO ORDER SEE PAGE 45I

diffusers, linear spread & soft focus lenses

For use with louver lens holder.



diffuser



linear spread



soft focus

Diffuser, linear spread & soft focus lenses

TO ORDER SEE PAGE 45O



DISPLAY LIGHTS



Shield Galleria

bronze

TO ORDER SEE PAGE 477

Mono-Arc

bronze

TO ORDER SEE PAGE 467

Mono-Tel

satin nickel

TO ORDER SEE PAGE 467

MONO-ARC

Gently curved 17.75" arc in bronze or satin nickel finish.

Finish



BZ
bronze



SC
satin nickel

Dimensions

Mono-Arc
4.3" x 17.8"

SHIELD GALLERIA

Shade in black, bronze, frosted borosilicate glass or anodized aluminum; in satin nickel or black finish. Monopoint wall or ceiling mount.

Finish



BZ
bronze



SC
satin nickel

Dimensions

Shield Galleria
9.5" x 17"

Color



BL
black



BZ
bronze



FR
frosted glass



SI
silver anodized
aluminum

MONO-TEL

Multi-functional telescoping adjustability. Monopoint wall or ceiling mount.

Finish



SC
satin nickel

Dimensions

Mono-Tel
4.3" x 14.8" to 25.8"



FLUSH WITH NEW IDEAS. FLUSH MOUNTS



Do I need to give my flush mounts a second thought?

Flush mount ceiling fixtures are an easy way to provide general illumination as an overarching layer of light to your room design. They are incredibly versatile fixtures to highlight a space's beautiful décor, provide general illumination for a wide range of activities, and of course improve wayfinding (particularly in entries, hallways, staircases and closets). But remember, they aren't just functional. Particularly in clean, contemporary settings, beautiful LBL Lighting flush mounts can also serve as the finishing design touch in a space when a lower ceiling height is not suitable for a chandelier or large hanging pendant or when fantastic views should not be obstructed.

VETRA FLUSH

Inspired by textiles, a linen weave design is silk screened on to the hand-blown glass shade, creating a textured surface through which the LED light softly glows. The artisan glass treatment is a subtle design element that gives this clean, contemporary profile a tailored look.



Finish



SC
satin nickel

Glass Color



LN
linen glass

Dimensions

13" x 6"

See more of this collection
on page 104, 284

Vetra Flush

shown in satin nickel and linen glass

TO ORDER SEE PAGE 488

LANIA FLUSH

Clear glass is hand-blown into a custom mold lined with brass wire in a honeycomb pattern and later textured to create a unique, layered effect. There's a rustic yet refined quality about this design that will nicely accent a whole host of interior décor.




Lania Flush

shown in satin nickel and
clear with brass mesh

TO ORDER SEE PAGE 455

Finish



SC
satin nickel

Glass Color



CR
clear with brass mesh

Dimensions

13" x 6"

See more of this collection
on page 82, 285

ANELLA

Simple form and excellent function define this contemporary flush mount fixture. A hand-blown outer glass ring adds depth and elegance while the frosted glass inner dome beautifully diffuses the LED light source.



Anella

shown in satin nickel and opal

TO ORDER SEE PAGE 436



Anella

shown in satin nickel and clear

TO ORDER SEE PAGE 436



Anella

shown in satin nickel and smoke


TO ORDER SEE PAGE 436

Finish



SC
satin nickel

Glass Color



CR
clear



OP
opal



SM
smoke

Dimensions

8.5" x 4"

LIFO FLUSH

Rounded, high-gloss metal panels come together to create a symmetrical, contemporary shade around the central integrated LED light source. The simple use of negative space adds visual interest to this clean profile.



Lifo Flush
shown in gray

TO ORDER SEE PAGE 455




Lifo Flush
shown in white

TO ORDER SEE PAGE 455

Finish



GY
gray



WH
white

Dimensions

14" x 2.5"

See more of this collection
on page 78



CROSSBLEND FLUSH


Perforated with a random geometric pattern around the lower perimeter, the metal shade allows light from the integrated LED source to shine through creating a striking effect. The classic drum shade silhouette is wholly updated with this unexpected treatment.



Crossblend Flush
shown in matte white

TO ORDER SEE PAGE 442

Finish



WH
matte white

Dimensions

13.3" x 5"

See more of this collection
on page 80



CREST COLLECTION

Minimalist design and elegant engineering combine in this powerful LED flush mount. A thin ring of light around the perimeter of the fixture creates beautifully geometric negative space.





Crest I2
shown in silver

TO ORDER SEE PAGE 442



Crest I7
shown in matte white
TO ORDER SEE PAGE 442




Crest 20
shown in silver
TO ORDER SEE PAGE 442

Finish



SC
satin nickel



WH
matte white

Dimensions

Crest I2
12.3" x 1.8"

Crest I7
17" x 1.8"

Crest 20
20" x 1.8"

TENUR SQUARE COLLECTION


Clean lines and the latest LED light guide technology combine in this modern flush mount whose ultra-slim profile is under two inches deep. The entire surface illuminates evenly and dims beautifully.



Tenur Square 9

shown in silver and opal acrylic

TO ORDER SEE PAGE 482



Tenur Square I2

shown in matte white and opal acrylic

TO ORDER SEE PAGE 482

Finish



SI
silver



WH
matte white

Color



OY
opal acrylic

Dimensions

Tenur Square 9
8.6" x 1.5"

Tenur Square I2
11.8" x 1.5"

TENUR ROUND

Clean lines and the latest LED light guide technology combine in this modern flush mount whose ultra-slim profile is under two inches deep. The entire surface illuminates evenly and dims beautifully.



Tenur Round I2

shown in silver and opal acrylic

TO ORDER SEE PAGE 482

Finish



SI
silver



WH
matte white

Color



OY
opal acrylic

Dimensions

Tenur Round I0
9.4" x 1.5"

Tenur Round I2
11.8" x 1.5"



Tenur Round I0

shown in matte white and opal acrylic

TO ORDER SEE PAGE 482

ZAHRA COLLECTION

Providing both direct and indirect light, this flush mount features a beautiful LED light guide intentionally interrupted by negative space to create an ultra-modern fixture.



Zahra 10
shown in satin nickel
TO ORDER SEE PAGE 482



Zahra 17
shown in rubberized white
TO ORDER SEE PAGE 490




Zahra 20
shown in satin nickel
TO ORDER SEE PAGE 490

Finish



SC
satin nickel



WH
rubberized
white

Dimensions

Zahra 10
10" x 2.2"

Zahra 17
17" x 2.2"

Zahra 20
20.5" x 2.2"

CAPTURE

A gently diffused orb of LED light is held captive by a band extending from the fixture's sleek, contemporary metal body. Can also be mounted as a wall sconce vertically or horizontally.





Capture

shown in matte white and opal acrylic

TO ORDER SEE PAGE 44I



Capture

shown in satin nickel and opal acrylic

TO ORDER SEE PAGE 44I

Finish



SC
satin nickel



WH
matte white

Color



OP
opal acrylic

Dimensions

8.9" x 8" x 8.9"



SPHERE FLUSH

A square backplate is in perfect contrast to the spherical glass shade in this wholly modern silhouette. The proprietary warm color dimming LED module gradually changes color from 3000K to 2200K as it dims to mimic the soft glow of traditional halogen lamping. Can also be mounted as a wall sconce.



Sphere Flush
shown in satin nickel and cast clear
TO ORDER SEE PAGE 479



Sphere Flush
shown in matte white and cast clear
TO ORDER SEE PAGE 479



Sphere Flush
shown in matte black and frost
TO ORDER SEE PAGE 479


Finish



BL
matte black



SC
satin nickel




WH
matte white

Glass Color



CR
cast clear



FR
frost

Dimensions

4.7" x 4.7" x 3"

See more of this collection
on page 29, 120, 134, 298, 300

VANTRA

Modern technology meets architectural form in this sophisticated and versatile fixture. The twin floating acrylic LED light guide panels are offered in a choice of outputs including 100% forward or direct/indirect light distribution. Can be ceiling or wall mounted in horizontal or vertical orientation.



Vantra
shown in satin nickel
TO ORDER SEE PAGE 487

Finish



SC
satin nickel



WH
rubberized
white

Dimensions

14" x 7.5" x 2.6"



Vantra
shown in rubberized white
TO ORDER SEE PAGE 487

FLECTION

Inspired by the signature folds of an everyday paper grocery bag, this simple flush mount turns the ordinary into the extraordinary. The ultra-small footprint is ideal for use in tight spaces yet its optimized LEDs provide impressive light output.



Flection
shown in rubberized gray
TO ORDER SEE PAGE 450



Flection
shown in rubberized white
TO ORDER SEE PAGE 450



Flection
shown in satin nickel
TO ORDER SEE PAGE 450


Finish



GY
rubberized
gray



SC
satin nickel



WH
rubberized
white

Dimensions

5" x 5"

MOON DANCE FLUSH

Hand-carved decorative features inspired by the moon's dimpled surface encompass the circumference of the hand-blown glass.



Moon Dance
shown in bronze and smoke
TO ORDER SEE PAGE 468

Finish



BZ
bronze



SI
silver

Glass Color



SM
smoke

Dimensions

13.2" x 5.9"

See more of this collection
on page 380



Moon Dance
shown in silver and smoke
TO ORDER SEE PAGE 468

FIONA I8

Minimal metal base with a round, slim shade in a selection of modern fabrics and opal glass diffuser.




Fiona I8
shown in satin nickel and linen
TO ORDER SEE PAGE 449



Fiona I8
shown in bronze and pewter
TO ORDER SEE PAGE 449

Finish



BZ
bronze



SC
satin nickel

Color



LI
linen



PE
pewter

Dimensions

20" x 6.3"

See more of this collection
on page 93, 330

VESSA

Contemporary interior design trends inspired this elegant and timeless LED flush mount. A hand-blown glass shade with gentle feminine lines softly diffuses the light for beautifully consistent, glowing illumination.





Vessa

shown in satin nickel and frost

TO ORDER SEE PAGE 488

Finish



SC
satin nickel

Glass Color



FR
frost

Dimensions

11" x 3.4"



SURROUND YOURSELF IN LIGHT. WALL SCONCES



Why should I invest in wall sconces?

Wall sconces highlight and frame architectural features like no other type of fixture. Whether flanking a mirror, mantle, bed, desk, sitting area, providing soft light down a long hallway, or illuminating the perimeter of a dramatic dining room to set the perfect festive mood, LBL Lighting wall sconces serve a highly visible, central role in a room's lighting plan and décor. And of course, in the bathroom, when illuminating a vanity area, wall sconces can often be the best solution to providing just the right amount and angle of light to help you look your best.

VETRA WALL

Inspired by textiles, a linen weave design is silk screened on to the hand-blown glass shade, creating a textured surface through which the LED light softly glows. The artisan glass treatment is a subtle design element that gives this clean, contemporary profile a tailored look.



Finish



SC
satin nickel

Glass Color



LN
linen glass

Dimensions

13.2" x 4.9" x 3.9"

See more of this collection
on page 104, 260

Vetra Wall

shown in satin nickel and linen glass

TO ORDER SEE PAGE 489

LANIA WALL

Clear glass is hand-blown into a custom mold lined with brass wire in a honeycomb pattern and later textured to create a unique, layered effect. There's a rustic yet refined quality about this design that will nicely accent a whole host of interior décor.



Lania Wall

shown in satin nickel and clear with brass mesh

TO ORDER SEE PAGE 455

Finish



SC
satin nickel

Glass Color



CR
clear with
brass mesh

Dimensions

13.2" x 4.9" x 3.9"

See more of this collection
on page 82, 261



MINI-ROCK CANDY CYLINDER

Cylinder of hand-blown transparent glass rolled in clear crystal frit and flash heated to create this unique texture. Inner opal glass diffuser adds depth to the wall sconce.



DESIGNED BY: Chuck Mills Residential Design & Development Inc.



Mini-Rock Candy Cylinder
shown in bronze
and clear

TO ORDER SEE PAGE 465



Mini-Rock Candy Cylinder
shown in bronze
and dark amber


TO ORDER SEE PAGE 465



Mini-Rock Candy Cylinder
shown in bronze
and smoke

TO ORDER SEE PAGE 465

Finish



BZ
bronze



SC
satin nickel

Glass Color



AM
dark amber



CR
clear



SM
smoke

Dimensions

12.1" x 4.5" x 2.9"

See more of this collection
on page 114, 168, 169

TOP

Simple, tubular glass wall sconce featuring a handsome, rounded metal backplate.

Finish



BL
matte black



BZ
bronze




PC
polished
chrome



SC
satin nickel

Glass Color



FR
frost

Dimensions

11" x 4.4" x 2.9"



Top

shown in bronze and frost

TO ORDER SEE PAGE 483




Top

shown in polished chrome and frost

TO ORDER SEE PAGE 483

JARVAS WALL

The cylindrical, hand-blown glass shades are silk screened to create a linen weave texture through which the LED light softly glows. The artisan glass treatment is a subtle design element that gives this clean, contemporary profile a tailored look.



Jarvas Wall

shown in polished chrome and linen glass

TO ORDER SEE PAGE 453



Jarvas Wall

shown in satin nickel and linen glass

TO ORDER SEE PAGE 453

Finishes



PC
polished
chrome



SC
satin nickel

Glass Color



LN
linen glass

Dimensions

14.2" x 5" x 4"

See more of this collection
on page 338

LUFÉ ROUND WALL

When a sleek contemporary solution is in order, this cylindrical linear expanse of soft LED light is the answer. The backplate cleanly complements the frosted acrylic lens, and the circular end caps finish the look.



Finishes



PC
polished
chrome



SC
satin nickel

Color



OY
frosted
acrylic

Dimensions

14" x 5" x 3.2"

See more of this collection
on page 340

Lufe Round Wall

shown in satin nickel and frosted acrylic

TO ORDER SEE PAGE 458

LUFESQUARE WALL

When a sleek contemporary solution is in order, this linear expanse of soft LED light is the answer. The substantial backplate cleanly complements the frosted acrylic lens, and the square end caps finish the look.



Lufe Square Wall
shown in polished chrome and frosted acrylic

TO ORDER SEE PAGE 459

Finishes



PC
polished
chrome



SC
satin nickel

Color



OY
frosted
acrylic

Dimensions

14" x 5" x 3.2"

See more of this collection
on page 341

ELLIS I2

Sleek styling and a bounty of useful light define this contemporary LED wall sconce. Die-cast metal endcaps house a high-quality shade which illuminates on three sides for excellent light distribution.



Ellis I2

shown in bronze and opal acrylic

TO ORDER SEE PAGE 447

Finish



BZ
bronze




PC
polished
chrome



SC
satin nickel

Color




OY
opal acrylic

Dimensions

12" x 4.3" x 4.2"

can be installed vertically
or horizontally

See more of this collection
on page 344



Ellis I2

shown in satin nickel and opal acrylic
3 quarter view

TO ORDER SEE PAGE 447



Ellis I2

shown in polished chrome and opal acrylic

TO ORDER SEE PAGE 447

LYNK I2


A sleek metal band and matching die-cast end caps embrace a rounded acrylic shade in this LED wall sconce that seamlessly blends traditional and contemporary design. High CRI LEDs are used to provide the superior light quality ideal for vanity applications.



Lynk I2

shown in polished chrome and opal acrylic


TO ORDER SEE PAGE 459



Lynk I2

shown in bronze and opal acrylic
3/4 view

TO ORDER SEE PAGE 459



Lynk I2

shown in satin nickel and opal acrylic

TO ORDER SEE PAGE 459

Finish



BZ
bronze



PC
polished
chrome



SC
satin nickel

Color



OY
opal acrylic

Dimensions

12" x 4.6" x 3"

can be installed vertically
or horizontally

See more of this collection
on page 342



DOLLY WALL

Slotted metal cylinder reveals an inner layer of brilliant rhinestones. Mounts up or down.



Dolly Wall
shown in rubberized black exterior /
black crystal interior
TO ORDER SEE PAGE 445




Dolly Wall
shown in satin nickel exterior /
clear crystal interior
TO ORDER SEE PAGE 445




Dolly Wall
shown in rubberized black exterior /
clear crystal interior
TO ORDER SEE PAGE 445

SELECT AN INTERIOR COLOR

Standard



Custom – Contact the LBL Quotes Department to order custom colors.



Color



BLBL
rubberized
black exterior /
black crystal
interior



BLCR
rubberized
black exterior /
clear crystal
interior



SCCR
satin nickel
exterior /
clear crystal
interior

Dimensions

10.7" x 4.5" x 2.9"

See more of this collection
on page 118, 186



CAPTURE

A gently diffused orb of LED light is held captive by a band extending from the fixture's sleek, contemporary metal body. Can also be mounted vertically or horizontally or as a flush mount.



Capture
shown in satin nickel and opal acrylic
TO ORDER SEE PAGE 44I




Capture
shown in matte white and opal acrylic
TO ORDER SEE PAGE 44I

Finish




SC
satin nickel



WH
matte white

Color



OP
opal acrylic

Dimensions

8.9" x 8" x 8.9"

can be installed vertically
or horizontally



SPHERE WALL

A square backplate is in perfect contrast to the spherical glass shade and heat sink in this wholly modern silhouette. The proprietary warm color dimming LED module gradually changes color from 3000K to 2200K as it dims to mimic the soft glow of traditional halogen lamping.



Sphere Wall
shown in black and cast clear
TO ORDER SEE PAGE 479



Sphere Wall
shown in rubberized white and smoke
TO ORDER SEE PAGE 479



Sphere Wall
shown in satin nickel and frost
TO ORDER SEE PAGE 479


Finish



BL
black



SC
satin nickel




WH
rubberized
white

Glass Color



CR
cast clear



FR
frost



SM
smoke

Dimensions

5" x 5" x 6.8"

See more of this collection
on page 29, 120, 134, 274, 300



SPHERE FLUSH

A square backplate is in perfect contrast to the spherical glass shade in this wholly modern silhouette. The proprietary warm color dimming LED module gradually changes color from 3000K to 2200K as it dims to mimic the soft glow of traditional halogen lamping. Can also be mounted on the ceiling.



Sphere Flush
shown in satin nickel and frost
TO ORDER SEE PAGE 479



Sphere Flush
shown in matte white and frost
TO ORDER SEE PAGE 479



Sphere Flush
shown in matte black and cast clear
TO ORDER SEE PAGE 479


Finish



BL
matte black



SC
satin nickel




WH
matte white

Glass Color



CR
cast clear



FR
frost


Dimensions

4.7" x 4.7" x 3"

See more of this collection
on page 29, 120, 134, 274, 298

TENUR ROUND

Clean lines and the latest LED light guide technology combine in this modern fixture whose ultra-slim profile is under 2" deep. The entire round surface illuminates evenly and dims beautifully.



Finish



SI
silver



WH
matte white

Color



OY
opal acrylic

Dimensions

Tenur Round IO
9.4" x 1.5"

Tenur Round I2
11.8" x 1.5"

See more of this collection
on page 270

Tenur Round I2
shown in matte white and opal acrylic

TO ORDER SEE PAGE 482

Tenur Round IO
shown in silver and opal acrylic

TO ORDER SEE PAGE 482

TENUR SQUARE

Clean lines and the latest LED light guide technology combine in this modern fixture whose ultra-slim profile is under 2" deep. The entire square surface illuminates evenly and dims beautifully.



Tenur Square I2

shown in matte white and opal acrylic

TO ORDER SEE PAGE 482



Tenur Square 9


shown in silver and opal acrylic

TO ORDER SEE PAGE 482

Finish




SI
silver



WH
matte white

Color



OY
opal acrylic

Dimensions

Tenur Square 9
9.4" x 9.4" x 1.5"

Tenur Square I2
11.8" x 11.8" x 1.5"

See more of this collection
on page 268



AIRIN

A slim arm illuminates a large round backplate and the surrounding wall with a beautiful wash of indirect LED light. The contemporary design delivers a modern edge with a soft silhouette.



Airin
shown in gold mist
TO ORDER SEE PAGE 435




Airin
shown in matte white
TO ORDER SEE PAGE 435

Finish



GD
gold mist



WH
matte white

Dimensions

5" x 4" x 7"

ASHLAND

Crisp, clean, contemporary die-cast metal base providing up and down LED illumination that washes over your choice of decorative insert. Mounts up or down. Please contact LBL Quotes Department for information on custom inserts.



Ashland

shown in satin nickel and cork
TO ORDER SEE PAGE 437



Ashland

shown in satin nickel and zebra
TO ORDER SEE PAGE 437

Finish



BZ
bronze



SC
satin nickel

Color



CO
cork



MT
metal



YO
gray oak



ZE
zebra

Dimensions

4.5" x 5.8" x 2.9"



Ashland

shown in bronze and metal
TO ORDER SEE PAGE 437



Ashland

shown in bronze and gray oak
TO ORDER SEE PAGE 437

Endless Custom Possibilities

The Ashland wall fixture can be customized in several ways.

The options below are particularly relevant for hospitality, multi-family and healthcare applications.

As is true with all LBL Lighting, custom metal or painted finishes may also be available.

Graphics

A logo or other graphic design may be added to the face plate when high-resolution digital artwork within size restrictions is provided by the client.



Color

Several face plate color options may be explored to ensure the fixture complements specific décor.

Lettering

Raised letters or numbers in a selection of colors and fonts may be added to the face plate, a great option for room numbers or direction indicators.

Braille

Corresponding Braille cells may be included below any characters to meet ADA requirements.

ONYX CYLINDER

Each shade is carved from a solid block of genuine onyx stone and supported by a decorative metal arm.



Finish



BZ
bronze

Stone Color



ON
onyx

Dimensions

9" x 3.9" x 7.3"


See more of this collection
on page 198

Onyx Cylinder
shown in bronze and onyx

TO ORDER SEE PAGE 471

CAMELOT

Layers of chain maille are suspended from a clean, contemporary die-cast metal base and illuminated by a wash of upward and downward firing LED light.



Camelot

shown in stainless steel / satin nickel

TO ORDER SEE PAGE 440

Finish / Color



SSSC
stainless steel /
satin nickel

Dimensions

7" x 5.8" x 2.3"

SHOWTIME

Minimal curved glass shade has a modern base for a clean, contemporary look.



Finish



SC
satin nickel

Color



OP
opal glass

Dimensions

13" x 10" x 3.8"

Showtime

shown in satin nickel and opal glass

TO ORDER SEE PAGE 477

HANNA

Traditional forms are integrated with contemporary design by stamping an outline of classic furniture spindle out of a sleek rectangular frame.



Hanna
shown in black
TO ORDER SEE PAGE 450




Hanna
shown in white
TO ORDER SEE PAGE 450

Finish / Color



BLBL
black



WHWH
white


Dimensions

14" x 4.4" x 2.2"

VANTRA

Modern technology meets architectural form in this sophisticated and versatile fixture. The twin floating acrylic LED light guide panels are offered in a choice of outputs including 100% forward or direct/indirect light distribution.





Vantra
shown in satin nickel
TO ORDER SEE PAGE 487




Vantra
shown in rubberized white
TO ORDER SEE PAGE 487

Finish



SC
satin nickel



WH
rubberized
white

Dimensions

14" x 7.5" x 2.6"


can be installed vertically
or horizontally

See more of this collection
on page 276



EAST RIVER WALL

Inspired by the underlying structure of bridges, this LED-powered fixture reflects light from the back plate forward through the architectural bridge-like metal trusses.



East River Wall

shown in brushed aluminum exterior / brushed aluminum interior

TO ORDER SEE PAGE 447



East River Wall

shown in brushed aluminum exterior / orange interior

TO ORDER SEE PAGE 447

Finish



AL
brushed aluminum
exterior / brushed
aluminum interior



AO
brushed aluminum
exterior / orange
interior

Dimensions

11.8" x 6" x 2.5"

can be installed vertically
or horizontally

See more of this collection
on page 54, 374

A modern interior scene featuring a Kenton cabinet, a large abstract painting, and a window with curtains. The cabinet is a low, rectangular unit with a light-colored wood finish and a dark metal base. It has three doors with small, dark handles. On top of the cabinet are two books, one with a blue cover and one with a pink cover labeled 'Impressionism', and a silver sculpture. A large, abstract painting in shades of grey and white is mounted on the wall above the cabinet. Two square, white wall sconces are mounted on the wall, one on each side of the painting. A large window with dark curtains is in the background, and a black leather sofa is in the foreground. A stack of magazines is on the floor next to the cabinet.

KENTON

A clean and simple geometric shape puts function first in this widely appealing design. Engineered to produce large and equal amounts of up and down light, it can be mounted vertically or horizontally.



Kenton
shown in gold mist
TO ORDER SEE PAGE 454



Kenton
shown in rubberized white
TO ORDER SEE PAGE 454



Kenton
shown in satin nickel
TO ORDER SEE PAGE 454


Finish



GD
gold mist



SC
satin nickel




WH
rubberized
white

Dimensions

6" x 3.8" x 5"

RAMI

Metal base with acid-etched metal shade backed with an acrylic diffuser.



Rami

shown in stainless steel

TO ORDER SEE PAGE 475

Finish



SS
stainless
steel

Dimensions

11" x 10" x 4.3"

PRESIDIO

This perforated metal sconce creates a beautiful light pattern up and down the wall.



Presidio
shown in black
TO ORDER SEE PAGE 474



Presidio
shown in stainless steel
TO ORDER SEE PAGE 474

Color



B
black



S
stainless
steel

Dimensions

15.5" x 4" x 5.5"

See more of this collection
on page 393

MONTY

Mouth-blown elliptical-shaped Murano glass fused with millefiore glass and silver flakes.





DESIGNER: Steve Emerson, Aspect Architecture
PHOTOGRAPHER: Kirk Hayden, Metro Studios



Monty
shown in satin nickel and mocha
TO ORDER SEE PAGE 467



Monty
shown in satin nickel and opal
TO ORDER SEE PAGE 467

Finish



BZ
bronze



SC
satin nickel

Glass Color



MO
mocha



OP
opal

Dimensions



9.5" x 7" x 3.8"

See more of this collection
on page 216



DAHLING WALL

A translucent glass shade featuring thousands of embedded bubbles and soft frit accents that gradually transition its color from opal to gray.




Dahling

shown in bronze and gray-opal

TO ORDER SEE PAGE 444

Finish



BZ
bronze



SC
satin nickel

Glass Color




GO
gray-opal

Dimensions

15" x 7.1" x 3.5"

See more of this collection
on page 109, 156



OMNI MEDIUM COVER

Minimal wall sconce with extruded aluminum housing and die-cast end caps features slumped glass, fabric, and metal shade options for optimal design flexibility.



Omni Medium
shown in bronze and linen fabric
TO ORDER SEE PAGE 470



Omni Medium
shown in silver and
opal bubble glass
TO ORDER
SEE PAGE 470



Omni Medium
shown in bronze
and pewter fabric
TO ORDER
SEE PAGE 470



Omni Medium
shown in silver
and frost horizontal
carved glass
TO ORDER
SEE PAGE 470



Omni Medium
shown in silver
and metal
TO ORDER
SEE PAGE 470

Finish



BZ
bronze



SI
silver

Color




BOP
opal bubble
glass



FLI
linen fabric



FPE
pewter fabric



HFR
frost
horizontal
carved glass



MET
metal

Dimensions

16.5" x 7.8" x 3.9"

See more of this collection
on page 326

OMNI SMALL COVER

Minimal wall sconce with extruded aluminum housing and die-cast end caps features slumped glass, fabric, and metal shade options for optimal design flexibility.

Finish



BZ
bronze



SI
silver

Color



BOP
opal bubble
glass



FLI
linen fabric



FPE
pewter fabric



HFR
frost
horizontal
carved glass




MET
metal

Dimensions

9.3" x 7.8" x 3.9"

See more of this collection
on page 324



Omni Small Cover
shown in satin nickel and metal

TO ORDER SEE PAGE 470



Omni Small Cover
shown in silver
and opal bubble glass

TO ORDER SEE PAGE 470



Omni Small Cover
shown in silver
and linen fabric

TO ORDER SEE PAGE 470



Omni Small Cover
shown in silver
and frost horizontal
carved glass

TO ORDER SEE PAGE 470



Omni Small Cover
shown in silver
and pewter fabric

TO ORDER SEE PAGE 470

JUNIPER WALL

Slumped glass with organically imperfect sandblasted vertical stripes for visual interest.



Juniper Wall

shown in satin nickel and opal glass

TO ORDER SEE PAGE 454

Finish



SC
satin nickel

Glass Color



OP
opal

Dimensions

7.8" x 11.8" x 4"

See more of this collection
on page 119



PAVIA

Grand cone-shaped slumped glass shade has subtle silver leaf accents.



Pavia
shown in satin nickel and latte
TO ORDER SEE PAGE 473



Pavia
shown in satin nickel and opal
TO ORDER SEE PAGE 473

Finish



BZ
bronze



SC
satin nickel

Glass Color



LT
latte



OP
opal

Dimensions

23.8" x 8" x 3.8"

FIONA WALL

Slim metal base holds an arched shade available in a selection of modern fabrics.



Fiona Wall
shown in linen
TO ORDER SEE PAGE 449



Fiona Wall
shown in pebble
TO ORDER SEE PAGE 449

Color



LI
linen



PB
pebble



PE
pewter

Dimensions

11" x 9.6" x 4"

See more of this collection
on page 93, 279



Fiona Wall
shown in pewter
TO ORDER SEE PAGE 449

TEAR DROP

A beautifully illuminated hand-blown glass shade hugs the wall and conceals the mounting hardware.



Tear Drop

shown in satin nickel and opal

TO ORDER SEE PAGE 48I

Finish



SC
satin nickel

Glass Color



OP
opal

Dimensions

11.5" x 6.5" x 3.3"



CLIFTON

Instantly transform LBL line-voltage pendants into wall sconces. An integrated telescoping arm features a structural crossbar to support larger pendants up to 20 pounds and 20" in diameter. Only compatible with line-voltage pendants that suspend from a single cord.

Shown with Mason Classic Line-Voltage Pendant, p. 96
PHOTOGRAPHY: Blackstone Edge Studios




Clifton
shown in bronze with mason
classic pendant, brown
TO ORDER SEE PAGE 44I




Clifton
shown in satin nickel
with zuri pendant, copper
TO ORDER SEE PAGE 44I

Finish



BZ
bronze



SC
satin nickel

Dimensions

(without pendants)
10.5" x 4.4" x 7.6"

SIENA

Turn virtually any LBL Lighting low-voltage Fusion Jack pendant into a wall sconce. The integrated telescoping arm accommodates any pendant under 9" in diameter while the integrated touch dimmer adds convenient functionality.



Siena

shown in bronze with
mini-rock candy round pendant, smoke

TO ORDER SEE PAGE 477



Siena

shown in satin nickel
with horizon pendant, opal

TO ORDER SEE PAGE 477

Finish



BZ
bronze



SC
satin nickel

Dimensions

(without pendants)
7.1" x 4.3" x 3.9"

ENSU

Turn virtually any LBL Lighting low-voltage Fusion Jack pendant into a wall sconce. The integrated telescoping arm accommodates any pendant under 7.5" in diameter.



Ensu
shown in bronze
with onyx cylinder pendant
TO ORDER SEE PAGE 448



Ensu
shown in polished chrome
with bonn pendant, clear
TO ORDER SEE PAGE 448



Ensu
shown in satin nickel with
briolette pendant, smoke
TO ORDER SEE PAGE 448

Finish



BZ
bronze



PC
polished
chrome



SC
satin nickel

Dimensions

(without pendants)
5.25" x 4.8" x 4.5"



ILLUMINATING YOUR BEST FEATURES. BATH




Why is bath lighting so important?

Adequate light is imperative in the bath, and today's bathrooms deserve a solution that is as pleasing to the eye as it is functional. From sleek, simple fixtures to design-forward profiles, our bath fixtures will not only help you get ready in the morning, but will help you relax, recharge and serve you for years to come. Many of LBL Lighting's bath bars may also be mounted vertically, flanking the vanity mirror, which is ideal for casting an even light across your face for the shadow-free lighting needed for shaving, grooming, and applying makeup.

JARVAS COLLECTION

The linear, hand-blown glass shades are silk screened to create a linen weave texture through which the LED light softly glows. The artisan glass treatment is a subtle design element that gives this clean, contemporary profile a tailored look.



Jarvas 36
shown in satin nickel and linen glass
TO ORDER SEE PAGE 453



Jarvas 24
shown in polished chrome and linen glass
TO ORDER SEE PAGE 452

Finishes



PC
polished
chrome



SC
satin nickel

Glass Color



LN
linen glass

Dimensions

Jarvas 24
24.3" x 5" x 4"

Jarvas 36
36.3" x 5" x 4"

Jarvas Wall
5" x 14.2" x 4"

can be installed vertically
or horizontally (except
Jarvas Wall)

See more of this collection
on page 289



Jarvas Wall
shown in satin nickel and linen glass
TO ORDER SEE PAGE 453

STEELE COLLECTION

This modern, rectilinear bath bar is a smart solution for both residential and commercial settings. The frosted acrylic diffuser mounts to a sleek backplate and is finished with elegant end caps.



Steele 36

shown in satin nickel
and frosted acrylic

TO ORDER SEE PAGE 480



Steele 24

shown in polished chrome
and frosted acrylic

TO ORDER SEE PAGE 480

Finishes




PC
polished
chrome



SN
satin nickel

Color



SC
frosted
acrylic

Dimensions

Steele 24
24" x 5" x 3"

Steele 36
36" x 5" x 3"

can be installed vertically
or horizontally

Lufe Round Collection

When a sleek contemporary solution is in order, this cylindrical linear expanse of soft LED light is the answer. The backplate cleanly cradles the frosted acrylic lens and complements the circular end caps that finish the look.



Lufe Round 48
shown in satin nickel and frosted acrylic
TO ORDER SEE PAGE 458

Finishes



PC
polished
chrome



SC
satin nickel

Color



OY
frosted
acrylic

Dimensions

Lufe Round 24
24" x 5" x 3.2"

Lufe Round 36
36" x 5" x 3.2"

Lufe Round 48
48" x 5" x 3.2"

Lufe Round Wall
5" x 14" x 3.2"

can be installed vertically
or horizontally (except
Lufe Round Wall)

See more of this collection
on page 290



Lufe Round 36
shown in polished chrome
and frosted acrylic
TO ORDER SEE PAGE 458



Lufe Round Wall
shown in polished chrome
and frosted acrylic
TO ORDER SEE PAGE 458



Lufe Round 24
shown in satin nickel
and frosted acrylic
TO ORDER SEE PAGE 457

LUFE SQUARE COLLECTION

When a sleek contemporary solution is in order, this rectilinear expanse of soft LED light is the answer. The substantial, rectangular backplate cleanly cradles the frosted acrylic lens and complements the angular end caps that finish the look.



Lufe Square 48
shown in satin nickel and frosted acrylic
TO ORDER SEE PAGE 459



Lufe Square 36
shown in satin nickel
and frosted acrylic
TO ORDER SEE PAGE 458



Lufe Square 24
shown in polished chrome
and frosted acrylic
TO ORDER SEE PAGE 458



Lufe Square Wall
shown in polished chrome
and frosted acrylic
TO ORDER SEE PAGE 459

Finishes




PC
polished
chrome



SC
satin nickel

Color



OY
frosted
acrylic

Dimensions

Lufe Square 24
24" x 5" x 3.2"

Lufe Square 36
36" x 5" x 3.2"

Lufe Square 48
48" x 5" x 3.2"

Lufe Square Wall
5" x 14" x 3.2"

can be installed vertically
or horizontally (except
Lufe Square Wall)

See more of this collection
on page 291

LYNK COLLECTION

A sleek metal band and matching die-cast end caps embrace a rounded acrylic shade in this LED bath bar that seamlessly blends traditional and contemporary design. High CRI LEDs are used to provide the superior light quality necessary for vanity applications.





Lynk 12

shown in satin nickel and opal acrylic

TO ORDER SEE PAGE 459



Lynk 24

shown in bronze and opal acrylic

TO ORDER SEE PAGE 459




Lynk 36

shown in polished chrome and opal acrylic

TO ORDER SEE PAGE 460

Finishes



BZ
bronze




PC
polished
chrome



SN
satin nickel

Color



OY
opal acrylic

Dimensions

Lynk 12
12" x 4.6" x 3"

Lynk 24
24" x 4.6" x 3"

Lynk 36
36" x 4.6" x 3"

can be installed vertically
or horizontally

ELLIS COLLECTION

Sleek styling and a bounty of useful light define this contemporary LED bath bar. Die-cast metal endcaps house a high-quality acrylic shade which illuminates on three sides for excellent light distribution.



Ellis 36
shown in polished chrome
and opal acrylic
TO ORDER SEE PAGE 448

Finishes



BZ
bronze



PC
polished
chrome



SC
satin nickel

Color



OY
opal acrylic

Dimensions

Ellis 12
12" x 4.3" x 4.2"

Ellis 24
24" x 4.3" x 4.2"

Ellis 36
36" x 4.3" x 4.2"

can be installed vertically
or horizontally



Ellis 24
shown in satin nickel
and opal acrylic
TO ORDER SEE PAGE 447



Ellis 12
shown in bronze
and opal acrylic
TO ORDER SEE PAGE 447

ALBAN


Inspired by industrial metal supports of 1930s and 1940s architecture, the sleek silhouette features a linear expanse of slumped plate glass or acrylic and is finished with decorative metal endcaps.



Alban

shown in bronze and opal acrylic

TO ORDER SEE PAGE 436



Alban

shown in satin nickel and opal glass

TO ORDER SEE PAGE 436

Finish




BZ
bronze




SC
satin nickel

Color



OY
opal acrylic



OP
opal glass

Dimensions

23.7" x 4.8" x 3.9"

can be installed vertically
or horizontally



LINEA COLLECTION

This sleek light fixture adapts well to a tremendous range of residential or commercial bathroom lighting applications. Its low glare, opal finish linear LED lamp offers maximum light in a highly contemporary style.

**Linea 20**

shown in silver

TO ORDER SEE PAGE 456

**Linea 40**

shown in silver

TO ORDER SEE PAGE 457

Finishes**SI**
silver**Dimensions****Linea 20**
19.8" x 4.3" x 2"**Linea 40**
39.5" x 4.3" x 2"can be installed vertically
or horizontally

FINAL CALL MEDIUM

Sleek rectilinear bath bar with handsome full-length metal base and high quality acrylic shade.





Final Call Medium
shown in satin nickel and opal acrylic
TO ORDER SEE PAGE 449

Finishes



SC
satin nickel

Color



OY
opal acrylic

Dimensions

36" x 4.5" x 3.5"

can be installed vertically
or horizontally

DENTON COLLECTION

Inspired by structural steel beams of bustling postwar factories, crisp lines are contrasted by decorative rivets and beautifully diffused light in three directions for excellent light output.





Denton 48

shown in satin nickel and opal acrylic
with polished nickel detail

TO ORDER SEE PAGE 445



Denton 24

shown in bronze and opal acrylic
with antique brass detail

TO ORDER SEE PAGE 444

Finishes



BZ
bronze



SC
satin nickel

Color



OY
opal acrylic

Dimensions

Denton 24
24" x 4.3" x 3.2"

Denton 48
48" x 4.3" x 3.2"

can be installed vertically
or horizontally

A modern bathroom vanity featuring a large, rectangular mirror with a thin metal frame. The mirror reflects the ceiling and a window. Below the mirror is a dark countertop with two sinks and chrome faucets. In the center of the countertop are two cylindrical glass containers and a small metallic jar. The vanity cabinet is made of dark wood with horizontal grain and has silver handles. A white towel hangs on the left side of the mirror. The lighting is warm and modern, with a long light fixture above the mirror.

DOVER


Sleek linear bath bar whose rectangular frosted glass and gently curving metal frame combine for a beautifully harmonized design.



Dover

shown in polished chrome and opal


TO ORDER SEE PAGE 446



Dover

shown in satin nickel and opal

TO ORDER SEE PAGE 446



Dover

shown in bronze and opal

TO ORDER SEE PAGE 446

Finishes



PC
polished
chrome



SC
satin nickel



BZ
bronze

Glass Color



OP
opal glass

Dimensions

31" x 4.2" x 3.9"

can be installed vertically
or horizontally

VERTURA COLLECTION

Hidden within a sleek metal body, an ultra-thin LED light guide panel produces plenty of task illumination ideal for the bath. A thin, forward-facing light reveal adds a touch of elegance as the curved endcaps round out its linear nature.



Shown with Ambiance Lucarne LED Niche Lights



Vertura 24

shown in bronze

TO ORDER SEE PAGE 488



Vertura 36

shown in satin nickel

TO ORDER SEE PAGE 488

Finish



BZ
bronze



SC
satin nickel

Dimensions

Vertura 24
24" x 4.3" x 4.8"

Vertura 36
36" x 4.3" x 4.8"

can be installed vertically
or horizontally



MIA

Floating crescent of multi-layered cased glass in solid opal adds depth and dimension to a sleek, contemporary setting.

**Mia**

shown in satin nickel and opal

TO ORDER SEE PAGE 462

Finish

SC
satin nickel

Glass Color

OP
opal glass

Dimensions

24" x 4" x 3.9"

can be installed vertically
or horizontally

RANIA

Organic tree branch design details on the metal center bracket and end caps contrast with the sleek linear expanse of the fixture's rectilinear diffuser in either glass or acrylic.



Rania
shown in satin nickel and opal glass
TO ORDER SEE PAGE 475

Finish



BZ
bronze




SC
satin nickel

Color



OY
opal acrylic



OY
opal glass

Dimensions

23.7" x 4.5" x 3.7"

can be installed vertically
or horizontally



Rania
shown in bronze and opal acrylic
TO ORDER SEE PAGE 475

LOLA

Avant-garde bath bar with a metal base featuring five perfume bottle-shaped glass shades resting on a frosted glass shelf. Each perfume bottle is topped with a decorative crystal detail.




Lola
shown in polished chrome and opal
TO ORDER SEE PAGE 457

Finish



PC
polished
chrome

Glass Color



OP
opal glass

Dimensions

24" x 8.9" x 4"

TWIN TUBE BATH INSTALLATION KIT

This innovative and contemporary Monorail lighting system offers the ideal combination of direct and ambient lighting for any bathroom mirror application.





Twin Tube
shown in bronze and frost
TO ORDER SEE PAGE 486



Twin Tube
shown in satin nickel and frost
TO ORDER SEE PAGE 486

EACH KIT CONSISTS OF:

- 1 36" Monorail
- 3 Low-Voltage Twin Tube Heads
- 2 rigid standoffs
- 1 set of endcaps
- 1 remote canopy and power feed combination
- 1 75w electronic transformer (when ordered with 10w lamps)
- or
- 1 150w electronic transformer (when ordered with 20w lamps)

ADDITIONAL HEADS

Add to your Twin Tube Bath Kit for more illumination.

TO ORDER SEE PAGE 486

CANOPY OPTION

Typically, a 4" canopy is specified with this kit, but LBL also offers a special 2.75" canopy and corresponding 2" electrical box for a sleeker look. Both 2" and 4" electrical box sizes can house the 75w miniature transformer, but an accessible remote location is required for the 150w remote electronic transformer (comes with kits specifying 20w lamps). A good example of a remote location for this application would be the interior of a bath vanity. Contact the LBL Quotes Department at quotes@generation-brands.com for custom lengths.

Finish



BZ
bronze



SC
satin nickel

Glass Color



FR
frosted glass

Dimensions

1" x 7"



2316

STAND OUT FROM YOUR NEIGHBORS. OUTDOOR



Why is it beneficial to invest in outdoor lighting?

Outdoor lighting transforms your exterior spaces after dark. LBL Lighting's well-designed outdoor fixtures will highlight architectural details and landscaping, create an inviting atmosphere for visitors, enhance way-finding and safety, and improve perimeter security. With the sleek, contemporary designs from our award winning designers, you can also create a look that is uniquely yours, while be assured our robust designs will withstand the harshest elements.



QUADRATE

Generating uplight to nicely graze architectural wall surfaces and downlight to accent the extended backplate, this clean, modern design is elegantly simple yet very impactful.



Quadrate
shown in bronze
TO ORDER SEE PAGE 474



Quadrate
shown in graphite
TO ORDER SEE PAGE 474

Finish



BZ
bronze



GRP
graphite

Dimensions

5" x 13" x 4.8"

PEAK

With its highly pitched roofline, this design is reminiscent of a clapboard shingle. The angular downlight nicely grazes the surface of the extended backplate and minimizes any wasted output or glare.





Peak
shown in graphite
TO ORDER SEE PAGE 473



Peak
shown in bronze
TO ORDER SEE PAGE 473

Finish



BZ
bronze



GRP
graphite

Dimensions

5" x 13" x 4.3"



NEUTRINO

With a minimalist modern approach in mind, this compact sconce directs the LED light down, minimizing wasted light and glare. Clean lines and a sloped roofline accent but don't detract from a wide range of contemporary architecture.




Neutrino
shown in bronze
TO ORDER SEE PAGE 469



Neutrino
shown in graphite
TO ORDER SEE PAGE 469

Finish



BZ
bronze



GRP
graphite

Dimensions

4.5" x 6" x 4"



NATE COLLECTION

Inspired by the profile of modern door hardware, this sleek LED sconce reflects light off the wall to create a perfect grazing effect on architectural wall surfaces indoor or outside.



Nate 09
shown in bronze
TO ORDER SEE PAGE 468



Nate 17
shown in graphite
TO ORDER SEE PAGE 468

Finish



BZ
bronze



GRP
graphite


Dimensions

Nate 09
5.5" x 9.1" x 4"

Nate 17
5.5" x 17" x 4.5"

WINDFALL

Crisp lines and a slim profile combine in this handsome LED outdoor fixture.



Windfall

shown in silver

TO ORDER SEE PAGE 489

Finish



BL
black



SI
silver

Dimensions

6" x 24" x 4"



Windfall

shown in black

TO ORDER SEE PAGE 489

HUNTER COLLECTION

This clean, modern outdoor fixture inspired by a hunter's bow features a metal arc which artfully conceals its LED light source behind a smooth acrylic diffuser.



Hunter 10
shown in black

TO ORDER SEE PAGE 45I



Hunter 24
shown in silver

TO ORDER SEE PAGE 45I

Finish



BL
black



SI
silver


Dimensions

Hunter 10
4.4" x 10.5" x 4.1"

Hunter 24
6" x 24" x 8.3"

EAST RIVER

Inspired by the underlying structure of bridges, this LED-powered fixture reflects light from the back plate forward through the architectural bridge-like metal trusses.



East River

shown in brushed aluminum exterior / brushed aluminum interior

TO ORDER SEE PAGE 447

Finish



AL
brushed aluminum
exterior / brushed
aluminum interior




AO
brushed aluminum
exterior / orange
interior

Dimensions

6" x 11.8" x 2.5"

can be installed vertically
or horizontally

See more of this collection
on page 54, 314



East River

shown in brushed aluminum exterior / orange interior

TO ORDER SEE PAGE 447

AVIVA COLLECTION

Inspired by steel I-beam construction of modern skyscrapers, the angular edge of the center detail conveys the fixtures architectural influence as filtered LED light flows evenly from both sides.



Aviva I4
shown in silver
TO ORDER SEE PAGE 438



Aviva I4
shown in black
TO ORDER SEE PAGE 438



Aviva 26
shown in silver
TO ORDER SEE PAGE 438

Finish




BL
black



SI
silver

Color



OP
opal

Dimensions

Aviva I4
4.3" x 13.5" x 5.4"

Aviva 26
4.3" x 26" x 5.9"

AVELA

A solid cube of laser etched optic crystal features a flame frozen within that is illuminated by dual upward and downward firing LED light sources. This unit is wet-listed and suitable for outdoor or indoor use.





Avela
shown in black
TO ORDER SEE PAGE 437



Avela
shown in silver
TO ORDER SEE PAGE 437

Finish



BL
black



SI
silver

Color



CR
optic crystal

Dimensions

4.5" x 13.5" x 3.3"



PALM LANE COLLECTION

This indoor/outdoor fixture features a clean-lined metal base with an opal glass cylinder.



Palm Lane Small
shown in silver and opal glass
TO ORDER SEE PAGE 472



Palm Lane Large
shown in bronze and opal glass
TO ORDER SEE PAGE 472



Palm Lane Large
shown in silver and opal glass
TO ORDER SEE PAGE 472

Finish



BZ
bronze



SI
silver

Glass Color



OP
opal glass

Dimensions

Palm Lane Small
5.9" x 11.8" x 7.9"

Palm Lane Large
5.9" x 14.8" x 7.9"

MOON DANCE COLLECTION

Hand-carved decorative features inspired by the moon's dimpled surface encompass the circumference of the hand-blown glass.

Finish



BZ
bronze



SI
silver

Glass Color



SM
smoke glass

Dimensions

Moon Dance I3
4.6" x 13" x 6.4"

Moon Dance I8
5.2" x 17.9" x 7.8"

Moon Dance Flush
13.2" x 5.9"

See more of this collection
on page 278



Moon Dance I8
shown in silver and smoke glass
TO ORDER SEE PAGE 468



Moon Dance Flush
shown in silver and smoke glass
TO ORDER SEE PAGE 468



Moon Dance I3
shown in bronze and smoke glass
TO ORDER SEE PAGE 468

TAV COLLECTION

A metal frame inspired by industrial architecture is washed with brilliant LED light.



Tav I8

shown in metal / bronze

TO ORDER SEE PAGE 48I




Tav I4

shown in metal / bronze

TO ORDER SEE PAGE 48I

Finish



MTBZ
metal / bronze

Dimensions

Tav I4
6.9" x 14" x 3.3"

Tav I8
6.9" x 17.5" x 3.3"

PIER 60 COLLECTION

The decorative metal grid on this indoor/outdoor fixture provides a delicate balance of light and shadow.





Pier 60 Large
shown in bronze

TO ORDER SEE PAGE 474



Pier 60 Medium
shown in silver


TO ORDER SEE PAGE 474



Pier 60
shown in bronze

TO ORDER SEE PAGE 473

Finish



Dimensions

Pier 60
6.8" x 14.5" x 4"

Pier 60 Medium
6.8" x 17.9" x 4"

Pier 60 Large
8.4" x 26.4" x 6"

UPTOWN COLLECTION

Vertical metal slats of varying widths create visual intrigue and depth.



Uptown Large
shown in black

TO ORDER SEE PAGE 486



Uptown Small
shown in silver

TO ORDER SEE PAGE 487



Uptown Small
shown in bronze

TO ORDER SEE PAGE 487

Finish



BL
black



BZ
bronze



SI
silver


Dimensions

Uptown Small
6.9" x 12.8" x 4.9"

Uptown Large
6.9" x 17.7" x 4.9"

UPSTATE COLLECTION

Curved metal frame finished with vertical metal slats creates a clean, contemporary profile.



Upstate I8

shown in bronze

TO ORDER SEE PAGE 486



Upstate II

shown in silver

TO ORDER SEE PAGE 486



Upstate II

shown in bronze

TO ORDER SEE PAGE 486

Finish



BZ
bronze



SI
silver

Dimensions

Upstate II
8.7" x 11" x 4.6"

Upstate I8
8.7" x 18" x 4.6"

RAVEN COLLECTION

Die-cast geometric metal base inspired by shimmering NYC sidewalks at night.



Raven I2
shown in black
TO ORDER SEE PAGE 475



Raven I2
shown in silver
TO ORDER SEE PAGE 475



Raven I8
shown in silver
TO ORDER SEE PAGE 475

Finish



BL
black



SI
silver


Dimensions

Raven I2
5" x 12" x 3.5"

Raven I8
5" x 18" x 3.5"

MODULAR INDUSTRIAL COLLECTION

Wall mounted specification grade indoor/outdoor luminaire.



Modular Industrial Medium
shown in bronze with frosted acrylic


TO ORDER SEE PAGE 466



Modular Industrial Small
shown in brushed stainless steel
with frosted acrylic

TO ORDER SEE PAGE 467

Finish



BZ
bronze



SS
brushed
stainless
steel

Dimensions

Industrial Small
10" x 14.8" x 5.2"

Industrial Medium
10" x 28.3" x 5.2"

NEW YORK COLLECTION

Wall mounted specification grade indoor/outdoor luminaire has sleek molding detail at top and bottom to frame a series of panes.



New York Large
shown in bronze
with frosted acrylic

TO ORDER SEE PAGE 469



New York Medium
shown in brushed stainless steel
with frosted acrylic


TO ORDER SEE PAGE 469



New York Small
shown in brushed stainless steel
with frosted acrylic

TO ORDER SEE PAGE 470

Finish



BZ
bronze



SS
brushed
stainless
steel

Dimensions

New York Small
8.5" x 18" x 6.3"

New York Medium
8.5" x 28.7" x 6.3"

New York Large
8.5" x 39.4" x 6.3"



TUBULAR COLLECTION

Wall mounted specification grade indoor/outdoor luminaire with
a clean architectural influence.



Tubular Large
shown in bronze with frosted acrylic
TO ORDER SEE PAGE 484



Tubular Small
shown in brushed stainless steel
with frosted acrylic
TO ORDER SEE PAGE 485



Tubular Medium
shown in brushed stainless steel
with frosted acrylic
TO ORDER SEE PAGE 485

Finish



BZ
bronze



SS
brushed
stainless
steel

Dimensions

Tubular Small
12.3" x 15" x 6.3"

Tubular Medium
12.3" x 28" x 6.3"

Tubular Large
12.3" x 40" x 6.3"

ECLIPSE

The circular aluminum body shields the light source as it washes the surrounding wall surface in 360° of illumination.



Eclipse

shown in chrome coat

TO ORDER SEE PAGE 447

Finish



C
chrome coat

Dimensions

16" x 6"

PRESIDIO WET

This perforated metal sconce is wet-listed and creates beautiful light pattern up and down the wall.



Presidio Wet
shown in stainless steel
TO ORDER SEE PAGE 474

Finish



B
black



S
stainless
steel

Dimensions

4" x 15.5" x 6"

See more of this collection
on page 319



BRING LIGHT WHERE YOU NEED IT. MONORAIL HARDWARE



What is MonoRail and how do I use it?

Monorail is the low-voltage rail system which serves as the infrastructure on which limitless lighting designs can be achieved with low-voltage pendants and directional heads. Monorail is a sleek, versatile and contemporary alternative to traditional track and can be customized for large and small spaces with a wide variety of angular configurations or bent into soft curves for more fluid designs. Any low-voltage pendant or head ordered from with the “MRL” mounting option requires either an existing LBL Lighting Monorail system on which to mount them or the purchase of a newly configured Monorail system to house the pendants or heads.

MONORAIL & WALL MONORAIL

DESIGN YOUR MONORAIL SYSTEM



When designing your Monorail system, the first step is to determine what you would like to light. Choose your decorative fixtures and where they should be installed to put the light where you want it. For a visual reference of the fixtures available, refer to p. 9-13. You will see a thumbnail image of the fixture as well as a page number indicated where to find more information. Some fixtures may be customized by adding decorative and functional accessories.




Layout your Monorail run. Rail can be installed straight or can be field-bent to create an organic shape or follow architectural details. We also offer pre-bent Monorail options for added flexibility. Once your layout is complete, measure the length of the run to determine the quantity and length of Monorail sections required (p. 398-399). Finish your run with a set of End Caps (p. 400).

ADD POWER AND HARDWARE TO COMPLETE YOUR SYSTEM




Determine how far from the ceiling that you would like to position the system. Use Telescoping Rigid Standoffs for curvy runs or if you want the ability to fine-tune the drop from the ceiling without any cutting (p. 401). Adjustable cable standoffs offer a minimal appearance (p. 401). For wall-mounted applications specify Wall Monorail standoffs. Remember to space standoffs no more than every three feet.



Selecting a transformer is as easy as adding up the total wattage of all the lamps you will be using on the system. Remote transformers with Power Feed canopies offer a minimal appearance. Surface transformers may be installed over an existing junction box. Remodel Recessed transformers offer a minimal appearance in remodel applications, however, this cannot be used with concrete ceilings. Remember when using LED heads and pendants to choose a transformer that is LED compatible. Use the information on p. 404-411 to help you choose the correct transformer for your design.



We offer pre-configured kits to simplify ordering (p. 398-399).



MONORAIL

Monorail is rated for 300 watts at 12 volts and 600 watts at 24 volts. Each piece of rail is shipped with straight conductive connectors to join rail pieces end to end. Order additional connectors (p. 400) if cutting and rejoining rails. All pieces are field-cuttable and hand-bendable to a horizontal radius as small as 6".

MODEL:	RAIL-ST-
FINISH:	
BZ	bronze
SC	satin nickel
LENGTH:	
48	48" long
96	96" long

sample item number **RAIL-ST-BZ48** monorail, bronze, 48" long



BRONZE




SATIN NICKEL

PRE-CONFIGURED MONORAIL KITS

SOFT CURVE KIT

- (2) 46" soft curve rails
(78" diameter, 1/5 round, 39" radius)
- (1) set of four endcaps
- (1) set of straight conductive connectors
- (3) telescoping rigid standoffs (6"-10")
- (1) surface mount transformer housing
with (1) 300w electronic transformer
and 72" flexible feeder cable

MODEL:	FUSIONKIT (BZ,SC) 4RD
--------	-----------------------



STRAIGHT RAIL KIT

- (2) 48" straight rails
- (1) set of four endcaps
- (1) set straight connectors
- (3) telescoping rigid standoffs (6"-10")
- (1) surface mount transformer housing
with (1) 300w electronic transformer and
72" flexible feeder cable


MODEL:	FUSIONKIT (BZ,SC) 8ST
--------	-----------------------

MONORAIL PRE-BENT OPTIONS

24" DIAMETER CIRCLE

1/3 Round, Radius 12". Order three pieces to create a 24" diameter circle.


MODEL: RAILCV3-
FINISH:
BZ62.5 bronze
SC62.5 satin nickel
sample item number **RAILCV3-BZ62.5** 24" diameter circle, bronze



48" DIAMETER CIRCLE

1/3 Round, Radius 24". Order three pieces to create a 48" diameter circle.


MODEL: RAILCV2-
FINISH:
BZ125 bronze
SC125 satin nickel
sample item number **RAILCV2-SC125** 48" diameter circle, satin nickel



SOFT CURVE

78" Diameter, 1/5 Round, Radius 39". Order five pieces to create a 78" diameter circle.


MODEL: RAILCV1-
FINISH:
BZ117 bronze
SC117 satin nickel
sample item number **RAILCV1-SC117** soft curve, satin nickel



32" MONORAIL SPIRAL

Kit includes: Custom bent Monorail, Straight Conductive Connectors and Endcaps. (5) Standoffs required (sold separately). 32" Spiral.


MODEL: RAILCVSPRL-
FINISH:
BZ32 bronze
SC32 satin nickel
sample item number **RAILCVSPRL-BZ32** 32" monorail spiral, bronze



48" MONORAIL SPIRAL

Kit includes: Custom bent Monorail, Straight Conductive Connectors and Endcaps. (7) Standoffs required (sold separately). 48" Spiral.

MODEL: RAILCVSPRL-
FINISH:
BZ48 bronze
SC48 satin nickel
sample item number **RAILCVSPRL-SC48** 48" monorail spiral, satin nickel



MONORAIL CONNECTORS

STRAIGHT CONDUCTIVE

Straight conductive connectors join sections of Monorail together. (Pair.) Included with each piece of rail.

MODEL: SCONNECTOR
FINISH:
BZ-M bronze
SC-M satin nickel
sample item number **SCONNECTORSC-M**
straight conductive, satin nickel



STRAIGHT CONDUCTIVE (PAIR)

STRAIGHT ISOLATING

Straight isolating connectors join sections of rail and isolate one powered run from another. (Pair.) These are typically used to separate one circuit from the other circuit when using surface or remote dual-feed transformers and to separate multiple transformers on a continuous run. Included with dual-feed surface transformers and power feed canopies.

MODEL: ISOCONNECTORCL-M
sample item number **ISOCONNECTORCL-M**
straight isolating



STRAIGHT ISOLATING (PAIR)

ADJUSTABLE ANGLE CONDUCTIVE

These connectors join sections of rail together allowing subtle to sharp horizontal angles. (Pair.)

MODEL: ACONNECTOR
FINISH:
BZ-M bronze
SC-M satin nickel
sample item number **ACONNECTORBZ-M**
adjustable angle conductive, bronze



ADJ ANGLE CONDUCTIVE (PAIR)

"T" CONDUCTIVE

These conductive connectors join three sections of Monorail together to create a "T". (Pair.) We recommend standoffs are placed no more than six inches away from the connector.

MODEL: TCONNECTOR
FINISH:
BZ-M bronze
SC-M satin nickel
sample item number **TCONNECTORSC-M** "t"
conductive, satin nickel



"T" CONDUCTIVE (PAIR)

END CAPS

Decorative metal cap to give finished look to the ends of Monorail. (4 pc. set)

MODEL: ENDCAPS-
FINISH:
BZ-M bronze
SC-M satin nickel
sample item number **ENDCAPS-SC-M**
end caps, satin nickel




END CAPS (SET - 4 PCS)

"X" CONDUCTIVE

These conductive connectors join four sections of Monorail together to create a four-way intersection. (Pair.) We recommend standoffs are placed no more than six inches away from the connector.

MODEL: XCONNECTOR
FINISH:
BZ-M bronze
SC-M satin nickel
sample item number **XCONNECTORBZ-M**
"x" conductive, bronze



ADJUSTABLE ANGLE VERTICAL CONDUCTIVE

These connectors join sections on Monorail together allowing subtle vertical angles.

MODEL: VCONNECTOR
FINISH:
BZ-M bronze
SC-M satin nickel
sample item number **VCONNECTORSC-M**
adjustable angle vertical connector, satin nickel



MONORAIL STANDOFFS

Recommended every 3 feet. Versatile, telescoping standoffs allow you to choose your hanging method and height.

TELESCOPING RIGID STANDOFFS

Rigid standoffs offer multifunction ceiling mounting in one part. Unique telescoping height adjustment simplifies and perfects your installation. Self-drilling drywall anchor included with all standoffs.

NOTE: When mounting on concrete ceiling or wall, order one SCW-MASONARY-A per standoff.

MODEL: HANGER-ADJ-
FINISH:
BZ bronze
SC satin nickel
LENGTH:
-1 2.5"-4"*
-2 6"-10"
-3 12"-24"
-4 24"-48"
-5 48"-96"

ADA CF LED

sample item number **HANGER-ADJ-SC-1**
telescoping rigid standoffs, satin nickel, 2.5"-4"

* When using with any surface mounted transformer, rail cannot be installed directly below the transformer.



Rotating head insert allows fine tuning of rail axis position and fixture orientation



NOTE: Specify Surface Mounted Transformer or non-Direct Power Feed Canopy with Adjustable Cable or Telescoping Rigid Standoffs.

ADJUSTABLE CABLE STANDOFFS

Clean looking and fully adjustable cable standoff for ceiling mounting. Griplock allows for easy one-touch shortening or lengthening in the field. Offered in four stock lengths. Additional custom length cable can be specified. Self-drilling drywall anchor included with all standoffs.

MODEL: HANGER-CBL-
FINISH:
BZ bronze
SC satin nickel
LENGTH:
-6 6' of cable
-8 8' of cable
-18 18' of cable
-25 25' of cable
sample item number **HANGER-CBL-BZ-6**
adjustable cable standoffs, bronze, 6'



DIRECT FEED RIGID STANDOFFS

DIRECT FEED TELESCOPING

Universal for all single-circuit direct feed surface transformers EXCEPT 60w electronic flush.

MODEL: HANGERDIRADJ
FINISH:
BZI bronze
SCI satin nickel
sample item number **HANGERDIRADJSC1**
direct feed telescoping rigid standoffs, satin nickel



NOTE: Specify Direct Feed Surface Transformer or Direct Power Feed Canopy with Direct Feed Telescoping Rigid Standoffs.

DIRECT FEED RIGID

Universal for all single-circuit direct power feed canopies and 60w electronic flush direct feed surface transformer.

MODEL: HANGERDIRRC
FINISH:
BZI bronze
SCI satin nickel
sample item number **HANGERDIRRCSC1**
direct feed telescoping rigid standoffs, satin nickel

WALL STANDOFFS

WALL MONORAIL DIRECT FEED STANDOFF

Recommended every three feet. Versatile, telescoping standoffs allow you to choose your hanging method and height. Supports the rail and positions in approximately one inch off the wall.

MODEL: HANGERDIRW-
FINISH:
BZI bronze
SCI satin nickel
sample item number **HANGERDIRW-SC** wall monorail direct feed standoff, satin nickel



WALL MONORAIL ELEMENT ADAPTER

One adapter is required for each swivel head.

MODEL: RAILADAP-WALL
FINISH:
BZI bronze
SCI satin nickel
sample item number **RAILADAP-WALLSC**
wall monorail element adapter, satin nickel



MONORAIL SPECIAL INSTALLATIONS

WALL BRACKET

With cable support allows for extended, cantilevered wall mount. Available only for 2.5-4", 6-10" and 12-24" standoffs. Telescoping Rigid Standoffs (not included).

MODEL: WB-ADJ-
FINISH:
BZI bronze
SCI satin nickel
sample item number **WB-ADJ-SC**
wall bracket, satin nickel



BALL JOINT

Attachment allows sloped ceiling mounting. Adapts simply to any telescoping rigid standoff (not included).

MODEL: BJ-ADJ-
FINISH:
BZI bronze
SCI satin nickel
sample item number **BJ-ADJ-SC** ball joint, satin nickel



FLEXIBLE END POWER FEED

Used to power a Monorail system from one end of the run. Includes a removable 4" round canopy and 144" of field-cuttable softwire leads. Mounts to a standard 4" junction box with round plaster ring (provided by electrician). Remote transformer sold separately, see p. 411.

MODEL: REMOTECNPY-FLEX-
FINISH:
BZI bronze
SCI satin nickel
sample item number **REMOTECNPY-FLEX-SC**
flexible end power feed, satin nickel



T-GRID CLIP

Allows adaptation of any standoff to an inverted T-Grid ceiling rail. To be used with 15/16" (1) or 9/16" (2) T-Grid.

MODEL: CLIP-TB/MONO-
SIZE:
1 15/16" grid
2 9/16" grid
sample item number **CLIP-TB/MONO-1** t-grid clip, 15/16" grid



WALL (DIRECT END) POWER FEED

For single-feed remote transformer applications, to power the end of a run, from a perpendicular wall. Remote transformer sold separately, see p. 411. 2.75" round power feed canopy (conductive), 2" electrical box and matching isolated wall support (non-conductive; included).

MODEL: REMOTECNPY-WALL-
FINISH:
BZI bronze
SCI satin nickel
sample item number **REMOTECNPY-WALL-SC** wall (direct end) power feed, satin nickel







POWER FEED CANOPIES

When using a remote transformer, a remote canopy is necessary. Power feed canopies are mounted to the ceiling or wall parallel to a rail run. Location can be anywhere along the rail. 2.75" Round Canopies mount to a special 2" electrical J-Box (included). 4" Round Canopies mount to a standard 4" electrical J-Box with round plaster ring (provided by electrician). Remote canopies include 72" standard length of a 10AWG flexible, power feeder and complementing rail adapter. The feeder is field-cutable and easily shortened by the installer. Direct-feed canopies include a complementing rail adapter flush with canopy.


MONORAIL SINGLE-FEED POWER FEED CANOPIES

To be used with any single-feed remote transformer application.

CHOICES	MODEL #	MOUNTS TO	COMPATIBLE STANDOFF
	REMOTECNPY-(BZ,SC)2	Special 2" square electrical box (included)	Telescoping Rigid or Adjustable Cable
	REMOTECNPY-(BZ,SC) All dual-feed rail connectors are separated by an isolating connector, included (ISOCONNECTORCL-M).	Standard 4" square J-Box with round plaster ring (provided by electrician).	Telescoping Rigid or Adjustable Cable




MONORAIL DUAL-FEED POWER FEED CANOPY

To be used with any DUAL-feed remote transformer application.

CHOICES	MODEL #	MOUNTS TO	COMPATIBLE STANDOFF
	REMOTECNPY-DF-(BZ,SC) All dual-feed rail connections are separated by an isolating connector, included (ISOCONNECTORCL-M).	Standard 4" square J-Box with round plaster ring (provided by electrician).	Telescoping Rigid or Adjustable Cable


MONORAIL DIRECT POWER FEED CANOPY

Allows for closest-to-ceiling possible mounting of Monorail.

CHOICES	MODEL #	MOUNTS TO	COMPATIBLE STANDOFF
	REMOTECNPYDIR(BZ,SC)	Standard 4" square J-Box with round plaster ring (provided by electrician).	Direct feed Telescoping Rigid
	REMOTECNPYDIRDF(BZ,SC) All dual-feed rail connections are separated by an isolating connector, included (ISOCONNECTORCL-M).	Standard 4" square J-Box with round plaster ring (provided by electrician).	Direct feed Telescoping Rigid
	REMOTECNPYDIR2(BZ,SC)	Standard 2" square electrical box (included).	Direct feed Telescoping Rigid

WALL MONORAIL POWER FEED CANOPY

When using a remote transformer, a remote canopy is necessary. Power feed canopies are directly behind a rail run. Location can be anywhere along the rail.

CHOICES	MODEL #	MOUNTS TO	COMPATIBLE STANDOFF
	REMOTECNPDIRW-(BZ,SC) Wall monorail direct feed canopy	Standard 4" square J-Box with round plaster ring (provided by electrician).	Wall monorail direct feed standoff

PASS-THROUGH 300W SURFACE TRANSFORMER


The Pass-Through combines a sleek design with the ability to use 1" standoffs and ease of installation. First, the installer mounts and wires the upper canopy in much the same way a standard line-voltage pendant would be mounted. Second, the installer connects the rail connector to the rail. Finally, the installer snaps the lower canopy into the upper canopy without the need for any tools. The electrical connections are made automatically due to the mating components. The transformer bay is housed completely in the bottom canopy, so should there be any problems with the transformer at any time, only the bottom canopy would need to be removed. The upper canopy and the entire Monorail run can remain in place. It's that easy.



Sleek, minimalist design, easy installation and 300 watts of power. At just 1" protrusion, the Monorail practically hugs the ceiling. Mounts to a standard 4" ceiling junction box with round plaster ring (provided by electrician). To be used with special 1" standoffs designed specifically for this transformer. For straight Monorail only. Dimmable with ELV Dimmer only.

MODEL: TRANSDIRPT300
FINISH:
BZ bronze
SC satin nickel
Type: LED 120V-12V

LED



INPUT	OUTPUT	COMPATIBLE DIMMER	COMPATIBLE STANDOFF
1x120VAC/2.5A	1x300w**	Electronic Low-voltage Dimmer, 600w	Standoff for Pass-Through Surface Transformer

LED Indicated which transformers are compatible with LED fixtures.

**As a general rule when using LED fixtures we do not recommend using greater than 70% of the specified maximum wattage on the transformer due to inrush current. For assistance, please contact our technical support department.

STANDOFF FOR PASS-THROUGH

Standoff to be used with Pass-Through Surface Transformer.

MODEL: HANGERDIRPT
FINISH:
BZ bronze
SC satin nickel
sample item number **HANGERDIRPTSC**
standoff for pass-through, satin nickel



MINI DIRECT FEED 300W SURFACE TRANSFORMER

The Mini answers the question, how small can it be? At 1.4" deep and 5.25" in diameter, it is the smallest 300 watt surface Monorail transformer in the industry. It installs similarly to our existing family of 300 watt transformers and practically disappears on the Monorail system.



Truly minimalist design and the industry's smallest 300 watt surface transformer. Mounts to a standard 4" ceiling junction box with round plaster ring (provided by electrician). To be used with special 2" standoffs designed specifically for this transformer. Dimmable with ELV Dimmer only.

MODEL: TRANSDIRMNE250

FINISH:

BZ bronze
SC satin nickel
Type: LED 120V-12V

LED

sample item number TRANSDIRMNE250SC
mini, satin nickel

INPUT	OUTPUT	COMPATIBLE DIMMER	COMPATIBLE STANDOFF
1x120VAC/2.5A	1x300w**	Electronic Low-voltage Dimmer, 600w	Standoff for Mini Direct Feed

LED Indicated which transformers are compatible with LED fixtures.

**As a general rule when using LED fixtures we do not recommend using greater than 70% of the specified maximum wattage on the transformer due to inrush current. For assistance, please contact our technical support department.

STANDOFF FOR MINI DIRECT FEED

Standoff to be used with 300w Mini Surface Transformer.

MODEL: HANGERDIRMN

FINISH:


BZ bronze
SC satin nickel

sample item number HANGERDIRMNSC
direct feed standoff for mini, satin nickel



SURFACE MOUNTED MONORAIL TRANSFORMERS












All Surface Mounted Transformers are encased in a finished metal housing and mount to any standard ceiling electrical box. Please refer to the technical info on p. 432 for important transformer information and performance specs. Transformer and flexible feeder cleanly and attractively send power to your system. 72" length is standard for our feeder. It is easily shortened in the field. Contact the LBL Quotes Department at quotes@generation-brands.com for longer lengths.

CHOICES	WATT & TYPE	MODEL #	INPUT	OUTPUT	COMPATIBLE DIMMER	COMPATIBLE STANDOFFS
	12 volt/60w Electronic Single-Feed	TRANS-SFE61-(BZ,SC) TRANS-SFE61-(BZ,SC)/277	1x120VAC/.5A 1x277VAC/.22A	1x60w	Electronic Low-voltage Dimmer 600w	Telescoping Rigid or Adjustable Cable (p. 40I)
	12 volt/100w Electronic Single-Feed	TRANS-SFE100-(BZ,SC) TRANS-SFE100-(BZ,SC)/277	1x120VAC/.9A 1x277VAC/.4A	1x100w	Electronic Low-voltage Dimmer 600w	Telescoping Rigid or Adjustable Cable (p. 40I)
	12 volt/150w Electronic Single-Feed	TRANS-SFE150-(BZ,SC)	1x120VAC/1.25A	1x150w	Electronic Low-voltage Dimmer 600w	Telescoping Rigid or Adjustable Cable (p. 40I)
	12 volt/300w Electronic Single-Feed	TRANS-SFE300-(BZ,SC)	1x120VAC/2.5A	1x300w	Electronic Low-voltage Dimmer 600w	Telescoping Rigid or Adjustable Cable (p. 40I)
	12 volt/75w Magnetic Single-Feed	TRANS-SFM75-(BZ,SC) TRANS-SFM75-(BZ,SC)/277	1x120VAC/.7A 1x277VAC/.3A	1x75w	Magnetic Low-voltage Dimmer 600w	Telescoping Rigid or Adjustable Cable (p. 40I)
	12 volt/150w Magnetic Single-Feed	TRANS-SFM150-(BZ,SC)	1x120VAC/1.25A	1x150w	Magnetic Low-voltage Dimmer 600w	Telescoping Rigid or Adjustable Cable (p. 40I)
	12 volt/300w Magnetic Single-Feed	TRANS-SFM300-(BZ,SC)	1x120VAC/2.5A	1x300w	Magnetic Low-voltage Dimmer 600w	Telescoping Rigid or Adjustable Cable (p. 40I)
	12 volt/300w Magnetic Single-Feed	TRANS-SFM300-(BZ,SC)/277	1x277VAC/1.1A	1x300w		
	24 volt/300w Magnetic Single-Feed	TRANS-SFM300-(BZ,SC)/24	1x120VAC/2.5A	1x300w		
	12 volt/600w Magnetic Dual-Feed	TRANS-SFM600-(BZ,SC)	1x120VAC/5A	2x300w	Magnetic Low-voltage Dimmer 1000w	Telescoping Rigid or Adjustable Cable (p. 40I)
	12 volt/600w Magnetic Dual-Feed	TRANS-SFM600-(BZ,SC)/277	1x277VAC/2.2A	2x300w		
	24 volt/600w Magnetic Single-Feed	TRANS-SFM600-(BZ,SC)/24	1x120VAC/5A	1x600w	Magnetic Low-voltage Dimmer 1000w	Telescoping Rigid or Adjustable Cable (p. 40I)

LED These transformers are compatible with LED Heads and Pendants.

DIRECT FEED MONORAIL SURFACE TRANSFORMERS

Allows for the closest possible mounting of Monorail to the ceiling. Each mounts to a standard 4" junction box with round plaster ring.

CHOICES	WATT & TYPE	MODEL #	INPUT	OUTPUT	COMPATIBLE DIMMER	COMPATIBLE STANDOFFS
	12 volt/60w Electronic Flush Single-Feed	TRANSDIR-SFE60(BZ,SC) TRANSDIR-SFE60(BZ,SC)/277	1x120VAC/.5A 1x277VAC/.22A	1x60w**	Electronic Low-voltage Dimmer 600w	Direct feed Telescoping Rigid
	12 volt/60w Electronic Single-Feed	TRANSDIR-SFE61(BZ,SC) TRANSDIR-SFE61(BZ,SC)/277	1x120VAC/.5A 1x277VAC/.22A	1x60w**	Electronic Low-voltage Dimmer 600w	Direct feed Telescoping Rigid
	12 volt/100w Electronic Single-Feed	TRANSDIR-SFE100(BZ,SC) TRANSDIR-SFE100(BZ,SC)/277	1x120VAC/.9A 1x277VAC/.4A	1x100w**	Electronic Low-voltage Dimmer 600w	Direct feed Telescoping Rigid
	12 volt/150w Electronic Single-Feed	TRANSDIR-SFE150(BZ,SC)	1x120VAC/1.25A	1x150w	Electronic Low-voltage Dimmer 600w	Direct feed Telescoping Rigid
	12 volt/300w Electronic Single-Feed	TRANSDIR-SFE300(BZ,SC)	1x120VAC/2.5A	1x300w	Electronic Low-voltage Dimmer 600w	Direct feed Telescoping Rigid
	12 volt/75w Magnetic Single-Feed	TRANSDIR-SFM75(BZ,SC) TRANSDIR-SFM75(BZ,SC)/277	1x120VAC/.7A 1x277VAC/.3A	1x75w**	Magnetic Low-voltage Dimmer 600w	Direct feed Telescoping Rigid
	12 volt/150w Magnetic Single-Feed	TRANSDIR-SFM150(BZ,SC)	1x120VAC/1.25A	1x150w**	Magnetic Low-voltage Dimmer 600w	Direct feed Telescoping Rigid
	12 volt/300w Magnetic Single-Feed	TRANSDIR-SFM300(BZ,SC) TRANSDIR-SFM300(BZ,SC)/277	1x120VAC/2.5A 1x277VAC/1.1A	1x300w**	Magnetic Low-voltage Dimmer 600w	Direct feed Telescoping Rigid
	24 volt/300w Magnetic Single-Feed	TRANSDIR-SFM300(BZ,SC)/24	1x120VAC/2.5A	1x300w	Magnetic Low-voltage Dimmer 600w	Direct feed Telescoping Rigid
	12 volt/600w Magnetic Dual-Feed	TRANSDIR-SFM600(BZ,SC)	1x120VAC/5A	2x300w**	Magnetic Low-voltage Dimmer 1000w	Direct feed Telescoping Rigid
	24 volt/600w Magnetic Single-Feed	TRANSDIR-SFM600(BZ,SC)/24V	1x120VAC/5A	1x600w	Magnetic Low-voltage Dimmer 1000w	Direct feed Telescoping Rigid

LED These transformers are compatible with LED Heads and Pendants.

**As a general rule when using LED fixtures we do not recommend using greater than 70% of the specified maximum wattage on the transformer due to inrush current. For assistance, please contact our technical support department.

REMODEL RECESSED TRANSFORMER

150 watt Electronic can power lamps totaling up to 150 watts. 300 watt Electronic can power lamps totaling up to 300 watts.

MODEL: TRANS-RRE

FINISH:

BZ bronze

SC satin nickel


WATTAGE:

150- 150w electronic

300- 300w electronic

sample item number **TRANS-RRE150-SC**

remodel recessed transformer, 150w electronic, satin nickel



Combines the aesthetics of Remote Transformers and Power Feed Canopies with the flexibility of Surface Transformers

- Looks similar from below the ceiling to the power feed canopies used with remote transformers; however, it does not require access to a remote location because the transformer sits just above the ceiling
- The decorative canopy is the only visible portion of the transformer once installed
- Access to the back of the ceiling is not needed

Easy Installation









- Installs similar to a remodel recessed downlight
- In remodel applications, the electrician will need to install the Remodel Recessed Transformer in close proximity to an existing junction box, drill through the finished ceiling in the location where the Remodel Recessed Transformer will be installed, and cover the existing junction box with a thin, field paintable metal cover (included) as the NEC requires
- In new construction, the electrician can simply bring power to the Remodel Recessed Transformer directly
- Insulation must be kept at least 3" from the transformer and housing (non-IC)

The transformer is concealed inside a housing that recesses above the ceiling

- Available with a 150 watt or 300 watt electronic transformer
- The transformer is equipped with a fast acting short circuit and overload protection that will safely turn off the system should a short or overload occur
- The unit can be reset simply by flipping the wall switch off and on
- Dimmable with a 600w low-voltage electronic dimmer

REMOTE TRANSFORMERS

All Remote Transformers are encased in metal housings complete with mounting feet and conduit knockouts. Typically, you use a remote transformer when a cleaner installation appearance is desired. A remote transformer must be installed in an accessible remote location, the bulkier ceiling mounted surface transformer is replaced by a power feed canopy with flexible coaxial power feed cable or direct-feed connector. Please refer to the technical info on p. 432 for important transformer information and performance specs.

CHOICES	WATT & TYPE	MODEL #	INPUT	OUTPUT	COMPATIBLE DIMMER
	12 volt/60w Remote AC Electronic Single-Feed	TRANS-RMTE-60	1x120VAC/.5A	1x60w**	Electronic Low-voltage Dimmer, 600w
	12 volt/150w Remote DC Electronic Single-Feed	TRANS-RMTE-150	1x120VAC/1.25A	1x150w	Electronic Low-voltage Dimmer, 600w
	12 volt/150w Remote DC Electronic Single-Feed	TRANS-RMTE-152	1x120VAC/1.25A	1x150w**	Electronic Low-voltage Dimmer, 600w
	12 volt/300w Remote DC Electronic Single-Feed	TRANS-RMTE-301	1x120VAC/2.5A	1x300w	Electronic Low-voltage Dimmer, 600w
	12 volt/300w Remote DC Electronic Single-Feed	TRANS-RMTE-302	1x120VAC/2.5A	1x300w**	Electronic Low-voltage Dimmer, 600w
	12 volt/75w Remote Magnetic Single-Feed	TRANS-RMTE-75M	1x120VAC/.7A	1x75w**	Magnetic Low-voltage Dimmer, 600w
	12 volt/75w Remote Magnetic Single-Feed	TRANS-RMTE-75M/277	1x277VAC/.3A	1x75w**	Magnetic Low-voltage Dimmer, 600w
	12 volt/150w Remote Magnetic Single-Feed	TRANS-RMTE-150M	1x120VAC/1.25A	1x150w**	Magnetic Low-voltage Dimmer, 600w
	12 volt/150w Remote Magnetic Single-Feed	TRANS-RMTE-150M/277	1x277VAC/.55A	1x150w**	Magnetic Low-voltage Dimmer, 600w
 12v only LED	12 volt/300w Remote Magnetic Single-Feed	TRANS-RMTE-300M	1x120VAC/2.5A	1x300w**	Magnetic Low-voltage Dimmer, 600w
	12 volt/300w Remote Magnetic Single-Feed	TRANS-RMTE-300M/277	1x277VAC/1.1A	1x300w**	Magnetic Low-voltage Dimmer, 600w
	24 volt/300w Remote Magnetic Single-Feed	TRANS-RMTE-300M/24	1x120VAC/2.5A	1x300w	Magnetic Low-voltage Dimmer, 600w
	24 volt/300w Remote Magnetic Single-Feed	TRANS-RMTE-300M/24V77	1x277VAC/1.1A	1x300w	Magnetic Low-voltage Dimmer, 600w
 12v only LED	12 volt/600w Remote Magnetic Dual-Feed	TRANS-RMTE-600M	1x120VAC/5A	2x300w**	Magnetic Low-voltage Dimmer, 1000w
	12 volt/600w Remote Magnetic Dual-Feed	TRANS-RMTE-600M/277	1x277VAC/2.2A	2x300w**	Magnetic Low-voltage Dimmer, 1000w
	24 volt/600w Remote Magnetic Single-Feed	TRANS-RMTE-600M/24	1x120VAC/5A	1x600w	Magnetic Low-voltage Dimmer, 1000w
	24 volt/600w Remote Magnetic Single-Feed	TRANS-RMTE-600M/24V77	1x277VAC/2.2A	1x600w	Magnetic Low-voltage Dimmer, 1000w

LED These transformers are compatible with LED Heads and Pendants.

HOW TO CALCULATE YOUR WATTAGE NEEDS: 2.75" and 4" remote canopies are available for ceiling and wall remote transformer applications. To find which is right for your system, add up the total wattage of the pendants or heads you'll be using (the number of pendants or heads x the total lamp wattage per fixture = total wattage). A combination of wattages may be chosen as long as the maximum wattage allowed by the transformer is not exceeded.

**As a general rule when using LED fixtures we do not recommend using greater than 70% of the specified maximum wattage on the transformer due to inrush current.



ADDING THE FINISHING TOUCH. CANOPIES & ACCESSORIES



How can I express myself through lighting?

Single or multi-port canopies in many shapes, styles and materials make it possible for you to install our pendants in countless configurations. Using LBL Lighting's custom canopies and accessories, you can create unique installations of many different line- or low-voltage pendants to fulfill your own design vision.

LINE-VOLTAGE MULTI-LIGHT CANOPIES


Use to suspend a cluster of line-voltage pendants from a single overhead mounting location (pendants not included). Easily installs to a standard 4" junction box with the ability to quickly customize pendant cord length. Available in three styles: 3-light small, 3-light large and 5-light. For use with halogen, incandescent, or compact fluorescent GU24 pendants that hang from a single cord.

5 ROUND / 3 ROUND LARGE / 3 ROUND

Line-voltage multi-port canopies allow designers to create dramatic, custom chandeliers of varying dimension, even when there is just a single j-box available such as dining rooms, kitchen islands or reception areas.

MODEL:
CK005B- 5 round
CK003D- 3 round large
CK003B- 3 round

CANOPY:
BZ bronze
SC satin nickel
sample item number **CK003B-BZ** 3 round, bronze



5 ROUND
SATIN NICKEL



3 ROUND LARGE
BRONZE



3 ROUND
BRONZE



Bonn Low-Voltage Pendants, p.160, sold separately
7 Rectangle Fusion Jack Multi-port Canopy, Walnut, p.422

FUSION JACK

DESIGN YOUR FUSION JACK SYSTEM



When designing your Fusion Jack system, the first step is to determine what you would like to light. Choose your decorative fixtures and where they should be installed to put the light where you want it. For a visual reference of the fixtures available, refer to p. 9-II. You will see a thumbnail image of the fixture as well as a page number indicated where to find additional information. Some fixtures may be customized by adding decorative and functional accessories.

CHOOSE YOUR CANOPY




Use the information on p. 417-425 to help you choose the right Fusion Jack Canopy. Select one Single-Port Canopy for every element or a Multi-Port Canopy that contains the same number of ports as the number of fixtures you have chosen. The Single- and Multi-Port Canopies include a transformer or transformers. The 1.5" Low-Profile Canopy on p. 425 is used to power a series of fixtures from a remote transformer which is sold separately (p. 411). Select the Low-Voltage Fusion Jack Track Adapter (p. 424) to hang Fusion Jack fixtures on standard track lighting or the Recessed Can Adapter to hang Fusion Jack fixtures on recessed cans. If you are using LED heads or pendants, be sure to choose a canopy that is compatible with LED fixtures.

ADJUSTING CABLE TO DESIRED LENGTH



Adjusting Fusion Jack cable is easy. Loosen, but do not remove, the set screw on the tip of the Fusion Jack connector and the oval head set screw on the conical connector. Pull out the coaxial cable and cut it to the desired length. Gently twist the end of the cable between your thumb and forefinger, then feed it through the conical connector. The outer wire will come to a stop point about 3/4 of an inch into the connector. Keep pushing the cable into the connector while rotating the connector, which makes feeding the inner wire into the connector tip easier. Look into the sight hole on the top of the connector to ensure that the inner wire makes contact with the end of the connector. Hold the cable in place and tighten the set screw on the tip of the connector. Make sure the connection is tight! Tighten the set screw on the conical connector.





FUSION JACK SINGLE-PORT CANOPIES

COMPATIBLE DIMMERS

120V: Standard incandescent dimmer
 12V LED: Low-voltage electronic dimmer
 277V: 277V incandescent dimmer
 277VLED: 277V low-voltage electronic dimmer

4" ROUND DOME CANOPY

Used when the junction box does not have enough room for recessing a 60w electronic transformer (included). Female Fusion Jack port installed. Order fixtures as FSJ.

MODEL: CK007B-FJ-
FINISH:
 BZ bronze
 SC satin nickel
TYPE:
 120V IN / 12V OUT
 -24 120V IN / 24V OUT
 -277 277V IN / 12V OUT
 -LED 120V IN / 12V LED OUT
 -LED277 277V IN / 12V LED OUT

LED

sample item number **CK001B-FJ-SC 4"**
 round dome canopy, satin nickel



4" ROUND DOME CANOPY WITH VAULT ADAPTER

Mounts to standard 4" electrical box with round plaster ring (provided by electrician). Low-voltage 60w electronic transformer (included) neatly fits into electrical box. Female Fusion Jack port slopes up to 45° for use on vaulted ceilings. Order fixtures as FSJ.

MODEL: CK001B-FJV-
FINISH:
 BZ bronze
 SC satin nickel
TYPE:
 120V IN / 12V OUT
 -24 120V IN / 24V OUT
 -277 277V IN / 12V OUT
 -LED 120V IN / 12V LED OUT
 -LED277 277V IN / 12V LED OUT

LED

sample item number **CK001B-FJV-SC-LED 4"**
 round dome canopy with vault adapter, satin nickel, LED transformer



4" ROUND FLUSH WOOD CANOPY

Mounts to a standard 4" junction box with round plaster ring (provided by electrician). Low-voltage 60w electronic transformer (included) fits in junction box. Order fixtures as FSJ. MINIMUM 12" DROP LENGTH FOR PENDANTS AND HEADS.

MODEL: CK001WR-FJ-
CANOPY:
 MA maple wood
 WA walnut wood
FINISH:
 BZ bronze
 SC satin nickel
TYPE:
 120V IN/12V OUT
 -24 120V IN/24V OUT
 -277 277V IN/12V OUT
 -LED 120V IN/12V LED OUT
 -LED277 277V IN/12V LED OUT

LED


sample item number **CK001WR-FJ-MASC-LED 4"**
 round flush wood canopy, maple wood, satin nickel LED transformer



CANOPY GOOF RING

Helps to cover gaps created by miscut holes in ceiling drywall. 5.5" in diameter. Works with all canopies that are less than 5.5" in diameter.

MODEL: CKGR-
FINISH:
 BZ bronze
 SC satin nickel
 WH white



sample item number **CKGR-SC** canopy goof ring, satin nickel



FUSION JACK SINGLE-PORT CANOPIES CONTINUED

4" SQUARE FLUSH WOOD CANOPY

Mounts to a standard 4" junction box with round plaster ring (provided by electrician). Low-voltage 60w electronic transformer (included) fits in junction box. Order fixtures as FSJ. MINIMUM 12" DROP LENGTH FOR PENDANTS AND HEADS.

MODEL:	CK001WS-FJ-
CANOPY:	
MA	maple wood
WA	walnut wood
FINISH:	
BZ	bronze
SC	satin nickel
TYPE:	
	120V in / 12V out
-24	120V in / 24V out
-277	277V in / 12V out
-LED	120V in / 12V LED out
-LED277	277V in / 12V LED out

LED

sample item number **CK001WS-FJ-WASC**
4" square flush wood canopy, walnut wood, satin nickel



WALNUT WOOD

4" SQUARE FLUSH CANOPY

Mounts to a standard 4" junction box with a round plaster ring (provided by electrician). 60w electronic transformer (included) fits in junction box. Order fixtures as FSJ.

MODEL:	CK001S-FJ-
FINISH:	
BZ	bronze
SC	satin nickel
TYPE:	
	120V in / 12V out
-24	120V in / 24V out
-277	277V in / 12V out
-LED	120V in / 12V LED out
-LED277	277V in / 12V LED out

LED

sample item number **CK001S-FJ-SC-LED 4"**
square flush canopy, satin nickel, LED module



SATIN NICKEL


4" ROUND FLUSH CANOPY

Mounts to standard 4" electrical box. 12v, 60w electronic transformer (included) neatly fits into junction box. This is standard with MPT mount fixtures. Female Fusion Jack port installed. Order fixtures as FSJ.

MODEL:	CK001I-FJ-
FINISH:	
BZ	bronze
SC	satin nickel
TYPE:	
	120V in / 12V out
-24	120V in / 24V out
-277	277V in / 12V out
-LED	120V in / 12V LED out
-LED277	277V in / 12V LED out

LED

sample item number **CK001I-FJ-SC-LED 4"**
square flush canopy, satin nickel, LED module



BRONZE

2.75" SQUARE FLUSH CANOPY

Mounts to special mating electrical box (included) that accepts recessed 12v, 60w electronic transformer (included). Female Fusion Jack port installed. Order fixtures as FSJ.

MODEL:	CK001I-FJ2-
FINISH:	
BZ	bronze
SC	satin nickel
TYPE:	
	120V in / 12V out
-24	120V in / 24V out
-277	277V in / 12V out
-LED	120V in / 12V LED out
-LED277	277V in / 12V LED out

LED

sample item number **CK001I-FJ2-BZ-LED**
2.75" round flush canopy, bronze, LED transformer



BRONZE



Bullé Low-Voltage Pendants, p.208, sold separately
II Round Fusion Jack Multi-port Canopy, Maple, p.422

FUSION JACK MULTI-PORT CANOPIES

Multi-port canopies are ideal for creating a dramatic centerpiece over a dining table, kitchen island or reception area. The aesthetic impact of multiple glass pendants cascading from one of our multi-port canopies is undeniable.

Available in three styles: round, square and rectangle, and in two finishes: bronze and satin nickel. Our multi-port canopies can accommodate up to eleven fixtures.


CANOPIE COLORS:



11 ROUND / 7 RECTANGLE / 3 RECTANGLE LONG

Low-voltage multi-port canopies allow designers to create dramatic, custom chandeliers of varying dimension, even when there is just a single j-box available such as dining rooms, kitchen islands or reception areas.

- MODEL:**
- CK0011BD-FJ- 11 round
 - CK007RD-FJ- 7 rectangle
 - CK003RL-FJ- 3 rectangle long
- CANOPIE:**
- MA maple
 - MT metal
 - WA walnut
- FINISH:**
- BZ bronze
 - SC satin nickel
- TYPE:**
- 120V in / 12V out
 - 120V in / 12V LED out
- LED**
- sample item number **CK003RL-FJ-MTSC** 3 rectangle long metal, satin nickel



- COMPATIBLE DIMMERS**
- 120V: Standard incandescent dimmer
 - 12V LED: Low-voltage electronic dimmer
 - 277V: 277V incandescent dimmer
 - 277VLED: 277V low-voltage electronic dimmer



11 ROUND
MAPLE



7 RECTANGLE
WALNUT




3 RECTANGLE LONG
METAL

FUSION JACK MULTI-PORT CANOPIES CONTINUED


4 SQUARE / 3 RECTANGLE

Low-voltage multi-port canopies allow designers to create dramatic, custom chandeliers of varying dimension, even when there is just a single j-box available such as dining rooms, kitchen islands or reception areas.

MODEL:
CK004S-FJ-
CK003R-FJ-
CANOPY:
BZ bronze
SC satin nickel
sample item number **CK004S-FJ-BZ-LED 4**
square, bronze, LED module



3 RECTANGLE
SATIN NICKEL




4 SQUARE
BRONZE

7 ROUND / 5 ROUND / 3 ROUND

Low-voltage multi-port canopies allow designers to create dramatic, custom chandeliers of varying dimension, even when there is just a single j-box available such as dining rooms, kitchen islands or reception areas.

MODEL:
CK007B-FJ-
CK005B-FJ-
CK003B-
CANOPY:
BZ bronze
SC satin nickel
TYPE:
-24 120V in / 12V out
-277 120V in / 24V out
-277 277V in / 12V out
-LED 120V in / 12V LED out
-LED277 277V in / 12V LED out
sample item number **CK003B-BZ 3 round,**
bronze



7 ROUND
SATIN NICKEL



5 ROUND
BRONZE




3 ROUND
SATIN NICKEL

FUSION JACK CONNECTORS

SINGLE-CIRCUIT ELEMENT ADAPTER

This adapter is shipped standard with fixtures when specifying a single-circuit element (MRL).

MODEL: PENDADAPMONOFJ
FINISH:
BZ maple
SC satin nickel
sample item number **PENDADAPMONOFJBZ**
single-circuit element adapter, bronze



WALL MONORAIL ELEMENT ADAPTER

One adapter is required for each head when used on wall monorail.

MODEL: RAILADAP-WALL
FINISH:
BZ maple
SC satin nickel
sample item number **RAILADAP-WALLSC** wall monorail element adapter, satin nickel



LOW-VOLTAGE FUSION JACK TRACK ADAPTER

Allows Fusion Jack fixtures to be track-adapted on most popular 120 volt track lighting systems. Electronic transformer concealed in black or white housing. Female Fusion Jack port installed. Order fixtures as FSJ.

MODEL: 3TR
FITS:
H009-FJ- fits junio/halo*
L009-FJ- fits lightolier*
FINISH:
BL black
WH white
TYPE:
120V IN/12V OUT
-LED 120V IN/12V LED OUT
LED
sample item number **3TRH009-FJ-W-LED**
low-voltage fusion jack track adapter, fits junio/halo, white, LED module
*LBL Lighting is not affiliated, nor is it endorsed by any of the companies



RECESSED CAN ADAPTER

Used to adapt a Fusion Jack Mini Pendant or Head to an existing recessed can (downlight). Mounts to any recessed can that is 6.25" – 6.5" in diameter and has "C" shaped hooks on the inside can wall. 12v, 60w electronic transformer (included) fits neatly into the can. 120v version dimmable with standard incandescent dimmer; 120v LED version dimmable with low-voltage electronic dimmer. Female Fusion Jack port installed. Order fixtures as FSJ.

MODEL CK001A-FJ-
FINISH:
BZ bronze
SC satin nickel
WH white
TYPE:
120V IN/12V OUT
-LED 120V IN/12V LED OUT
LED
sample item number **CK001A-FJ-WH**
recessed can adapter, white



MALE FUSION JACK

This part is included with every FSJ (coaxial hung) mini-pendant.

MODEL: FJ-JACK-
FINISH:
 BZ-A bronze
 SC-A satin nickel
TYPE:
 120V IN/12V OUT
 -LED 120V IN/12V LED OUT

sample item number **FJ-JACK-SC-A** male fusion jack, satin nickel



1.5" LOW-PROFILE CANOPY

Mounts to special mating cylindrical electrical box 1.5" diameter; 2.5" deep (included). Female Fusion Jack port installed. Low-voltage remote transformer required (sold separately). See p. 411 for remote transformers. Order fixtures as FSJ.

MODEL: CK001P-FJ-
FINISH:
 BZ bronze
 SC satin nickel
 sample item number **CK001P-FJ-SC** 1.5" low-profile canopy, satin nickel



FUSION JACK SWAG HOOK

Used to change a Mini Pendant's point of suspension to any point on the ceiling.


MODEL: FJ-SWAGHOOK-
FINISH:
 BZ bronze
 SC satin nickel
 sample item number **FJ-SWAGHOOK-SC** fusion jack swag hook, satin nickel



5 ROUND / 3 ROUND LARGE / 3 ROUND

Line-voltage multi-port canopies allow designers to create dramatic, custom chandeliers of varying dimension, even when there is just a single j-box available such as dining rooms, kitchen islands or reception areas.

MODEL:
 CK005B- 5 round
 CK003D- 3 round large
 CK003B- 3 round
CANOPY:
 BZ bronze
 SC satin nickel
 sample item number **CK003B-BZ** 3 round, bronze



5 ROUND
SATIN NICKEL



3 ROUND LARGE
BRONZE



3 ROUND
BRONZE











EVERYTHING ELSE YOU MAY NEED. REFERENCE
















Where do I go to find.....?

Whether you need replacement light bulbs, more detailed photometric information, technical specifications on transformers or wiring, we want to make that information easy for you. We have compiled this section to help you quickly find the answers you need without having to pick-up the phone. Of course, if you have other questions not answered here, please contact your local LBL Lighting representative or our Technical Support team.









LAMP SELECTION GUIDE

Product No.		Description	Volts	Watts	Base Type	Beam Spread	Color Temp (K)	CRI	CBCP	Initial Lumens	Avg. Rated Life
I2 VOLT INCANDESCENT LAMPS											
I2 VOLT XENON BI-PIN											
	H410XCL	G4 I2V 10W XENON CL	I2	10	G4	NA	2800	100	NA	125	10000
	H420XCL	G4 I2V 20W XENON CL	I2	20	G4	NA	2800	100	NA	250	10000
	H435XCL	GY6.35 I2V 35W XENON CL	I2	35	GY6.35	NA	2900	100	NA	525	10000
	H435XFR	GY6.35 I2V 35W XENON FR	I2	35	GY6.35	NA	2900	100	NA	525	10000
	H450	GY6.35 I2V 50W XENON CL	I2	50	GY6.35	NA	2900	100	NA	750	10000
	H450XFR	GY6.35 I2V 50W XENON FR	I2	50	GY6.35	NA	2900	100	NA	750	10000
I2 VOLT HALOGEN BI-PIN											
	H410XCL	GY6.35 I2V 35W HALOGEN CL	I2	35	GY6.35	NA	3000	100	NA	600	2000
I2 VOLT MR11											
	H849M-C	MR11 I2V 10W I8° CG	I2	10	GU4	18°	3000	100	420	NA	2000
	H850M-C	MR11 I2V 20W FTD 30° CG	I2	20	GU4	30°	3000	100	700	NA	3000
	H851M-C	MR11 I2V 35W FTH 30° CG	I2	35	GU4	30°	3000	100	1500	NA	3000
I2 VOLT MR16											
	H860N-C	MR16 I2V 20W ESX I2° CG	I2	20	GU5.3	I2°	3000	100	4100	NA	3000
	H860W-C	MR16 I2V 20W BAB 36° CG	I2	20	GU5.3	36°	3000	100	700	NA	3000
	H863M-C	MR16 I2V 35W FRA 24° CG	I2	35	GU5.3	24°	3000	100	3500	NA	3000
	H863W-C	MR16 I2V 35W FMW 40° CG	I2	35	GU5.3	36°	3000	100	1250	NA	3000
	H870N-C	MR16 I2V 50W EXT I2° CG	I2	50	GU5.3	I2°	3000	100	10000	NA	3000
	H870M-C	MR16 I2V 50W EXZ 24° CG	I2	50	GU5.3	24°	3000	100	4400	NA	3000
	H870W-C	MR16 I2V 50W EXN 36° CG	I2	50	GU5.3	36°	3000	100	1700	NA	3000
	H880N-C	MR16 I2V 75W EYF I4° CG	I2	75	GU5.3	I4°	3000	100	15000	NA	3000
	H880W-C	MR16 I2V 75W EYC 38° CG	I2	75	GU5.3	38°	3000	100	2950	NA	3000
I2 VOLT MR16 CONSTANT CRI											
	H860N-C/CC	MR16 I2V 20W ESX I2° CG/CC	I2	20	GU5.3	I2°	3000	100	5000	NA	5000
	H860W-C/CC	MR16 I2V 20W BAB 36° CG/CC	I2	20	GU5.3	36°	3000	100	900	NA	5000
	H863M-C/CC	MR16 I2V 35W FRA 24° CG/CC	I2	35	GU5.3	24°	3000	100	4400	NA	5000
	H863W-C/CC	MR16 I2V 35W FMW 36° CG/CC	I2	35	GU5.3	36°	3000	100	1600	NA	5000
	H870N-C/CC	MR16 I2V 50W EXT I2° CG/CC	I2	50	GU5.3	I2°	3000	100	13000	NA	5000
	H870M-C/CC	MR16 I2V 50W EXZ 24° CG/CC	I2	50	GU5.3	24°	3000	100	5600	NA	5000
	H870W-C/CC	MR16 I2V 50W EXN 38° CG/CC	I2	50	GU5.3	38°	3000	100	2200	NA	5000
I2 VOLT MR16 ULTRA 10,000 HOUR LONG LIFE											
	H870N-C/CC/ULTRA	MR16 I2V 50W EXT I2° CG/LL	I2	50	GU5.3	I2°V	2900	100	10000	NA	10000
	H870M-C/CC/ULTRA	MR16 I2V 50W EXZ 24° CG/LL	I2	50	GU5.3	24°	2900	100	4400	NA	10000
	H870W-C/CC/ULTRA	MR16 I2V 50W EXN 38° CG/LL	I2	50	GU5.3	36°	2900	100	1700	NA	10000
I2 VOLT MR16 BLACK AND SILVER BACK											
	H863W-C/B/CC	MR16 I2V 35W FMW 36° CG/BLK	I2	35	GU5.3	36°	2900	100	1250	NA	5000
	H870M-C/B/CC	MR16 I2V 50W EXZ 24° CG/BLK	I2	50	GU5.3	24°	2900	100	4400	NA	5000
	H870W-C/B/CC	MR16 I2V 50W EXN 38° CG/BLK	I2	50	GU5.3	36°	2900	100	1700	NA	5000
	H863W-C/S/CC	MR16 I2V 35W FMW 36° CG/SIL	I2	35	GU5.3	36°	2900	100	1250	NA	5000
	H870M-C/S/CC	MR16 I2V 50W EXZ 24° CG/SIL	I2	50	GU5.3	24°	2900	100	4400	NA	5000
	H870W-C/S/CC	MR16 I2V 50W EXN 38° CG/SIL	I2	50	GU5.3	36°	2900	100	1700	NA	5000
I2 VOLT MR16 FROSTED											
	H860-FR-C/CC	MR16 I2V 20W CG/FROST	I2	20	GU5.3	NA	3000	100	NA	250	3000
	H863-FR-C/CC	MR16 I2V 35W CG/FROST	I2	35	GU5.3	NA	3000	100	NA	820	3000
	H870-FR-C/CC	MR16 I2V 50W CG/FROST	I2	50	GU5.3	NA	3000	100	NA	850	3000

LAMP SELECTION GUIDE


PRODUCT NO.	DESCRIPTION	VOLTS	WATTS	BASE TYPE	BEAM SPREAD	COLOR TEMP (K)	CRI	CBCP	INITAL LUMENS	AVG. RATED LIFE
I2 VOLT INCANDESCENT LAMPS CONTINUED										
I2 VOLT MRI6 LED										
 H895M-LED/3000K	LED MRI6 I2V 6W 25° 3000K	I2	6	GU5.3	25°	3000K	83	I620	360	30000
H895M-LED/5000K	LED MRI6 I2V 6W 25° 5000K	I2	6	GU5.3	25°	NA	NA	NA	NA	30000
H895M-LED/AMBER	LED MRI6 I2V 5W 25° AMBER	I2	5	GU5.3	25°	NA	NA	NA	NA	30000
H895M-LED/BLUE	LED MRI6 I2V 5W 25° BLUE	I2	5	GU5.3	25°	NA	NA	NA	NA	30000
H895M-LED/GREEN	LED MRI6 I2V 5W 25° GREEN	I2	5	GU5.3	25°	NA	NA	NA	NA	30000
H895M-LED/RED	LED MRI6 I2V 5W 25° RED	I2	5	GU5.3	25°	NA	NA	NA	NA	30000
H895M-LED/RGB	LED MRI6 I2V 6W 30° RGB	I2	6	GU5.3	30°	NA	NA	NA	NA	30000
I2 VOLT ARIII										
 ARIII50FL25	ARIII I2V 50W FLOOD 24°	I20	50	PUSH SCREW	24°	3000	100	4000	NA	3000
24 VOLT INCANDESCENT LAMPS										
24 VOLT XENON BI-PIN										
 H410XCL/24V	G4 24V IOW XENON CL	24	10	G4	NA	2800	100	NA	I25	10000
H420/24V	G4 24V 20W XENON CL	24	20	G4	NA	2800	100	NA	250	10000
H435X/24V	GY6.35 24V 35W XENON CL	24	35	GY6.35	NA	2900	100	NA	550	5000
H450X/24V	GY6.35 24V 50W XENON CL	24	50	GY6.35	NA	2900	100	NA	750	5000
24 VOLT HALOGEN BI-PIN										
 H335CL/24V	GY6.35 24V 35W HALOGEN CL	24	35	GY6.35	NA	3000	100	NA	600	2000
24 VOLT MR11										
 H850M-C/24V	MR11 24V 20W FTD 30° CG	24	20	GU4	30°	3000	100	700	NA	3000
H851M-C/24V	MR11 24V 35W FTH 30° CG	24	35	GU4	30°	3000	100	850	NA	3000
24 VOLT MRI6										
 H863W/24V	MR16 24V 35W FMW 36° CG	24	35	GU5.3	36°	3000	100	I250	NA	3000
H870W/24V	MR16 24V 50W EXN 38° CG	24	50	GU5.3	38°	3000	100	I700	NA	3000
I20 VOLT INCANDESCENT LAMPS										
I20 VOLT HALOGEN BT15										
 H200	E26 I20V 43W BT15 HALOGEN WH	I20	43	E26	NA	2800	100	NA	760	3000
I20 VOLT INCANDESCENT A19										
 H101	E26 I20V 60W A19 INCANDESCENT WH	I20	60	E26	NA	2700	100	NA	805	1000
I20 VOLT HALOGEN A19										
 H201	E26 I20V 72W A19 HALOGEN WH	I20	72	E26	NA	3000	100	NA	I490	1000
H202	E26 I20V 53W A19 HALOGEN WH	I20	53	E26	NA	2750	100	NA	850	1000
I20 VOLT INCANDESCENT CLASSIC EDISON STYLE A-LAMP										
 H100	E26 I20V 60W CLASSIC EDISON A19 CL	I20	60	E26	NA	2700	100	NA	500	2500
I20 VOLT INCANDESCENT CLASSIC EDISON STYLE T9										
 H104	E26 I20V 30W CLASSIC EDISON T9 CL	I20	30	E26	NA	2700	100	NA	500	3000
I20 VOLT INCANDESCENT G40										
 H150	E26 I20V I50W G40 INCANDESCENT WH	I20	150	E26	NA	2700	100	NA	I770	2500
H151	E26 I20V 60W G40 INCANDESCENT HALF-CHROME	I20	60	E26	NA	2700	100	NA	565	I500
I20 VOLT HALOGEN G9										
 H904	G9 I20V 40W HALOGEN FR	I20	40	G9	NA	2900	100	NA	480	2000
H905	G9 I20V 60W HALOGEN FR	I20	60	G9	NA	2900	100	NA	790	2000

LAMP SELECTION GUIDE


PRODUCT NO.		DESCRIPTION	VOLTS	WATTS	BASE TYPE	BEAM SPREAD	COLOR TEMP (K)	CRI	CBCP	INITIAL LUMENS	AVG. RATED LIFE
I20 VOLT INCANDESCENT LAMPS CONTINUED											
	I20 VOLT MINI-CANDELABRA KRYPTON AND HALOGEN										
	H910	E11 I20V 40W KRYPTON CL	120	40	E11	NA	2800	100	NA	560	2000
	H915	E11 I20V 60W KRYPTON CL	120	60	E11	NA	2800	100	NA	960	2000
	H680	E11 I30V 75W HALOGEN CL	130	75	E11	NA	2900	100	NA	1050	2000
	H685	E11 I30V 100W HALOGEN CL	130	100	E11	NA	2900	100	NA	1500	2000
	H690	E11 I30V 150W HALOGEN CL	130	150	E11	NA	2900	100	NA	2500	2000
	H695	E11 I30V 250W HALOGEN CL	130	250	E11	NA	3000	100	NA	5000	2000
I20 VOLT DOUBLE ENDED HALOGEN											
	H704	R7S I30V 100W 78MM HAL CL	130	100	R7S	NA	2900	100	NA	1650	2000
	H706	R7S I30V 100W 118MM HAL CL	130	100	R7S	NA	2900	100	NA	1650	2000
I20 VOLT LINESTRA LAMPS											
	L060	SI4S I20V 60W LINESTRA WH	120	60	SI4S	NA	2850	100	NA	460	1000
	LI50	SI4S I20V 150W LINESTRA WH	120	150	SI4S	NA	2850	100	NA	930	1000
FLUORESCENT											
COMPACT FLUORESCENT 4-PIN QUAD TUBE (FOR USE WITH ELECTRONIC BALLASTS)											
	PLI3Q-4P	CFL G24Q-1 QUAD 13W 2700K		13	G24Q-1	NA	2700	82	NA	900	10000
	PLI8Q-4P	CFL G24Q-2 QUAD 18W 2700K		18	G24Q-2	NA	2700	82	NA	1250	10000
	PL26Q-4P	CFL G24Q-3 QUAD 26W 2700K		26	G24Q-3	NA	2700	82	NA	1825	10000
COMPACT FLUORESCENT 4-PIN TRIPLE TUBE (FOR USE WITH ELECTRONIC BALLASTS)											
	PLI3TBX	CFL GX24Q-1 TRP 13W 2700K		13	GX24Q-1	NA	2700	82	NA	900	10000
	PLI8TBX	CFL GX24Q-2 TRP 18W 2700K		18	GX24Q-2	NA	2700	82	NA	1200	10000
	PL26TBX	CFL GX24Q-3 TRP 26W 2700K		26	GX24Q-3	NA	2700	82	NA	1800	10000
	PL32TBX	CFL GX24Q-3 TRP 32W 2700K		32	GX24Q-3	NA	2700	82	NA	2400	10000
	PL42TBX	CFL GX24Q-4 TRP 42W 3000K		42	GX24Q-4	NA	3000	82	NA	3200	10000
COMPACT FLUORESCENT 4-PIN TWIN TUBE (FOR USE WITH ELECTRONIC BALLASTS)											
	PLI3-4P	CFL 2GX7 TWIN 13W 2700K		13	2GX7	NA	3000	82	NA	800	10000
	PL24BX	CFL 2G11 TWIN 24W 3000K		24	2G11	NA	3000	82	NA	1800	10000
	PL39BX	CFL 2G11 TWIN 36W 3000K		36	2G11	NA	3000	82	NA	2900	12000
LINEAR FLUORESCENT											
	FLI4T5	FLUORESCENT T5 14W 3000K		14	MINI BI-PIN	NA	3000	82	NA	1350	20000
	FL24T5HO	FLUORESCENT T5HO 24W 3000K		24	MINI BI-PIN	NA	3000	82	NA	2000	20000
	FL39T5HO	FLUORESCENT T5HO 39W 3000K		39	MINI BI-PIN	NA	3000	85	NA	3100	20000
	FLI7T8	FLUORESCENT T8 17W 3000K		17	MED BI-PIN	NA	3000	85	NA	1350	20000
	FL25T8	FLUORESCENT T8 25W 3000K		25	MED BI-PIN	NA	3000	85	NA	2150	20000
I20 VOLT LED											
I20 VOLT LED PAR											
	H250	E26 I20V 7W PAR20 LED 3000K		7	E26	25°	3000	80	1300	310	45000
	H251	E26 I20V 13W PAR30L LED 3000K		13	E26	25°	3000	80	3200	750	45000

SELECTED LAMP PHOTOMETRICS

12 VOLT MR11




20w 30°
H850M-C
FTD




35w 30°
H851M-C
FTH


12 VOLT MR16




20w 12°
H860N-C
FTD




20w 36°
H860W-C
BAB




35w 24°
H863M-C
FMV




35w 36°
H863W-C
FMW




50w 12°
H870N-C
EXT




50w 24°
H870M-C
EXZ



50w 36°
H870W-C
EXN



75w 14°
H880N-C
EYF



75w 38°
H880W-C
EYC

TECHNICAL INFORMATION

TRANSFORMERS

Low-voltage lighting systems use transformers to step down and isolate standard line-voltages (e.g. 120VAC and 277VAC, etc) to safe-to-touch low-voltages such as 12VAC. There are two categories of transformer styles to choose from: REMOTE or SURFACE MOUNT transformers.

REMOTE TRANSFORMERS are installed at a distance from the lighting system. This allows the transformer to be placed out of view from the aesthetically pleasing lighting system. Since remote transformers are placed at some considerable distance from the lighting system, the installer must be aware of voltage drop. The best approach for achieving optimum lamp voltage at the transformer output is to observe the wiring instructions accompanied with our remote multi-tap transformers in conjunction with the appropriate wire gauge specified in our voltage drop table.

In general, to obtain a minimum voltage drop of 3% from the output of the remote transformer to the power feed canopy, please use the appropriate wire gauge specified in our voltage drop table (below).

LOW-VOLTAGE WIRE SIZE TABLE

Use to determine the correct THHN wire size for a recommended 3 percent drop in voltage at the specified wattage. The length shown is the length of wire from the transformer to the power feed.

12 VOLT	5 FT.	6-15 FT.	6-20 FT.	21-40 FT.	41-60 FT.	61-90 FT.
150 WATT	#12 GA	#8 GA	#6 GA	#4 GA	#2 GA	#1 GA
300 WATT	#10 GA	#6 GA	#4 GA	#1 GA	I/O	3/0
24 VOLT	5 FT.	6-15 FT.	6-20 FT.	21-40 FT.	41-60 FT.	61-90 FT.
300 WATT	#14 GA	#12 GA	#10 GA	#6 GA	#6 GA	#4 GA
600 WATT	#12 GA	#8 GA	#6 GA	#4 GA	#2 GA	#1 GA

SURFACE MOUNT TRANSFORMERS are installed close to the lighting system usually to a junction box in a ceiling. Since surface mount transformers are visible, we have designed our surface mount transformers to aesthetically complement our lighting systems. Surface mount transformers will not experience voltage drop issues to the degree and severity of remote transformers and hence do not have or need boost taps.

Transformers can further be broken down into two types: **MAGNETIC** or **ELECTRONIC** transformers.

MAGNETIC TRANSFORMERS operate at standard low frequencies (50/60 Hz). They offer very reliable operation and are very durable. Since magnetic transformers operate at low frequencies, they experience much less voltage drop over a long distance compared to high frequency electronic transformers.

ELECTRONIC TRANSFORMERS are very compact and much smaller than their magnetic counterparts. They provide built in protection against electrical shorts applied at the outputs and to the lighting system. In order for electronic transformers to operate properly, the output must be loaded to a minimum of 50% of the rated wattage of the transformer. Any output load below 50% may result in lamps flickering and lamps burning out prematurely. Since electronic transformers operate at much higher frequencies, most standard volt and amp meters intended for 60hz type measurements cannot be used to accurately measure the outputs of these transformers. Consult a qualified electrician for assistance.

Electronic transformers may cause interference with appliances such as TVs and radios. If interference is a problem, a line filter may be installed either at the transformer or at the appliance input. Another option is to use a magnetic transformer, which operates at a lower frequency and will not cause any interference.

DIMMING

Priate dimmer: a low voltage magnetic dimmer for a magnetic transformer; a low voltage electronic dimmer for an electronic transformer, or a standard incandescent dimmer where indicated. The dimmer is placed on the line voltage side of the input line. Consult the transformer charts in each system section of the catalog for the compatible dimmer type. It is very important to use the compatible dimmer type: failure to do so will substantially shorten the useful life of the transformer. Remote transformers are generally placed outside the room, so any buzzing that may be caused by dimming is not noticeable. If using a remote magnetic transformer and a buzzing noise is apparent, a debuzzing dimming coil may be wired in series on one of the 120 volt input lines. Select the correct dimming coil (see below) based on the wattage of your transformer.

DEBUZZING DIMMING COIL ALONE

	DIAMETER	DEPTH
DIMCOIL150	1.75"	.75"
DIMCOIL300	2.25"	1"
DIMCOIL600	2.5"	1"



TIME TO PLACE
AN ORDER.

ITEM NUMBERS
& PRODUCT
SPECS



How do I create the correct item number to reflect the options I want?

We have consolidated all of the LBL Lighting ordering information and product specifications in one section that is easy to navigate to find the details you need for your orders. Be sure to thoughtfully consider all the options we offer (whether it be size, lamping, color temperature, etc.), and ensure you select and indicate all the options you want to meet the needs of your project.

ORDERING GRIDS AND PRODUCT SPECIFICATIONS

In this section, important product information is provided to help you select the right fixtures for your project:

- Item number grids which outline the available options for each fixture (e.g. color, finish, lamping options, etc.)
- Line art with dimensions to convey the shape and scale of each fixture
- Icons (Like in the visual index upfront) to indicate various lamping options and ADA compliance

BUILDING YOUR ITEM NUMBER

Based on the item number grids provided for each product, please be sure to:

- Consider all the available options.
- Select and indicate all the options you want by creating the accurate item number.
- Remember, item numbers vary in length because the number of options vary widely from fixture to fixture.

To identify a specific item, build the item number by using the base model number and adding on the appropriate bolded codes for each selected option, in the order they are listed.

EXAMPLE: LOW-VOLTAGE PENDANT WITH AN INCLUDED LAMP

#HS338MOSCLEDs830MPT is the correct item number for a Mini-Monty with Mocha Glass, Satin Nickel Hardware Finish in a Monopoint configuration.

EXAMPLE: OUTDOOR WALL SCONCE WITHOUT A LAMP

#OD788SMBZW is the correct item number for a Moon Dance I3 outdoor wall sconce, with Smoke Glass Color, Bronze Hardware Finish, no lamp (if “-” for code, just skip to next code), Wet location.

MINI-MONTY	
BASE MODEL NUMBER	MODEL: HS338
+ CODE FOR OPTION 1	COLOR: BU blue MO mocha OP opal RD red
+ CODE FOR OPTION 2	FINISH: BZ bronze SC satin nickel
+ CODE FOR OPTION 3	LAMP: 1B50 GY6.35 Xenon; lamp included; 50w; 750 lumens; 2900K; 100 CRI LEDs830 SORAA bi-pin LED module; lamp included; 8w; 500 lumens; 3000K; 80 CRI LED
+ CODE FOR OPTION 4	MOUNT: FSJ fusion jack* MPT monopoint** MRL monorail

MOON DANCE 13	
BASE MODEL NUMBER	MODEL: OD788
+ CODE FOR OPTION 1	COLOR: SM smoke glass
+ CODE FOR OPTION 2	FINISH: BZ bronze SI silver
+ CODE FOR OPTION 3 (for no lamp, skip)	LAMP: - 1x; medium base (not included); 120v; 60w max. T24 LED 1x; LED Par 20; lamp included; 120v; 8w; 500 lumens; 3000K; 85 CRI LED T24
+ CODE FOR OPTION 4	LOCATION: W wet

DIMMING YOUR LBL LIGHTING FIXTURE

With Integrated LED

We recommend Electronic Low Voltage dimmers for the best dimming performance.

With Replaceable LED Light Bulbs

For light fixtures which use LED light bulbs please consult the light bulb manufacturer’s packaging, as not all LED light bulbs are dimmable and others will have certain requirements to dim without flickering or may completely shut-off if the fixture is dimmed past a certain point.

With Incandescent Light Bulbs (120v Fixtures)

All of our fixtures which accept halogen or incandescent medium base or candelabra light bulbs will dim well with virtually any dimmer.

With Fluorescent Light Bulbs

Our fixtures which accept fluorescent light bulbs are not designed to be dimmed.

Low-Voltage (12V or 24V) Fixtures (pendants & heads)

All of our low-voltage fixtures require either a Magnetic Low Voltage or Electronic Low-Voltage dimmer depending on the driver or transformer they use. Please consult your local lighting showroom or lighting specifier for specific guidance with the system you are considering.

ABBEY P. 211MODEL: **HS459**

COLOR:

AMR amber-red
BAR blue-amber-red


FINISH:

BZ bronze
SC satin nickel

LAMP:

1B50 GY6.35 Xenon (included); 50w;
750 lumens; 100 CRI; 2900K**LEDS830** SORAA bi-pin LED module (included);
8w; 500 lumens; 3000K; 80 CRI
LED

MOUNT:

FSJ fusion jack*
MPT monopoint**
MRL monorail**ABBEY GRANDE** P. 110

TYPE:

LF incandescent
PF compact fluorescentMODEL: **500**


COLOR:

AMR amber-red
BAR blue-amber-red

FINISH:

BZ bronze
SC satin nickel

LAMP:

LF only; 1x; medium base (not included);
120v; 75w max.
T24**26T**PF only; 1x; GX24Q-3 triple tube;
lamp included; 120v; 26w; 1800 lumens;
2700K; 82 CRI
CF**LED827**LF only; 1x; medium base (not included);
LED A19; 120v; 9.5w; 800 lumens;
2700K; 80 CRI
LED**ADARA** P. 133MODEL: **HS834**

COLOR:

FR frost
SM smoke
BU steel blue


FINISH:

BZ bronze
SC satin nickel

LAMP:

1B GY6.35 Xenon; lamp included; 50w;
750 lumens; 100 CRI; 2900K**LEDS830** SORAA bi-pin LED module;
lamp included; 8w; 500 lumens;
3000K; 80 CRI
LED


MOUNT:

FSJ fusion jack*
MPT monopoint**
MRL monorail**AIRIN** P. 304MODEL: **WS898**

FINISH:

GD gold mist
WH matte white

LAMP:

LED930 integrated LED; 120v; 7w; 350 lumens;
3000K; 90 CRI
LED ADA**LED 930277** integrated LED; 277v; 7w; 350 lumens;
3000K; 90 CRI
LED ADA

How to Order Your LBL Lighting Fixture. Refer to page 434 for detailed instructions and dimmer guidelines. Build the item number by using the base model number and adding on the appropriate bolded codes for each of the selected options, in the order they are listed. For example: Item **#HS834FRBZLEDS830FSJ** is an Adara low-voltage pendant with Frost glass Color, and Bronze hardware Finish, including a SORAA LED module, all in a Fusion Jack mounting configuration.

Sample Ordering Grid

HS834	COLOR	FR	FINISH	BZ	LAMP	LEDS830	MOUNT	FSJ
	FR	FROST	BZ	BRONZE	1B	GY6.35 XENON 50W	FSJ	FUSION JACK
	SM	SMOKE	SC	SATIN NICKEL	LEDS830	SORAA LED MODULE 8W 500	MPT	MONOPOINT
	BU	STEEL BLUE				GROSS LUMEN 80 CRI 3000K	MRL	MONORAIL

ALBAN P. 345

MODEL: **BA824**

COLOR:

OY opal acrylic

OP opal glass

FINISH:

BZ bronze

SC satin nickel

LAMP:

CF1HE 1x; T5HO mini bi-pin fluorescent; lamp included; 120v; 24w; 2000 lumens; 3000K; 82 CRI

CF **ADA**

CF2HE 1x; T5HO mini bi-pin fluorescent; lamp included; 277v; 24w; 2000 lumens; 3000K; 82 CRI


CF **ADA**

LED 1x; integrated LED; lamp included; 120v; 20w; 1480 lumens; 3000K; 80 CRI

LED **ADA**

LED277 1x; integrated LED; lamp included; 277v; 20w; 1480 lumens; 3000K; 80 CRI

LED **ADA**



AMPHORA P. 68

MODEL: **LP844**

COLOR:

ALWH brushed aluminum exterior / gloss white interior

WHAL gloss white exterior / brushed aluminum interior

LAMP:

— 1x; medium base (not included); 120v; 75w max.

T24

CF 1x; GX24Q-3 triple tube; lamp included; 120v; 32w; 2328 lumens; 2700K; 82 CRI


CF

CF277 1x; GX24Q-3 triple tube; lamp included; 277v; 32w; 2328 lumens; 2700K; 82 CRI

CF

LED827 1x; medium base, LED A19; lamp included; 120v; 9.5w; 800 lumens; 2700K; 80 CRI

LED



APEX SWIVEL P. 244

MODEL: **HD162**

FINISH:

BZ bronze

SC satin nickel

LENGTH:

O1 1"

O6 6"

12 12"

LAMP:

1A50 halogen MR16; lamp included; 50w; 3000K; 100 CRI

LED LED MR16; lamp included; 8w; 435 lumens; 3000K; 95 CRI


LED

MOUNT:

FSJ fusion jack*

MPT monopoint**

MRL monorail



ALLEA P. 67

MODEL: **LP954**

FINISH:

FG fossil gray

WH matte white

BLGD black exterior / gold interior


LAMP:

— 1x; medium base (not included); 120v; 75w max.

T24

LED830 1x; medium base, LED A19; lamp included; 120v; 11w; 324 delivered lumens; 3000K; 80 CRI

LED



ANELLA P. 262

MODEL: **FM869**

COLOR:

CR clear

OP opal

SM smoke

FINISH:

SC satin nickel


LAMP:

LED830 integrated LED; 120v; 28w; 900 lumens; 3000K; 80 CRI

LED

LED 830277 integrated LED; 277v; 28w; 900 lumens; 3000K; 80 CRI

LED



AQUARI P. 171

MODEL: **HS542**

COLOR:

IV ivory

OP opal

BU steel blue

FINISH:

BZ bronze

SC satin nickel

LAMP:

1B GY6.35 Xenon; lamp included; 50w; 750 lumens; 2900K; 100 CRI

LEDS830 SORAA bi-pin LED module; lamp included; 8w; 500 lumens; 3000K; 80 CRI


LED

MOUNT:

FSJ fusion jack*

MPT monopoint**

MRL monorail



*Fusion Jack canopies sold separately. See p. 419-425 for options.

**Includes 4" Round Flush Canopy

***Monorail and all other accessories sold separately.

For use with 24 volt transformer, add suffix "-24" to item number. Only available with Xenon lamp.

ARKA P. 52MODEL: **SU850**


FINISH:

BL rubberized black
PC polished chrome

LAMP:

LED830 integrated LED; 120v; 50w; 2100 lumens;
 3000K; 80 CRI
LED

LED integrated LED; 277v; 50w; 2100 lumens;
 3000K; 80 CRI
830277
LED

**ASHLAND** P. 306MODEL: **WS696**

COLOR:

CO cork
MT metal
YO gray oak
ZE zebra

FINISH:


BZ bronze
SC satin nickel

LAMP:

LED integrated LED; 120v; 6w; 250 lumens;
 3000K; 80 CRI
LED ADA

LED277 integrated LED; 277v; 6w; 250 lumens;
 3000K; 80 CRI
LED ADA

Mounts up or down.



wall projection 2.9" / 74 mm

ASTORA P. 59MODEL: **LP962**


FINISH:

GD satin gold
GM gun metal
WH matte white

LAMP:

— 1x; medium base (not included);
 120v; 75w max.
T24

LED830 1x; medium base, LED A19; lamp included;
 120v; 11w; 816 delivered lumens;
 3000K; 80 CRI
LED

**ASTORA GRANDE** P. 59MODEL: **LP963**


FINISH:

GD satin gold
GM gun metal
WH matte white

LAMP:

— 1x; medium base (not included);
 120v; 150w max.
T24

LED830 1x; medium base, LED G40;
 lamp included; 120v; 14.5w;
 592 delivered lumens; 3000K; 80 CRI
LED

**AURI** P. 232MODEL: **HD852**

FINISH:

WS rubberized white / satin nickel
SC satin nickel

LENGTH:


03 3"
06 6"
12 12"

LAMP:

LED830 integrated LED; lamp included; 8w;
 350 lumens; 3000K; 80 CRI
LED

MOUNT:

FSJ fusion jack*
MPT monopoint**
MRL monorail

**AVELA** P. 377MODEL: **OD843**

COLOR:

CR optic crystal

FINISH:

BL black
SI silver


LAMP:

LED827 integrated LED; 120v; 13w up/5w down;
 500 lumens; 2700K; 80 CRI
LED ADA T24

LED integrated LED; 277v; 13w up/5w down;
 500 lumens; 2700K; 80 CRI
LED ADA T24

LOCATION:

W wet location



wall projection 3.3" / 84 mm

How to Order Your LBL Lighting Fixture. Refer to page 434 for detailed instructions and dimmer guidelines. Build the item number by using the base model number and adding on the appropriate bolded codes for each of the selected options, in the order they are listed. For example: Item **#HS834FRBZLEDS830FSJ** is an Adara low-voltage pendant with Frost glass Color, and Bronze hardware Finish, including a SORAA LED module, all in a Fusion Jack mounting configuration.


Sample Ordering Grid

HS834	COLOR	FR	FINISH	BZ	LAMP	LEDS830	MOUNT	FSJ
	FR	FROST	BZ	BRONZE	1B	GY.35 XENON 50W	FSJ	FUSION JACK
	SM	SMOKE	SC	SATIN NICKEL	LEDS830	SORAA LED MODULE 8W 500	MPT	MONOPOINT
	BU	STEEL BLUE				GROSS LUMEN 80 CRI 3000K	MRL	MONORAIL

AVIVA 14 P. 375

MODEL:	OD786
COLOR:	
OP	opal
FINISH:	
BL	black
SI	silver
LAMP:	
LED	4x; integrated LED; 120v; 10w; 250 lumens; 3000K; 80 CRI LED T24
LED277	4x; integrated LED; 277v; 10w; 250 lumens; 3000K; 80 CRI LED T24


LOCATION:
W wet location



AVIVA 26 P. 375

MODEL:	OD787
COLOR:	
OP	opal
FINISH:	
BL	black
SI	silver
LAMP:	
LED	integrated LED; 120v; 20w; 500 lumens; 3000K; 80 CRI LED T24
LED277	integrated LED; 277v; 20w; 500 lumens; 3000K; 80 CRI LED T24


LOCATION:
W wet location



BANJA P. 203

MODEL:	HS504
COLOR:	
AQ	aquamarine
IW	ivory opaque
FINISH:	
BZ	bronze
SC	satin nickel
LAMP:	
1B35	GY6.35 Xenon; lamp included; 35w; 525 lumens; 2900K; 100 CRI
LEDS830	SORAA bi-pin LED module; lamp included; 8w; 500 lumens; 3000K; 80 CRI LED


MOUNT:
FSJ fusion jack*
MPT monopoint**
MRL monorail



BARE HEAD APOLLO SWIVEL I P. 251

MODEL:	HDMR16
FINISH:	
BZ	bronze
SC	satin nickel
LENGTH:	
03	3"
06	6"
12	12"
LAMP:	
1A50	halogen MR16; lamp included; 50w; 3000K; 100 CRI
LED	LED MR16; lamp included; 8w; 435 lumens; 3000K; 95 CRI LED


MOUNT:
FSJ fusion jack*
MPT monopoint**
MRL monorail



BARE HEAD SWIVEL I P. 237

MODEL:	HBMR16
FINISH:	
BZ	bronze
SC	satin nickel
LENGTH:	
01	1"
06	6"
12	12"
LAMP:	
1A50	halogen MR16; lamp included; 50w; 3000K; 100 CRI
LED	LED MR16; lamp included; 8w; 435 lumens; 3000K; 95 CRI LED


MOUNT:
FSJ fusion jack*
MPT monopoint**
MRL monorail



BARE HEAD SWIVEL II P. 253

MODEL:	HAMR16
FINISH:	
BZ	bronze
SC	satin nickel
LENGTH:	
01	1"
06	6"
12	12"
LAMP:	
1A50	halogen MR16; lamp included; 50w; 3000K; 100 CRI
LED	LED MR16; lamp included; 8w; 435 lumens; 3000K; 95 CRI LED

MOUNT:
FSJ fusion jack*
MPT monopoint**
MRL monorail



*Fusion Jack canopies sold separately. See p. 419-425 for options.
**Includes 4" Round Flush Canopy
***Monorail and all other accessories sold separately.
For use with 24 volt transformer, add suffix "-24" to item number. Only available with Xenon lamp.

BATONS P. 39MODEL: **HS20612**

LENGTH:

5 60" overall
10 120" overall


GLASS COLOR:

FR frost

FINISH:

SC satin nickel

LAMP:

12x; G4 bi-pin, Xenon; lamp included;
120/12v*; 10w; 1500 lumens;
2800K; 100 CRI*Dimming compatibility dependant on
transformer selection**BLING LINEAR** P. 45MODEL: **HS524**

GLASS COLOR:

CR clear


FINISH:

SC satin nickel

HEIGHT:

76 76" max overall

LAMP:

26x; G4 Xenon; lamp included; 120v; 10w;
2800K; 100 CRI**BLING** P. 213MODEL: **HS447**

GLASS COLOR:

CR clear

FINISH:

SC satin nickel

LAMP:

1B10 G4 Xenon; lamp included; 10w;
125 lumens; 2800K; 100 CRI

MOUNT:

FSJ fusion jack***MPT** monopoint****MRL** monorail**BONN** P. 160MODEL: **HS461**

COLOR:

AM amber**CR** clear**SM** smoke


FINISH:

BZ bronze**SC** satin nickel

LAMP:

1B50 GY6.35 Xenon; lamp included; 50w;
750 lumens; 2900K; 100 CRI**LEDS830**SORAA bi-pin LED module;
lamp included; 8w; 500 lumens;
3000K; 80 CRI**LED**

MOUNT:

FSJ fusion jack***MPT** monopoint****MRL** monorail


How to Order Your LBL Lighting Fixture. Refer to page 434 for detailed instructions and dimmer guidelines. Build the item number by using the base model number and adding on the appropriate bolded codes for each of the selected options, in the order they are listed. For example: Item **#HS834FRBZLEDS830FSJ** is an Adara low-voltage pendant with Frost glass Color, and Bronze hardware Finish, including a SORAA LED module, all in a Fusion Jack mounting configuration.

Sample Ordering Grid

HS834	COLOR	<i>FR</i>	FINISH	<i>BZ</i>	LAMP	<i>LEDS830</i>	MOUNT	<i>FSJ</i>
	FR	FROST	BZ	BRONZE	1B	GY6.35 XENON 50W	FSJ	FUSION JACK
	SM	SMOKE	SC	SATIN NICKEL	LEDS830	SORAA LED MODULE 8W 500	MPT	MONOPOINT
	BU	STEEL BLUE				GROSS LUMEN 80 CRI 3000K	MRL	MONORAIL


BRIOLETTE P. 163

- MODEL: **HS549**
- COLOR:
- AM** amber
- FR** frost
- SM** smoke
- FINISH:
- BZ** bronze
- SC** satin nickel
- LAMP:
- 1B** GY6.35 Xenon; lamp included; 50w; 750 lumens; 2900K; 100 CRI
- LEDS830** SORAA bi-pin LED module; lamp included; 8w; 500 lumens; 3000K; 80 CRI
- MOUNT:**
- FSJ** fusion jack*
- MPT** monopoint**
- MRL** monorail




BRIOLETTE GRANDE P. 92

- MODEL: **LP889**
- COLOR:
- FR** clear
- SM** smoke
- FINISH:
- BZ** bronze
- SC** satin nickel
- LAMP:
- 1x; medium base (not included); 120v; 75w max.
- LED827** 1x; LED A19; lamp included; 120v; 9.5w; 800 lumens; 80 CRI




BULLÉ P. 209

- MODEL: **HS348**
- COLOR:
- BU** blue
- CR** clear
- FINISH:
- BZ** bronze
- SC** satin nickel
- LAMP:
- 1B35** GY6.35 Xenon; lamp included; 35w; 525 lumens; 2900K; 100 CRI
- LEDS830** SORAA bi-pin LED module (included); 8w; 500 lumens; 3000K; 80 CRI
- MOUNT:**
- FSJ** fusion jack*
- MPT** monopoint**
- MRL** monorail




CALIX 7-LIGHT P. 53

- MODEL: **SU768**
- FINISH:
- SC** satin nickel
- LAMP:
- LED830** 7x; integrated LED; 120v; 3w; 460 lumens; 3000K; 80 CRI
- LED 830277** 7x; integrated LED; 277v; 3w; 460 lumens; 3000K; 80 CRI




CAMELOT P. 309

- MODEL: **WS698**
- COLOR:
- SSSC** stainless steel/satin nickel
- LAMP:
- LED** integrated LED; 120v; 6w; 250 lumens; 3000K; 80 CRI
- LED277** integrated LED; 277v; 6w; 250 lumens; 3000K; 80 CRI



CANDORA 19 P. 27

- MODEL: **CH946**
- COLOR:
- AB** aged brass
- BL** black
- WH** matte white
- LAMP:
- LEDWD** 1x; integrated LED (warm color dim); 120v; 9w; 124 delivered lumens; 3000-2200K; 90 CRI



*Fusion Jack canopies sold separately. See p. 419-425 for options.
**Includes 4" Round Flush Canopy
***Monorail and all other accessories sold separately.
For use with 24 volt transformer, add suffix "-24" to item number. Only available with Xenon lamp.


CANDORA 29 P. 27MODEL: **CH947**

COLOR:

AB aged brass
BL black
WH matte white

LAMP:

LEDWD 2x; integrated LED (warm color dim);
 120v; 9w; 173 delivered lumens;
 3000-2200K ; 90 CRI
LED


**CANDORA 34** P. 27MODEL: **CH948**

COLOR:

AB aged brass
BL black
WH matte white

LAMP:

LEDWD 2x; integrated LED (warm color dim);
 120v; 9w; 173 delivered lumens;
 3000-2200K; 90 CRI
LED

**CAPTURE** P. 273, 296MODEL: **FM928**

COLOR:

OP opal


FINISH:

SC satin nickel
WH matte white

LAMP:

LED930 integrated LED; 120v; 27w; 1000 lumens;
 3000K; 90 CRI; ceiling or wall mountable
LED

LED
930277
LED


**CLIFTON** P. 333MODEL: **CW004**

FINISH:

BZ bronze
SC satin nickel

COMPATIBLE LAMP TYPES:

incandescent / halogen 120v;
 compact fluorescent GU24 120v;
 compact fluorescent 4-pin 120v;
 compact fluorescent 4-pin 277v

**COLISEUM** P. 196MODEL: **HS511**

COLOR:

OP opal

FINISH:

BZ bronze
SC satin nickel


LAMP:

1B50 GY6.35 Xenon; lamp included; 50w;
 750 lumens; 2900K; 100 CRI

LEDS830 SORAA bi-pin LED module;
 lamp included; 8w; 500 lumens;
 3000K; 80 CRI
LED

MOUNT:

FSJ fusion jack*
MPT monopoint**
MRL monorail

**CHILL** P. 180MODEL: **HS583**

COLOR:

AM amber
BU blue
CR clear

FINISH:


BZ bronze
SC satin nickel

LAMP:

1B GY6.35 Xenon; lamp included; 50w;
 750 lumens; 2900K; 100 CRI

MOUNT:

FSJ fusion jack*
MPT monopoint**
MRL monorail



How to Order Your LBL Lighting Fixture. Refer to page 434 for detailed instructions and dimmer guidelines. Build the item number by using the base model number and adding on the appropriate bolded codes for each of the selected options, in the order they are listed. For example: Item **#HS834FRBZLEDS830FSJ** is an Adara low-voltage pendant with Frost glass Color, and Bronze hardware Finish, including a SORAA LED module, all in a Fusion Jack mounting configuration.

Sample Ordering Grid

HS834	COLOR	FR	FINISH	BZ	LAMP	LEDS830	MOUNT	FSJ
	FR	FROST	BZ	BRONZE	1B	GY6.35 XENON 50W	FSJ	FUSION JACK
	SM	SMOKE	SC	SATIN NICKEL	LEDS830	SORAA LED MODULE 8W 500	MPT	MONOPOINT
	BU	STEEL BLUE				GROSS LUMEN 80 CRI 3000K	MRL	MONORAIL

CONSTELLATION P. 41

MODEL: **HS51307**


COLOR:
OP opal

FINISH:
SC satin nickel

LENGTH:
26 26" Overall†
36 36" Overall†

LAMP:
7x; GY6.35 bi-pin, Xenon T4;
lamp included; 120/12v††; 35w;
525 lumens; 2900k; 100 CRI

† Cable lengths are not adjustable.
†† Dimmable with 600w or greater ELV dimmer.



CORINNA P. 146

MODEL: **HS775**

COLOR:
CZ clear w/ bronze bubbles
CC clear w/ clear bubbles
YZ gray w/ bronze bubbles

FINISH:
BZ bronze
SC satin nickel

LAMP:
1B GY6.35 Xenon; lamp included; 35w;
525 lumens; 2900K; 100 CRI

MOUNT:
FSJ fusion jack*
MPT monopoint**
MRL monorail




CREST 12 P. 267

MODEL: **FM895**

FINISH:
SC satin nickel
WH matte white

LAMP:
LED930 integrated LED; 120v; 32w; 660 lumens;
3000K; 90 CRI
LED **930277** integrated LED; 277v; 32w; 660 lumens;
3000K; 90 CRI



CREST 17 P. 267

MODEL: **FM896**

FINISH:
SC satin nickel
WH matte white

LAMP:
LED930 integrated LED; 120v; 41w; 815 lumens;
3000K; 90 CRI
LED **930277** integrated LED; 277v; 41w; 815 lumens;
3000K; 90 CRI



CREST 20 P. 267

MODEL: **FM894**

FINISH:
SC satin nickel
WH matte white

LAMP:
LED930 integrated LED; 120v; 44w; 1100 lumens;
3000K; 90 CRI
LED **930277** integrated LED; 277v; 44w; 1100 lumens;
3000K; 90 CRI




CROSSBLEND P. 81

MODEL: **LP960**

FINISH:
WH matte white

LAMP:
- 1x; medium base (not included);
120v; 75w max.
T24

LED830 1x; medium base, LED A19; lamp included;
120v; 11w; 622 delivered lumens;
3000K; 80 CRI
LED




CROSSBLEND FLUSH P. 264

MODEL: **FM961**

FINISH:
WH matte white

LAMP:
LED930 integrated LED; 120v; 22.7w;
1040 delivered lumens; 3000K; 90 CRI
LED

LED **930277** integrated LED; 277v; 22.7w;
1040 delivered lumens; 3000K; 90 CRI
LED




CROSSBLEND GRANDE P. 81

MODEL: **LP959**

FINISH:
WH matte white

LAMP:
- 1x; medium base (not included);
120v; 150w max.
T24

LED830 1x; medium base, LED G40;
lamp included; 120v; 14.5w;
1155 delivered lumens; 3000K; 80 CRI
LED



*Fusion Jack canopies sold separately. See p. 419-425 for options.
**Includes 4" Round Flush Canopy
***Monorail and all other accessories sold separately.
For use with 24 volt transformer, add suffix "-24" to item number. Only available with Xenon lamp.

CRYSTAL BALL P. 225

MODEL: **HS264**

COLOR:
CR clear

FINISH:
BZ bronze
SC satin nickel

LAMP:
1B10 G4 Xenon; lamp included; 10w;
125 lumens; 2800K; 100 CRI

MOUNT:
FSJ fusion jack*
MPT monopoint**
MRL monorail



CYLIA P. 178

MODEL: **HS472**


COLOR:
AM amber
OP opal

FINISH:
BZ bronze
SC satin nickel

LAMP:
1B50 GY6.35 Xenon; lamp included; 50w;
750 lumens; 2900K; 100 CRI

LED830 SORAA bi-pin LED module;
lamp included; 8w; 500 lumens;
3000K; 80 CRI
LED

MOUNT:
FSJ fusion jack*
MPT monopoint**
MRL monorail



CYPREE LARGE P. 164

MODEL: **HS462**

COLOR:
AM amber
PR amethyst
CR clear
FR frost
GR olive green
SM transparent smoke


FINISH:
BZ bronze
SC satin nickel

LAMP:
1B50 GY6.35 Xenon; lamp included; 50w;
750 lumens; 2900K; 100 CRI

LED830 SORAA bi-pin LED module;
lamp included; 8w; 500 lumens;
3000K; 80 CRI
LED

LED lamp not available in clear or transparent smoke

MOUNT:
FSJ fusion jack*
MPT monopoint**
MRL monorail



CYPREE SMALL P. 165

MODEL: **HS463**

COLOR:
AM amber
PR amethyst
CR clear
FR frost
GR olive green
SM transparent smoke


FINISH:
BZ bronze
SC satin nickel

LAMP:
1B50 GY6.35 Xenon; lamp included; 50w;
750 lumens; 2900K; 100 CRI

LED830 SORAA bi-pin LED module;
lamp included; 8w; 500 lumens;
3000K; 80 CRI
LED

LED lamp not available in clear or transparent smoke

MOUNT:
FSJ fusion jack*
MPT monopoint**
MRL monorail




How to Order Your LBL Lighting Fixture. Refer to page 434 for detailed instructions and dimmer guidelines. Build the item number by using the base model number and adding on the appropriate bolded codes for each of the selected options, in the order they are listed. For example: Item **#HS834FRBZLED830FSJ** is an Adara low-voltage pendant with Frost glass Color, and Bronze hardware Finish, including a SORAA LED module, all in a Fusion Jack mounting configuration.

Sample Ordering Grid

HS834	COLOR	FR	FINISH	BZ	LAMP	LED830	MOUNT	FSJ
	FR	FROST	BZ	BRONZE	1B	GY6.35 XENON 50W	FSJ	FUSION JACK
	SM	SMOKE	SC	SATIN NICKEL	LED830	SORAA LED MODULE 8W 500	MPT	MONOPOINT
	BU	STEEL BLUE				GROSS LUMEN 80 CRI 3000K	MRL	MONORAIL


DAHLING P. 157

MODEL:	HS616
COLOR:	
GO	gray-opal
FINISH:	
BZ	bronze
SC	satin nickel
LAMP:	
1B	GY6.35 Xenon; lamp included; 50w; 750 lumens; 2900K; 100 CRI
LEDS830	SORAA bi-pin LED module; lamp included; 8w; 500 lumens; 3000K; 80 CRI
	LED
MOUNT:	
FSJ	fusion jack*
MPT	monopoint**
MRL	monorail




DAHLING WALL P. 323

TYPE:	
JW	incandescent
LW	LED
PW	compact fluorescent
MODEL:	622
COLOR:	
GO	gray-opal
FINISH:	
BZ	bronze
SC	satin nickel
LAMP:	
-	JW only; 1x; medium base(not included); 120v; 60w max.
	ADA T24
CF1HE	PW only; 1x; GX24Q-2 triple tube fluorescent; lamp included; 120v; 18w; 1200 lumens; 2700K; 82 CRI
	CF ADA
CF2HE	PW only; 1x; GX24Q-2 triple tube fluorescent; lamp included; PW only; 277v; 18w; 1200 lumens; 2700K; 82 CRI
	CF ADA
LED	LW only; 1x; integrated LED; lamp included; 120v; 10w; 600 lumens; 2700K; 80 CRI
	LED ADA




DAHLING GRANDE P. 109

TYPE:	
LF	incandescent
PF	compact fluorescent
MODEL:	608
COLOR:	
GO	gray-opal
FINISH:	
BZ	bronze
SC	satin nickel
LAMP:	
-	LF only; 1x; medium base (not included); 120v; 75w max.
	T24
CF	PF only; 1x; GX24Q-3 triple tube; lamp included; 120v; 26w; 1800 lumens; 2700K; 82 CRI
	CF
LED827	LF only; 1x; medium base LED A19; lamp included; 120v; 9.5w; 800 lumens; 2700K; 80 CRI
	LED



DENTON 24 P. 351

MODEL:	BA840
COLOR:	
OY	opal acrylic
FINISH:	
BZ	bronze
SC	satin nickel
LAMP:	
LED830	integrated LED; 120v; 20w; 1400 lumens; 3000K; 80 CRI
	LED ADA
LED 830277	integrated LED; 277v; 20w; 1400 lumens; 3000K; 80 CRI
	LED ADA



*Fusion Jack canopies sold separately. See p. 419-425 for options.
**Includes 4" Round Flush Canopy
***Monorail and all other accessories sold separately.
For use with 24 volt transformer, add suffix "-24" to item number. Only available with Xenon lamp.

DENTON 48 P. 351MODEL: **BA841**


COLOR:

OY opal acrylic

FINISH:

BZ bronze**SC** satin nickel

LAMP:

LED830 integrated LED; 120v; 44w; 2880 lumens; 3000K; 80 CRI**LED ADA****LED 830277** integrated LED; 277v; 44w; 2880 lumens; 3000K; 80 CRI**LED ADA****DIMENSIONS** P. 189MODEL: **HS337**

COLOR:

CR clear**AM** dark amber**AB** prismatic multicolor


FINISH:

BZ bronze**SC** satin nickel

LAMP:

1A35 halogen MR11; lamp included; 35w; 3000K; 100 CRI

MOUNT:

FSJ fusion jack***MPT** monopoint****MRL** monorail**DOLLY** P. 187MODEL: **HS699**

COLOR†:

BLBL black exterior / black crystal interior**BLCR** black exterior / clear crystal interior**BLGD** black exterior / gold crystal interior**SCCR** satin nickel exterior / clear crystal interior**SCGD** satin nickel exterior / gold crystal interior**SCOR** satin nickel exterior / orange crystal interior

† For custom color combinations contact our Quotes Department.

FINISH:

SN satin nickel


LAMP:

LED integrated LED; 6w; 350 lumens; 3000K; 80 CRI**LED**

MOUNT:

FSJ fusion jack***MPT** monopoint****MRL** monorail

Mounts up or down.


**DOLLY GRANDE** P. 118MODEL: **LP882**

COLOR†:

BLBL rubberized black exterior / black crystal interior**SCCR** satin nickel exterior / clear crystal interior**SCGD** satin nickel exterior / gold crystal interior

† For custom color combinations contact our Quotes Department.

LAMP:

LED830 integrated LED; 120v; 18w; 1400 lumens; 3000K; 80 CRI**LED****LED 830277** integrated LED; 277v; 18w; 1400 lumens; 3000K; 80 CRI**LED****DOLLY WALL** P. 295MODEL: **WS765**

COLOR†:


BLBL rubberized black exterior / black crystal interior**BLCR** rubberized black exterior / clear crystal interior**SCCR** satin nickel exterior / clear crystal interior

† For custom color combinations contact our Quotes Department.

LAMP:

LED integrated LED; 120v; 6w; 350 lumens; 3000K; 80 CRI**LED ADA****LED277** integrated LED; 277v; 6w; 350 lumens; 3000K; 80 CRI**LED ADA**

Mounts up or down.



wall projection 2.9" / 74 mm

How to Order Your LBL Lighting Fixture. Refer to page 434 for detailed instructions and dimmer guidelines. Build the item number by using the base model number and adding on the appropriate bolded codes for each of the selected options, in the order they are listed. For example: Item **#HS834FRBZLEDS830FSJ** is an Adara low-voltage pendant with Frost glass Color, and Bronze hardware Finish, including a SORAA LED module, all in a Fusion Jack mounting configuration.

Sample Ordering Grid

HS834	COLOR	FR	FINISH	BZ	LAMP	LEDS830	MOUNT	FSJ
	FR	FROST	BZ	BRONZE	1B	GY6.35 XENON 50W	FSJ	FUSION JACK
	SM	SMOKE	SC	SATIN NICKEL	LEDS830	SORAA LED MODULE 8W 500	MPT	MONOPOINT
	BU	STEEL BLUE				GROSS LUMEN 80 CRI 3000K	MRL	MONORAIL

DOVER P. 353

TYPE:
HW incandescent
LW LED
PW compact fluorescent

MODEL: 496

COLOR:
OP opal glass

FINISH:
BZ bronze
PC polished nickel
SC satin nickel


LAMP:
2G40 HW only; 5x; G9 halogen; lamp included; 120v; 40w; 480 lumens; 2900K; 100 CRI
ADA

24L1HE PW only; 1x; T5HO mini bi-pin fluorescent; lamp included; 120v; 24w; 2000 lumens; 3000K; 82 CRI
CF ADA

24L2HE PW only; 1x; T5HO mini bi-pin fluorescent; lamp included; 277v; 24w; 2000 lumens; 3000K; 82 CRI
CF ADA

LED LW only; 1x; integrated LED; lamp included; 120v; 20w; 1400 lumens; 3000K; 80 CRI
LED ADA

LED277 LW only; 1x; integrated LED; lamp included; 277v; 20w; 1400 lumens; 3000K; 80 CR
LED ADA



DROP P. 101

TYPE:
LF incandescent
PF compact fluorescent

MODEL: 5490


COLOR:
BU blue
OP opal

FINISH:
BL black
PC polished chrome
SC satin nickel

LAMP:
- LF only; 1x; medium base (not included); 120v; 60w max.
T24

18Q PF only; 1x; G24Q-2 quad tube; lamp included; 120v; 18w; 1250 lumens; 2700K; 82 CRI
CF

LED827 LF only; 1x; medium base, LED A19; lamp included; 120v; 9.5w; 800 lumens; 2700K; 80 CRI
LED



DUKE GRANDE P. 85


MODEL: SU756

COLOR:
CRFR clear glass w/ fizz
CRMS clear glass w/ silver mica

FINISH:
BZ bronze
SC satin nickel

LAMP:
LED integrated LED; 120v; 11w; 840 lumens; 3000K; 80 CRI
LED

LED277 integrated LED; 277v; 11w; 840 lumens; 3000K; 80 CRI
LED




EAST RIVER LINEAR SUSPENSION P. 55

MODEL: SU770

FINISH:
AL brushed aluminum exterior / interior
AO brushed aluminum exterior / orange interior

LAMP:
LED integrated LED; 120v; 35w; 1960 lumens; 3000K; 80 CRI
LED

LED277 integrated LED; 277v; 35w; 1960 lumens; 3000K; 80 CRI
LED




DUKE P. 85

MODEL: EF667

COLOR:
CRFR clear glass w/ fizz
CRMS clear glass w/ silver mica

FINISH:
BZ bronze
SC satin nickel

LAMP:
LED integrated LED; 120v; 11w; 840 lumens; 3000K; 80 CRI
LED



*Fusion Jack canopies sold separately. See p. 419-425 for options.
**Includes 4" Round Flush Canopy
***Monorail and all other accessories sold separately.
For use with 24 volt transformer, add suffix "-24" to item number. Only available with Xenon lamp.

EAST RIVER WALL

(INDOOR/OUTDOOR) P. 315, 374

MODEL: **OD771**

FINISH:

AL brushed aluminum exterior / interior
AO brushed aluminum exterior / orange interior


LAMP:

LED integrated LED; 120v; 10w; 250 lumens; 3000K; 80 CRI
LED **ADA** **T24**

LED277 integrated LED; 277v; 10w; 250 lumens; 3000K; 80 CRI;
LED **ADA** **T24**

LOCATION:

W wet location
 Mounts horizontally or vertically.



wall projection 2.5" / 64 mm

ECLIPSE

P. 392

TYPE:

JW incandescent
PW compact fluorescent

MODEL: **612**

FINISH:

C chrome coat


LAMP:

240 JW only; 2x; medium base, B10; 120v; 40w max.; 100 CRI
2131HE PW only; 2x; G24Q-1 quad tube fluorescent; 120v; 13w; 900 lumens; 2700K; 82 CRI
CF

2132HE PW only; 2x; G24Q-1 quad tube fluorescent; PW only; 277v; 13w; 900 lumens; 2700K; 82 CRI
CF

LOCATION:

W wet location
 Mounts horizontally or vertically.



wall projection 6" / 152 mm

ELLIS 12

P. 292, 344

MODEL: **WS907**

COLOR:

OY opal acrylic

FINISH:


BZ bronze
PC polished chrome
SC satin nickel

LAMP:

LED930 integrated LED; 120v; 12w; 650 lumens; 3000K; 90 CRI
LED

LED integrated LED; 277v; 12w; 650 lumens; 3000K; 90 CRI
930277 **LED**

Mounts horizontally or vertically.



wall projection 4.2" / 107 mm

ELLIS 24

P. 344

MODEL: **BA906**

COLOR:

OY opal acrylic


FINISH:

BZ bronze
PC polished chrome
SC satin nickel

LAMP:

LED930 integrated LED; 120v; 24w; 1300 lumens; 3000K; 90 CRI
LED

LED integrated LED; 277v; 24w; 1300 lumens; 3000K; 90 CRI
930277 **LED**




How to Order Your LBL Lighting Fixture. Refer to page 434 for detailed instructions and dimmer guidelines. Build the item number by using the base model number and adding on the appropriate bolded codes for each of the selected options, in the order they are listed. For example: Item **#HS834FRBZLEDS830FSJ** is an Adara low-voltage pendant with Frost glass Color, and Bronze hardware Finish, including a SORAA LED module, all in a Fusion Jack mounting configuration.

Sample Ordering Grid

HS834	COLOR	FR	FINISH	BZ	LAMP	LEDS830	MOUNT	FSJ
	FR	FROST	BZ	BRONZE	1B	GY6.35 XENON 50W	FSJ	FUSION JACK
	SM	SMOKE	SC	SATIN NICKEL	LEDS830	SORAA LED MODULE 8W 500	MPT	MONOPOINT
	BU	STEEL BLUE				GROSS LUMEN 80 CRI 3000K	MRL	MONORAIL


ELLIS 36 P. 344

- MODEL: **BA905**
- COLOR:
OY opal acrylic
- FINISH:
BZ bronze
PC polished chrome
SC satin nickel
- LAMP:
LED930 integrated LED; 120v; 36w; 1995 lumens; 3000K; 90 CRI
LED
LED 930277 integrated LED; 277v; 36w; 1995 lumens; 3000K; 90 CRI
LED




EMI P. 181

- MODEL: **HS593**
- COLOR:
YP gray / dark purple
IB ivory / brown
CB light chocolate / brown
- FINISH:
BZ bronze
SC satin nickel
- LAMP:
1B GY6.35 Xenon; lamp included; 50w; 750 lumens; 2900K; 100 CRI
LEDS830 SORAA bi-pin LED module; lamp included; 8w; 500 lumens; 3000K; 80 CRI
LED




ENSU P. 335

- MODEL: **CW002**
- FINISH:
BZ bronze
PC polished chrome
SC satin nickel
- TYPE:
- 120v in / 12v out
277 277v in / 12v out
LED 120v in / 12v LED out
LED
LED277 277v in / 12v LED out
LED




ERLEN P. 127

- MODEL: **LP874**
- COLOR:
ME mercury
BL black
- FINISH:
BL black
- LAMP:
- 1x; medium base (not included); 120v; 60w max.
T24
LED823 1x; medium base, LED A19; lamp included; 120v; 6.5w; 650 lumens; 2300K; 80 CRI
LED




ESSENCE P. 48

- MODEL: **SU992**
- FINISH:
AB aged brass
SC satin nickel
- LAMP:
LED930 integrated LED; 120v; 20w; 1440 delivered lumens; 3000K; 90 CRI
LED



ESSENCE TRIO P. 49


- MODEL: **SU993**
- COLOR:
AB aged brass
SC satin nickel
- LAMP:
LED930 3x; integrated LED; 120v; 20w; 1440 delivered lumens; 3000K; 90 CRI
LED



*Fusion Jack canopies sold separately. See p. 419-425 for options.
**Includes 4" Round Flush Canopy
***Monorail and all other accessories sold separately.
For use with 24 volt transformer, add suffix "-24" to item number. Only available with Xenon lamp.


FACETTE P. 131

MODEL:	HS903
COLOR:	
BLSM	black top / smoke bottom
WHCR	white top / clear bottom
FINISH:	
SC	satin nickel
LAMP:	
1A	halogen MR16; lamp included; 50w; 3000K; 100 CRI
LED930	LED MR16; lamp included; 8w; 435 lumens; 3000K; 90 CRI LED
MOUNT:	
FSJ	fusion jack*
MPT	monopoint**
MRL	monorail




FACETTE GRANDE P. 89

MODEL:	LP904
COLOR:	
BLSM	black top / smoke bottom
WHCR	white top / clear bottom
LAMP:	
—	1x; medium base (not included); 120v; 150w max. T24
LED830	1x; medium base, LED G40; lamp included; 120v; 14.5w; 900 lumens; 3000K; 80 CRI LED




FINAL CALL MEDIUM P. 349

MODEL:	
LW674	LED
PW674	compact fluorescent
COLOR:	
OY	opal acrylic
FINISH:	
SC	satin nickel
LAMP:	
CF1HE	PW only; 1x; T5HO mini bi-pin fluorescent; lamp included; 120v; 39w; 3100 lumens; 3000K; 85 CRI CF ADA
CF2HE	PW only; 1x; T5HO mini bi-pin fluorescent; lamp included; 277v; 39w; 3000 lumens; 3000K; 85 CRI CF ADA
LED930	LW only; 1x; integrated LED; 120v; 36w; 1995 lumens; 3000K; 90 CRI LED ADA
LED 930277	LW only; 1x; integrated LED; 277v; 36w; 1995 lumens; 3000K; 90 CRI LED ADA




FIONA 18 P. 279

MODEL:	FM700
COLOR:	
LI	linen
PE	pewter
FINISH:	
BZ	bronze
SC	satin nickel
LAMP:	
—	3x; medium base (not included); 120v; 60w max. T24
CF1HE	3x; GX24Q-3 triple tube; lamp included; 120v; 32w CF
CF2HE	3x; GX24Q-3 triple tube; lamp included; 277v; 32w CF



FIONA WALL P. 330

TYPE:	
JW	incandescent
LW	LED
PW	compact fluorescent
MODEL:	681
COLOR:	
LI	linen
PB	pebble
PE	pewter
LAMP:	
—	JW only; 1x; medium base (not included); 120v; 60w max. ADA T24
CF1HE	PW only; 1x; GX24Q-2 triple tube fluorescent; lamp included; 120v; 18w; 1200 lumens; 2700K; 82 CRI CF ADA
CF2HE	PW only; 1x; GX24Q-2 triple tube fluorescent; lamp included; 277v; 18w; 1200 lumens; 2700K; 82 CRI CF ADA
LED	LW only; 1x; integrated LED; lamp included; 120v; 10w; 600 lumens; 2700K; 80 CRI LED ADA




How to Order Your LBL Lighting Fixture. Refer to page 434 for detailed instructions and dimmer guidelines. Build the item number by using the base model number and adding on the appropriate bolded codes for each of the selected options, in the order they are listed. For example: Item **#HS834FRBZLEDS830FSJ** is an Adara low-voltage pendant with Frost glass Color, and Bronze hardware Finish, including a SORAA LED module, all in a Fusion Jack mounting configuration.

Sample Ordering Grid

HS834	COLOR	FR	FINISH	BZ	LAMP	LEDS830	MOUNT	FSJ
	FR	FROST	BZ	BRONZE	1B	GY6.35 XENON 50W	FSJ	FUSION JACK
	SM	SMOKE	SC	SATIN NICKEL	LEDS830	SORAA LED MODULE 8W 500	MPT	MONOPOINT
	BU	STEEL BLUE				GROSS LUMEN 80 CRI 3000K	MRL	MONORAIL


FIONA GRANDE P. 93

- TYPE:
LF incandescent
- MODEL: 680
- COLOR:
LI linen
PB pebble
PE pewter
- FINISH:
BZ bronze
SC satin nickel
- LAMP:
- 4x; medium base (not included); 120v; 75w max.
T24
- LED827 4x; medium base, LED A19 included; 120v; 9.5w; 800 lumens; 2700K; 80 CRI
LED




FLECTION P. 277

- MODEL: FM866
- FINISH:
GY rubberized gray
SC satin nickel
WH rubberized white
- LAMP:
LED830 integrated LED; 120v; 10w; 600 lumens; 3000K; 80 CRI
LED
- LED 830277 integrated LED; 277v; 10w; 600 lumens; 3000K; 80 CRI
LED



FLOW P. 221

- MODEL: HS377
- COLOR:
AM amber
BL black
- FINISH:
BZ bronze
SC satin nickel
- LAMP:
1A50 halogen MR16; lamp included; 50w; 3000K; 100 CRI
- MOUNT:
FSJ fusion jack*
MPT monopoint**
MRL monorail




FLUTE P. 201

- MODEL: HS194
- COLOR:
AM amber
CR clear
- FINISH:
BZ bronze
SC satin nickel
- LAMP:
1A50 halogen MR16; lamp included; 50w; 750 lumens; 3000K; 100 CRI
- MOUNT:
FSJ fusion jack*
MPT monopoint**
MRL monorail




GELATO P. 223

- MODEL: HS271
- COLOR:
AM amber
BU blue
CR clear
- FINISH:
BZ bronze
SC satin nickel
- LAMP:
1B50 GY6.35 Xenon; lamp included; 50w; 750 lumens; 2900K; 100 CRI
- MOUNT:
FSJ fusion jack*
MPT monopoint**
MRL monorail



HANNA P. 311

- MODEL: WS822
- COLOR:
BLBL black
WHWH white
- LAMP:
LED integrated LED; 120v; 10w; 800 lumens; 3000K; 80 CRI
LED ADA
- LED277 integrated LED; 277v; 10w; 800 lumens; 3000K; 80 CRI
LED ADA



wall projection 2.2" / 56 mm

HEAD ACCESSORIES
DIFFUSERS, LINEAR SPREADS &
SOFT FOCUS LENSES P. 255

- MODEL:
ALENSMR16DF diffuser
ALENSMR16LL linear spread
ALENSMR16SF soft focus

*Fusion Jack canopies sold separately. See p. 419-425 for options.
**Includes 4" Round Flush Canopy
***Monorail and all other accessories sold separately.
For use with 24 volt transformer, add suffix "-24" to item number. Only available with Xenon lamp.

HEAD ACCESSORIES

DIFFUSER SPREAD LENSES P. 255

MODEL:

A05	grid
A06	stripe
A07	frost


CLIP:

BK	black
SI	silver

HEAD ACCESSORIES

FLITE PAPER P. 255

MODEL: FP11 (for MR11 bulbs)
FP16 (for MR16 bulbs)



HEAD ACCESSORIES

LOUVER LENS HOLDERS (MR16) P. 255

MODEL:

ALHDRMR16 louver lens holder

CLIP:

BK	black
BZ	bronze
SI	silver

HEAD ACCESSORIES

STRUCTURE CLIP P. 255

MODEL: A08

CLIP:

BK	black
SI	silver

HEAD ACCESSORIES

STRUCTURE LOUVER P. 255

MODEL / DESCRIPTION:

ASTRLMR16BK eggcrate

HORIZON P. 155

MODEL: HS586

COLOR:

OP	opal
BU	steel blue

FINISH

BZ	bronze
SC	satin nickel

LAMP:

1B GY6.35 Xenon; lamp included; 50w; 750 lumens; 2900K; 100 CRI


LEDS830

SORAA bi-pin LED module; lamp included; 8w; 500 lumens; 3000K; 80 CRI

LED

MOUNT:

FSJ	fusion jack*
MPT	monopoint**
MRL	monorail



HOVER P. 219

MODEL: HS381

FINISH:


BZ	bronze
SC	satin nickel

LAMP:

1A50 halogen MR16; lamp included; 50w; 3000K; 100 CRI

MOUNT:

FSJ	fusion jack*
MPT	monopoint**
MRL	monorail



HUNTER 10 P. 373

MODEL: OD818

FINISH:

BL	black
SI	silver

LAMP:

LED integrated LED; 120v; 10w; 250 lumens; 3000K; 80 CRI

LED T24


LED277

integrated LED; 277v; 10w; 250 lumens; 3000K; 80 CRI

LED T24

LOCATION:

W wet location



HUNTER 24 P. 373

MODEL: OD819

FINISH:

BL	black
SI	silver

LAMP:

LED integrated LED; 120v; 20w; 500 lumens; 3000K; 80 CRI

LED T24


LED277

integrated LED; 277v; 10w; 500 lumens; 3000K; 80 CRI

LED T24

LOCATION:

W wet location



How to Order Your LBL Lighting Fixture. Refer to page 434 for detailed instructions and dimmer guidelines. Build the item number by using the base model number and adding on the appropriate bolded codes for each of the selected options, in the order they are listed. For example: Item **#HS834FRBZLEDS830FSJ** is an Adara low-voltage pendant with Frost glass Color, and Bronze hardware Finish, including a SORAA LED module, all in a Fusion Jack mounting configuration.

Sample Ordering Grid

HS834	COLOR	FR	FINISH	BZ	LAMP	LEDS830	MOUNT	FSJ
	FR	FROST	BZ	BRONZE	1B	GY6.35 XENON 50W	FSJ	FUSION JACK
	SM	SMOKE	SC	SATIN NICKEL	LEDS830	SORAA LED MODULE 8W 500	MPT	MONOPOINT
	BU	STEEL BLUE				GROSS LUMEN 80 CRI 3000K	MRL	MONORAIL

ICICLE P. 195

MODEL: HS277

COLOR:

- AM amber
- BU blue
- CR clear
- OP opal

FINISH:


- BZ bronze
- SC satin nickel

LAMP:

- 1A35 halogen MR11; lamp included; 35w; 1500 lumens; 3000K; 100 CRI
- 1B35 GY6.35 Xenon; lamp included; 35w; 525 lumens; 2900K; 100 CRI
- LED LED MR16; lamp included; 8w; 435 lumens; 3000K; 95 CRI

MOUNT:

- FSJ fusion jack*
- MPT monopoint**
- MRL monorail



INTERLACE P. 25


MODEL: SU767

FINISH:

- BL black
- SC satin nickel

LAMP:

- LED integrated LED; 120v; 36w; 2400 lumens; 2700K; 80 CRI
- LED277 integrated LED; 277v; 36w; 2400 lumens; 2700K; 80 CRI



INTERLACE 18 P. 25


MODEL: SU832

FINISH:

- BL black
- SC satin nickel

LAMP:

- LED827 integrated LED; 120v; 28w; 1300 lumens; 2700K; 80 CRI
- LED 827277 integrated LED; 277v; 28w; 1300 lumens; 2700K; 80 CRI



INTERLACE 45 P. 25


MODEL: SU833

FINISH:

- BL black
- SC satin nickel

LAMP:

- LED827 integrated LED; 120v; 67w; 2700 lumens; 2700K; 80 CRI
- LED 827277 integrated LED; 277v; 67w; 2700 lumens; 2700K; 80 CRI



ISLA P. 95

MODEL: LF512

COLOR:


- AM amber
- AQ aqua
- BR brown
- CR clear
- SM smoke

FINISH:

- BZ bronze
- SC satin nickel

LAMP:

- 1x; medium base (not included); 120v; 60w max.
- LED823 1x; medium base LED A19; lamp included; 120v; 6.5w; 650 lumens; 2300K; 80 CRI



JARVAS 24 P. 338

MODEL: BA977

COLOR:


- LN linen glass

FINISH:

- PC polished chrome
- SC satin nickel


LAMP:

- LED927 integrated LED; 120v; 23.3w; 1396 delivered lumens; 2700K; 90 CRI
- LED 927277 integrated LED; 277v; 23.3w; 1396 delivered lumens; 2700K; 90 CRI
- LED930 integrated LED; 120v; 23.3w; 1396 delivered lumens; 3000K; 90 CRI
- LED 930277 integrated LED; 277v; 23.3w; 1396 delivered lumens; 3000K; 90 CRI




*Fusion Jack canopies sold separately. See p. 419-425 for options.
**Includes 4" Round Flush Canopy
***Monorail and all other accessories sold separately.
For use with 24 volt transformer, add suffix "-24" to item number. Only available with Xenon lamp.


JARVAS 36 P. 338

MODEL: **BA978**COLOR:
LN linen glassFINISH:
PC polished chrome
SC satin nickelLAMP:
LED927 integrated LED; 120v; 34.5w;
1996 delivered lumens; 2700K; 90 CRI
LED **ADA****LED**
927277 integrated LED; 277v; 34.5w;
1996 delivered lumens; 2700K; 90 CRI
LED **ADA****LED930** integrated LED; 120v; 34.5w;
1996 delivered lumens; 3000K; 90 CRI
LED **ADA****LED**
930277 integrated LED; 277v; 34.5w;
1396 delivered lumens; 3000K; 90 CRI
LED **ADA**

JARVAS WALL P. 289, 338

MODEL: **WS979**COLOR:
LN linen glassFINISH:
PC polished chrome
SC satin nickelLAMP:
LED927 integrated LED; 120v; 13w;
677 delivered lumens; 2700K; 90 CRI
LED **ADA****LED**
927277 integrated LED; 277v; 13w;
677 delivered lumens; 2700K; 90 CRI
LED **ADA****LED930** integrated LED; 120v; 13w;
677 delivered lumens; 3000K; 90 CRI
LED **ADA****LED**
930277 integrated LED; 277v; 13w;
677 delivered lumens; 3000K; 90 CRI
LED **ADA**

JUNIPER P. 119

TYPE:
LF incandescent
PF compact fluorescentMODEL: **229**COLOR:
OP opalFINISH:
PC polished chrome
SC satin nickelLAMP:
— LF only; 1x; medium base
(not included); 120v
T24
32T PF only; 1x; GX24Q-3 triple tube ;
lamp included; 120v; 32w; 2328 lumens;
2700K; 82 CRI
CF
LED827 LF only; 1x; medium base LED A19;
lamp included; 120v; 9.5w; 800 lumens;
2700K; 80 CRI
LED


How to Order Your LBL Lighting Fixture. Refer to page 434 for detailed instructions and dimmer guidelines. Build the item number by using the base model number and adding on the appropriate bolded codes for each of the selected options, in the order they are listed. For example: Item **#HS834FRBZLEDS830FSJ** is an Adara low-voltage pendant with Frost glass Color, and Bronze hardware Finish, including a SORAA LED module, all in a Fusion Jack mounting configuration.

Sample Ordering Grid

HS834	COLOR	<i>FR</i>	FINISH	<i>BZ</i>	LAMP	<i>LEDS830</i>	MOUNT	<i>FSJ</i>
	FR	FROST	BZ	BRONZE	1B	GY6.35 XENON 50W	FSJ	FUSION JACK
	SM	SMOKE	SC	SATIN NICKEL	LEDS830	SORAA LED MODULE 8W 500	MPT	MONOPOINT
	BU	STEEL BLUE				GROSS LUMEN 80 CRI 3000K	MRL	MONORAIL


JUNIPER WALL P. 327

- TYPE:
- JW** incandescent
- PW** compact fluorescent
- MODEL: **230**
- COLOR:
- OP** opal glass
- FINISH:
- SC** satin nickel
- LAMP:
- JW only; 1x; medium base (not included); 120v; 72w max.
ADA T24
- 2131HE** PW only; 2x; G24Q-1 quad tube fluorescent; lamp included; 120v; 13w; 900 lumens; 2700K; 82 CRI
CF ADA
- 2132HE** PW only; 2x; G24Q-1 quad tube fluorescent; lamp included; 277v; 13w; 900 lumens; 2700K; 82 CRI
CF ADA
- 2181HE** PW only; 2x; G24Q-2 quad tube fluorescent; lamp included; 120v; 18w; 1250 lumens; 2700K; 82 CRI
CF ADA
- 2182HE** PW only; 2x; G24Q-2 quad tube fluorescent; lamp included; 277v; 18w; 1250 lumens; 2700K; 82 CRI
CF ADA




KARIF P. 103

- MODEL: **LP942**
- GLASS COLOR:
- CR** clear
- OP** opal
- SM** smoke
- ACCENT COLOR:
- GY** charcoal gray with red cord
- WH** white with white cord
- LAMP:
- LED930** integrated LED; 120v; 17w; 800 lumens; 3000K; 90 CRI
LED
- LED 930277** integrated LED; 277v; 17w; 800 lumens; 3000K; 90 CRI
LED




KENDALL P. 117

- MODEL: **LP793**
- COLOR:
- OR** orange
- SM** smoke
- FINISH:
- BZ** bronze
- SC** satin nickel
- LAMP:
- 1x; medium base (not included); 120v; 30w max.
T24
- 2D** 1x; medium base classic edison T9; lamp included; 120v; 30w; 500 lumens; 2700K; 100 CRI




KENTON P. 317

- MODEL: **WS838**
- FINISH:
- GD** gold mist
- SC** satin nickel
- WH** rubberized white
- LAMP:
- LED830** integrated LED; 120v; 18w; 1300 lumens; 3000K; 80 CRI
LED ADA
- LED 830277** integrated LED; 277v; 18w; 1300 lumens; 3000K; 80 CRI
LED ADA




LANIA GRANDE P. 83

- MODEL: **LP966**
- COLOR:
- CR** clear with brass mesh
- LAMP:
- 3x; medium base (not included); 120v; 60w max.
T24
- LED823** 3x; medium base LED ST19; lamp included; 120v; 6.5w; 593 delivered lumens; 2300K; 80 CRI
LED



LANIA LARGE P. 83

- MODEL: **LP965**
- COLOR:
- CR** clear with brass mesh
- LAMP:
- 1x; medium base (not included); 120v; 60w max.
T24
- LED823** 1x; medium base LED ST19; lamp included; 120v; 6.5w; 531 delivered lumens; 2300K; 80 CRI
LED



*Fusion Jack canopies sold separately. See p. 419-425 for options.
**Includes 4" Round Flush Canopy
***Monorail and all other accessories sold separately.
For use with 24 volt transformer, add suffix "-24" to item number. Only available with Xenon lamp.


LANIA SMALL P. 83

MODEL: LP964

COLOR:
CR clear with brass mesh

LAMP:
- 1x; candelabra base (not included);
120v; 25w max.
T24

LED922 1x; candelabra base LED T6;
lamp included; 120v; 2w;
122 delivered lumens; 2200K; 90 CRI
LED



LANIA WALL P. 285


MODEL: WS967

COLOR:
CR clear with brass mesh

FINISH:
SC satin nickel

LAMP:
- 1x; candelabra base (not included);
120v; 25w max.
ADA T24

LED922 1x; candelabra base LED T6;
lamp included; 120v; 2w;
137 delivered lumens; 2200K; 90 CRI
LED ADA



LANIA FLUSH P. 261


MODEL: FM968

COLOR:
CR clear with brass mesh

FINISH:
SC satin nickel

LAMP:
- 2x; medium base (not included);
120v; 60w max.
T24

LED823 2x; medium base LED ST19;
lamp included; 120v; 6.5w;
422 delivered lumens; 2300K; 80 CRI
LED



LEXUM P. 144


MODEL: HS781

COLOR:
CR crystal optic

FINISH:
BZ bronze
SC satin nickel

LAMP:
1B G4 Xenon; lamp included; 20w;
250 lumens; 2800K; 100 CRI

MOUNT:
FSJ fusion jack*
MPT monopoint**
MRL monorail




LIFO FLUSH P. 263

MODEL: FM958

FINISH:
WH white
GY gray

LAMP:
LED930 integrated LED; 120v; 22.4w;
1002 delivered lumens; 3000K; 90 CRI
LED ADA

LED 930277 integrated LED; 277v; 22.4w;
1002 delivered lumens; 3000K; 90 CRI
LED ADA




LIFO P. 79

MODEL: LP956

FINISH:
WH white
GY gray

LAMP:
- 1x; medium base (not included);
120v; 60w max.
T24

LED830 1x; medium base LED A19; lamp included;
120v; 11w; 128 delivered lumens;
3000K; 80 CRI
LED



How to Order Your LBL Lighting Fixture. Refer to page 434 for detailed instructions and dimmer guidelines. Build the item number by using the base model number and adding on the appropriate bolded codes for each of the selected options, in the order they are listed. For example: Item **#HS834FRBZLEDS830FSJ** is an Adara low-voltage pendant with Frost glass Color, and Bronze hardware Finish, including a SORAA LED module, all in a Fusion Jack mounting configuration.

Sample Ordering Grid

HS834	COLOR	FR	FINISH	BZ	LAMP	LEDS830	MOUNT	FSJ
FR	FROST	BZ	BRONZE	1B	GY6.35 XENON 50W	FSJ	FUSION JACK	
SM	SMOKE	SC	SATIN NICKEL	LEDS830	SORAA LED MODULE 8W 500	MPT	MONOPOINT	
BU	STEEL BLUE				GROSS LUMEN 80 CRI 3000K	MRL	MONORAIL	

LILY P. 207

MODEL: HS378

COLOR:

AM amber
OP opal
RD red

FINISH:


BZ bronze
SC satin nickel

LAMP:

1B20 G4 Xenon; lamp included; 20w; 250 lumens; 2800K; 100 CRI

MOUNT:

FSJ fusion jack*
MPT monopoint**
MRL monorail



LINE WAVE P. 35

MODEL: CH951

FINISH:


AB aged brass
SC satin nickel

LAMP:

- 6x; candelabra base (not included); 120v; 25w max. T24

LED922

6x; candelabra base LED T6; lamp included; 120v; 2w; 160 lumens; 2200K; 90 CRI LED



LINE WAVE 2 P. 35

MODEL: SU952

FINISH:


AB aged brass
SC satin nickel

LAMP:

- 14x; candelabra base (not included); 120v; 25w max. T24

LED922

14x; candelabra base LED T6; lamp included; 120v; 2w; 160 lumens; 2200K; 90 CRI LED




LINEA 20 P. 347

MODEL: LNO60SILED

LAMP:

- 1x; 20 inch; user replaceable LED tube; lamp included; 120v; 6w; 475 lumens; 2700K; 80 CRI ADA LED




*Fusion Jack canopies sold separately. See p. 419-425 for options.
**Includes 4 inch Round Flush Canopy
***Monorail and all other accessories sold separately.
For use with 24 volt transformer, add suffix "-24" to item number. Only available with Xenon lamp.

LINEA 40 P. 347

MODEL: **LN120SILED**

LAMP:

- 1x; 40"; user replaceable LED tube;
lamp included; 120v; 10w; 680 lumens;
2700K; 80 CRI
ADA LED



LOFT P. 75

MODEL: **LP876**

FINISH:

- AL** brushed aluminum / white interior
BL rubberized black / white interior
WH rubberized white / white interior


CAGE COLOR:

- BL** black
CP copper
PN polished nickel
WH white
NC no cage

LAMP:

- 1x; medium base (not included);
120v; 75w max.
T24

- LED827** 1x; medium base LED A19; lamp included;
120v; 9.5w; 800 lumens; 2700K; 80 CRI
LED



LOFT GRANDE P. 75

MODEL: **LP875**

FINISH:

- AL** brushed aluminum / white interior
BL rubberized black / white interior
WH rubberized white / white interior


CAGE COLOR:

- BL** black
CP copper
PN polished nickel
WH white
NC no cage

LAMP:

- 3x; medium base (not included);
120v; 75w max.
T24

- LED827** 3x; medium base LED A19; lamp included;
120v; 9.5w; 800 lumens; 2700K; 80 CRI
LED



LUF ROUND 24 P. 340

MODEL: **BA980**

COLOR:

- OY** frosted acrylic

FINISH:

- PC** polished chrome
SC satin nickel


LAMP:

- LED927** integrated LED; 120v; 23.3w;
1676 delivered lumens; 2700K; 90 CRI
LED ADA

- LED 927277** integrated LED; 277v; 23.3w;
1676 delivered lumens; 2700K; 90 CRI
LED ADA

- LED930** integrated LED; 120v; 23.3w;
1676 delivered lumens; 3000K; 90 CRI
LED ADA

- LED 930277** integrated LED; 277v; 23.3w;
1676 delivered lumens; 3000K; 90 CRI
LED ADA



LOLA P. 359

MODEL: **BA7445**

COLOR:


- OP** opal glass

FINISH:

- PC** polished chrome

LAMP:

- ZG** 5x; G9 halogen; lamp included; 120v;
40w; 480 lumens; 2900K; 100 CRI
ADA




How to Order Your LBL Lighting Fixture. Refer to page 434 for detailed instructions and dimmer guidelines. Build the item number by using the base model number and adding on the appropriate bolded codes for each of the selected options, in the order they are listed. For example: Item **#HS834FRBZLEDS830FSJ** is an Adara low-voltage pendant with Frost glass Color, and Bronze hardware Finish, including a SORAA LED module, all in a Fusion Jack mounting configuration.

Sample Ordering Grid

HS834	COLOR	FR	FINISH	BZ	LAMP	LEDS830	MOUNT	FSJ
FR	FROST	BZ	BRONZE	1B	GY6.35 XENON 50W	FSJ	FUSION JACK	
SM	SMOKE	SC	SATIN NICKEL	LEDS830	SORAA LED MODULE 8W 500	MPT	MONOPOINT	
BU	STEEL BLUE				GROSS LUMEN 80 CRI 3000K	MRL	MONORAIL	


LUFE ROUND 36 P. 340

MODEL:	BA981
COLOR:	
OY	frosted acrylic
FINISH:	
PC	polished chrome
SC	satin nickel
LAMP:	
LED927	integrated LED; 120v; 34.5w; 2458 delivered lumens; 2700K; 90 CRI LED ADA
LED 927277	integrated LED; 277v; 34.5w; 2458 delivered lumens; 2700K; 90 CRI LED ADA
LED930	integrated LED; 120v; 34.5w; 2458 delivered lumens; 3000K; 90 CRI LED ADA
LED 930277	integrated LED; 277v; 34.5w; 2458 delivered lumens; 3000K; 90 CRI LED ADA




LUFE ROUND 48 P. 340

MODEL:	BA982
COLOR:	
OY	frosted acrylic
FINISH:	
PC	polished chrome
SC	satin nickel
LAMP:	
LED927	integrated LED; 120v; 46.9w; 3444 delivered lumens; 2700K; 90 CRI LED ADA
LED 927277	integrated LED; 277v; 46.9w; 3444 delivered lumens; 2700K; 90 CRI LED ADA
LED930	integrated LED; 120v; 46.9w; 3444 delivered lumens; 3000K; 90 CRI LED ADA
LED 930277	integrated LED; 277v; 46.9w; 3444 delivered lumens; 3000K; 90 CRI LED ADA



LUFE SQUARE 24 P. 341


MODEL:	BA984
COLOR:	
OY	frosted acrylic
FINISH:	
PC	polished chrome
SC	satin nickel
LAMP:	
LED927	integrated LED; 120v; 23.3w; 1676 delivered lumens; 2700K; 90 CRI LED ADA
LED 927277	integrated LED; 277v; 23.3w; 1676 delivered lumens; 2700K; 90 CRI LED ADA
LED930	integrated LED; 120v; 23.3w; 1676 delivered lumens; 3000K; 90 CRI LED ADA
LED 930277	integrated LED; 277v; 23.3w; 1676 delivered lumens; 3000K; 90 CRI LED ADA



LUFE ROUND WALL


P. 290, 340

MODEL:	WS983
COLOR:	
OY	frosted acrylic
FINISH:	
PC	polished chrome
SC	satin nickel
LAMP:	
LED927	integrated LED; 120v; 13w; 764 delivered lumens; 2700K; 90 CRI LED ADA
LED 927277	integrated LED; 277v; 13w; 764 delivered lumens; 2700K; 90 CRI LED ADA
LED930	integrated LED; 120v; 13w; 764 delivered lumens; 3000K; 90 CRI LED ADA
LED 930277	integrated LED; 277v; 13w; 764 delivered lumens; 3000K; 90 CRI LED ADA



LUFE SQUARE 36 P. 341

MODEL:	BA985
COLOR:	
OY	frosted acrylic
FINISH:	
PC	polished chrome
SC	satin nickel
LAMP:	
LED927	integrated LED; 120v; 34.5w; 2458 delivered lumens; 2700K; 90 CRI LED ADA
LED 927277	integrated LED; 277v; 34.5w; 2458 delivered lumens; 2700K; 90 CRI LED ADA
LED930	integrated LED; 120v; 34.5w; 2458 delivered lumens; 3000K; 90 CRI LED ADA
LED 930277	integrated LED; 277v; 34.5w; 2458 delivered lumens; 3000K; 90 CRI LED ADA



*Fusion Jack canopies sold separately. See p. 419-425 for options.
**Includes 4" Round Flush Canopy
***Monorail and all other accessories sold separately.
For use with 24 volt transformer, add suffix "-24" to item number. Only available with Xenon lamp.

LUFE SQUARE 48 P. 341

MODEL: **BA986**

COLOR:
OY frosted acrylic


FINISH:
PC polished chrome
SC satin nickel

LAMP:
LED927 integrated LED; 120v; 46.9w;
3444 delivered lumens; 2700K; 90 CRI
LED ADA

LED
927277 integrated LED; 277v; 46.9w;
3444 delivered lumens; 2700K; 90 CRI
LED ADA

LED930 integrated LED; 120v; 46.9w;
3444 delivered lumens; 3000K; 90 CRI
LED ADA

LED
930277 integrated LED; 277v; 46.9w;
3444 delivered lumens; 3000K; 90 CRI
LED ADA



LUFE SQUARE WALL P. 291, 341

MODEL: **WS987**

COLOR:
OY frosted acrylic


FINISH:
PC polished chrome
SC satin nickel

LAMP:
LED927 integrated LED; 120v; 13w;
764 delivered lumens; 2700K; 90 CRI
LED ADA

LED
927277 integrated LED; 277v; 13w;
764 delivered lumens; 2700K; 90 CRI
LED ADA

LED930 integrated LED; 120v; 13w;
764 delivered lumens; 3000K; 90 CRI
LED ADA

LED
930277 integrated LED; 277v; 13w;
764 delivered lumens; 3000K; 90 CRI
LED ADA



LYNK 12 P. 293, 343

MODEL: **WS916**


COLOR:
OY opal acrylic

FINISH:
BZ bronze
PC polished chrome
SC satin nickel

LAMP:
LED930 integrated LED; 120v; 12w; 650 lumens;
3000K; 90 CRI
LED ADA

LED
930277 integrated LED; 277v; 12w; 650 lumens;
3000K; 90 CRI
LED ADA

Mounts horizontally or vertically.



LYNK 24 P. 343

MODEL: **BA914**


COLOR:
OY opal acrylic

FINISH:
BZ bronze
PC polished chrome
SC satin nickel

LAMP:
LED930 integrated LED; 120v; 24w; 1300 lumens;
3000K; 90 CRI
LED ADA

LED
930277 integrated LED; 277v; 24w; 1300 lumens;
3000K; 90 CRI
LED ADA

Mounts horizontally or vertically.



How to Order Your LBL Lighting Fixture. Refer to page 434 for detailed instructions and dimmer guidelines. Build the item number by using the base model number and adding on the appropriate bolded codes for each of the selected options, in the order they are listed. For example: Item **#HS834FRBZLEDS830FSJ** is an Adara low-voltage pendant with Frost glass Color, and Bronze hardware Finish, including a SORAA LED module, all in a Fusion Jack mounting configuration.


Sample Ordering Grid

HS834	COLOR	FR	FINISH	BZ	LAMP	LEDS830	MOUNT	FSJ
	FR	FROST	BZ	BRONZE	1B	GY6.35 XENON 50W	FSJ	FUSION JACK
	SM	SMOKE	SC	SATIN NICKEL	LEDS830	SORAA LED MODULE 8W 500	MPT	MONOPOINT
	BU	STEEL BLUE				GROSS LUMEN 80 CRI 3000K	MRL	MONORAIL

LYNK 36 P. 343


MODEL:	BA913
COLOR:	
OY	opal acrylic
FINISH:	
BZ	bronze
PC	polished chrome
SC	satin nickel
LAMP:	
LED930	integrated LED; 120v; 36w; 1995 lumens; 3000K; 90 CRI
	LED ADA
LED 930277	integrated LED; 277v; 36w; 1995 lumens; 3000K; 90 CRI
	LED ADA

Mounts horizontally or vertically.




MADELEINE P. 218

MODEL:	HS268
COLOR:	
BU	blue
PR	purple
RD	red
TO	tortoise
FINISH:	
BZ	bronze
SC	satin nickel
LAMP:	
1B35	GY6.35 Xenon; lamp included; 35w; 525 lumens; 2900K; 100 CRI
MOUNT:	
FSJ	fusion jack*
MPT	monopoint**
MRL	monorail




MASON P. 97

TYPE:	
LF	incandescent
PF	compact flourescent
MODEL:	594
COLOR:	
AM	amber
CR	clear
FINISH:	
BZ	bronze
SC	satin nickel
LAMP:	
-	LF only; 1x; medium base (not included); 120v; 60w max.
	T24
2D	LF only; 1x; medium base BT15; lamp included; 120v; 43w
CF	PF only; 1x; GX24Q-3 triple tube; lamp included; 120v; 32w; 421 delivered lumens; 2700K; 82 CRI
	CF




MASON CLASSIC P. 97

MODEL:	LF573
COLOR:	
AM	amber
CR	clear
FINISH:	
BZ	bronze
SC	satin nickel
LAMP:	
-	1x; medium base (not included); 120v; 60w max.
	T24
2D	1x; medium base, classic edison T9; lamp included; 120v; 30w; 500 lumens; 2700K; 100 CRI




MATI C11 P. 99

MODEL:	LP974
COLOR:	
SM	smoke
WH	white
FINISH:	
SC	satin nickel
LAMP:	
-	1x; medium base (not included); 120v; 75w max.
	T24
LED827	1x; medium base, LED A19; lamp included; 120v; 9.5w; 421 delivered lumens; 2700K; 80 CRI
	LED



MATI C18 P. 99

MODEL:	LP976
COLOR:	
SM	smoke
WH	white
FINISH:	
SC	satin nickel
LAMP:	
-	1x; medium base (not included); 120v; 75w max.
	T24
LED827	1x; medium base, LED A19; lamp included; 120v; 9.5w; 147 delivered lumens; 2700K; 80 CRI
	LED



*Fusion Jack canopies sold separately. See p. 419-425 for options.
**Includes 4" Round Flush Canopy
***Monorail and all other accessories sold separately.
For use with 24 volt transformer, add suffix "-24" to item number. Only available with Xenon lamp.

MATI CN9 P. 99

MODEL: **LP975**

COLOR:

SM smoke
WH white

FINISH:

SC satin nickel


LAMP:

— 1x; medium base (not included);
120v; 75w max.

T24

LED827 1x; medium base, LED A19; lamp included;
120v; 9.5w; 330 delivered lumens;
2700K; 80 CRI

LED



MEKANIC P. 125

MODEL: **LP839**

COLOR:

BC rubberized black exterior /
copper interior
BS rubberized black exterior /
satin nickel interior

FINISH:

BL black


LAMP:

LED830 integrated LED; 120v; 8w; 290 lumens;
3000K; 80 CRI

LED

LED 830277 integrated LED; 277v; 8w; 290 lumens;
3000K; 80 CRI

LED



MENARA GRANDE P. 61

MODEL: **LP890**

COLOR:

AL aluminum
WH white


LAMP:

— 1x; medium base (not included);
120v; 75w max.

T24

LED827 1x; medium base, LED A21; lamp included;
120v; 19w; 1680 lumens; 2700K; 80 CRI

LED



MATI F16 P. 99

MODEL: **LP973**

COLOR:

SM smoke
WH white

FINISH:

SC satin nickel


LAMP:

— 1x; medium base (not included);
120v; 75w max.

T24

LED827 1x; medium base, LED A19; lamp included;
120v; 9.5w; 294 delivered lumens;
2700K; 80 CRI

LED



MENARA P. 61

MODEL: **LP891**

COLOR:

AL aluminum
WH white

FINISH:

SC satin nickel


LAMP:

— 1x; medium base (not included);
120v; 75w max.

T24

LED827 1x; medium base, LED A21; lamp included;
120v; 19w; 1680 lumens; 2700K; 80 CRI

LED



MERLINO SWIVEL II P. 254

MODEL: **HA300**

COLOR:

FR frost

FINISH:

BZ bronze
SC satin nickel

LENGTH:

01 1"

06 6"

12 12"

LAMP:

1A50 halogen MR16; lamp included; 50w;
3000K; 100 CRI

LED LED MR16; lamp included; 8w;
435 lumens; 3000K; 95 CRI


LED

MOUNT:

FSJ fusion jack*

MPT monopoint**

MRL monorail




How to Order Your LBL Lighting Fixture. Refer to page 434 for detailed instructions and dimmer guidelines. Build the item number by using the base model number and adding on the appropriate bolded codes for each of the selected options, in the order they are listed. For example: Item **#HS834FRBZLEDS830FSJ** is an Adara low-voltage pendant with Frost glass Color, and Bronze hardware Finish, including a SORAA LED module, all in a Fusion Jack mounting configuration.

Sample Ordering Grid

HS834	COLOR	FR	FINISH	BZ	LAMP	LEDS830	MOUNT	FSJ
	FR	FROST	BZ	BRONZE	1B	GY6.35 XENON 50W	FSJ	FUSION JACK
	SM	SMOKE	SC	SATIN NICKEL	LEDS830	SORAA LED MODULE 8W 500	MPT	MONOPOINT
	BU	STEEL BLUE				GROSS LUMEN 80 CRI 3000K	MRL	MONORAIL


MEZZO P. 77

MODEL:	LP772
COLOR:	
OP	opal
FINISH:	
GY	gray
WH	white
LAMP:	
—	1x; medium base (not included); 120v; 100w max. T24
CF	1x; GX24Q-3 triple tube; lamp included; 120v; 32w; 2328 lumens; 2700K; 82 CRI CF
LED827	1x; medium base LED A19; lamp included; 120v; 9.5w; 800 lumens; 2700K; 80 CRI LED




MEZZO GRANDE P. 77

MODEL:	LP773
COLOR:	
OP	opal
FINISH:	
GY	gray
WH	white
LAMP:	
—	1x; medium base (not included); 120v; 100w max. T24
CF	1x; GX24Q-3 triple tube; lamp included; 120v; 32w; 2328 lumens; 2700K; 82 CRI CF
LED827	1x; medium base LED A19; lamp included; 120v; 9.5w; 800 lumens; 2700K; 80 CRI LED




MIA P. 357

TYPE:	
HW	halogen
PW	compact fluorescent
MODEL:	486
COLOR:	
OO	opal/opal
FINISH:	
SC	satin nickel
LAMP:	
2J60	HW only; 4x; E11 Krypton; lamp included; 120v; 60w; 960 lumens; 2800K; 100 CRI ADA
14L1HE	PW only; 2x; T5 mini bi-pin fluorescent; lamp included; 120v; 14w; 1350 lumens; 3000K; 82 CRI CF ADA
14L2HE	PW only; 2x; T5 mini bi-pin fluorescent; lamp included; 277v; 14w; 1350 lumens; 3000K; 82 CRI CF ADA




MINI-DAHLLING P. 157

MODEL:	HS621
COLOR:	
GO	gray-opal
FINISH:	
BZ	bronze
SC	satin nickel
LAMP:	
1B	GY6.35 Xenon; lamp included; 50w; 750 lumens; 2900K; 100 CRI
LEDS830	SORAA bi-pin LED module; lamp included; 8w; 500 lumens; 3000K; 80 CRI LED
MOUNT:	
FSJ	fusion jack*
MPT	monopoint**
MRL	monorail




MINI-DIA P. 145

MODEL:	HS783
COLOR:	
CR	clear
BR	transparent brown
GY	transparent charcoal
FINISH:	
BZ	bronze
SC	satin nickel
LAMP:	
1B	GY6.35 Xenon; lamp included; 35w; 525 lumens; 2900K; 100 CRI
MOUNT:	
FSJ	fusion jack*
MPT	monopoint**
MRL	monorail



MILO P. 71

MODEL:	SU784
FINISH:	
GC	gray outside / chartreuse inside
WA	white outside / champagne inside
WO	white outside / orange inside
LAMP:	
—	1x; medium base (not included); 120v; 100w max. T24
CF	1x; GX24Q-3 triple tube; lamp included; 120v; 32w; 2328 lumens; 2700K; 82 CRI CF
LED827	1x; medium base LED A19; lamp included; 120v; 9.5w; 800 lumens; 2700K; 80 CRI LED



*Fusion Jack canopies sold separately. See p. 419-425 for options.
**Includes 4" Round Flush Canopy
***Monorail and all other accessories sold separately.
For use with 24 volt transformer, add suffix "-24" to item number. Only available with Xenon lamp.

MINI-DOME I SWIVEL I

P. 241

MODEL: **HB325**

FINISH:

BZ bronze
SC satin nickel

COLOR:

AM amber
CR clear
FR frost

LENGTH:

01 1"
06 6"
12 12"


LAMP:

1A50 halogen MR16; lamp included; 50w;
 3000K; 100 CRI

LED LED MR16; lamp included; 8w;
 435 lumens; 3000K; 95 CRI
LED

MOUNT:

FSJ fusion jack*
MPT monopoint**
MRL monorail



MINI-INDULGENT P. 197

MODEL: **HS599**

COLOR:

AM amber
OP opal
RD red

FINISH:

BZ bronze
SC satin nickel


LAMP:

1B GY6.35 Xenon; lamp included; 50w;
 750 lumens; 2900K; 100 CRI

LEDS830 SORAA bi-pin LED module;
 lamp included; 8w; 500 lumens;
 3000K; 80 CRI
LED

MOUNT:

FSJ fusion jack*
MPT monopoint**
MRL monorail

MINI-ISIS CYLINDER
(LOW-VOLTAGE PENDANT) P. 167MODEL: **HS545**

COLOR:

AM amber
AQ aqua
CR clear
SM smoke

FINISH:

BZ bronze
SC satin nickel


LAMP:

1B GY6.35 Xenon; lamp included; 50w;
 750 lumens; 2900K; 100 CRI

LEDS830 SORAA bi-pin LED module;
 lamp included; 8w; 500 lumens;
 3000K; 80 CRI
LED

MOUNT:

FSJ fusion jack*
MPT monopoint**
MRL monorail




How to Order Your LBL Lighting Fixture. Refer to page 434 for detailed instructions and dimmer guidelines. Build the item number by using the base model number and adding on the appropriate bolded codes for each of the selected options, in the order they are listed. For example: Item **#HS834FRBZLEDS830FSJ** is an Adara low-voltage pendant with Frost glass Color, and Bronze hardware Finish, including a SORAA LED module, all in a Fusion Jack mounting configuration.

Sample Ordering Grid

HS834	COLOR	<i>FR</i>	FINISH	<i>BZ</i>	LAMP	<i>LEDS830</i>	MOUNT	<i>FSJ</i>
	FR	FROST	BZ	BRONZE	1B	GY6.35 XENON 50W	FSJ	FUSION JACK
	SM	SMOKE	SC	SATIN NICKEL	LEDS830	SORAA LED MODULE 8W 500	MPT	MONOPOINT
	BU	STEEL BLUE				GROSS LUMEN 80 CRI 3000K	MRL	MONORAIL


MINI-ISLA P. 177

MODEL:	HS506
COLOR:	
AM	amber
AQ	aqua
CR	clear
SM	smoke
FINISH:	
BZ	bronze
SC	satin nickel
LAMP:	
1B35	GY6.35 Xenon; lamp included; 35w; 525 lumens; 2900K; 100 CRI
MOUNT:	
FSJ	fusion jack*
MPT	monopoint**
MRL	monorail




MINI-JASPER P. 175

MODEL:	HS539
COLOR:	
CR	clear
BU	steel blue
FINISH:	
BZ	bronze
SC	satin nickel
LAMP:	
1B	GY6.35 Xenon; lamp included; 50w; 750 lumens; 2900K; 100 CRI
MOUNT:	
FSJ	fusion jack*
MPT	monopoint**
MRL	monorail




MINI-MASON P. 159

MODEL:	HS574
COLOR:	
AM	amber
BR	brown
CR	clear
BU	steel blue
FINISH:	
BZ	bronze
SC	satin nickel
LAMP:	
1B50	GY6.35 Xenon; lamp included; 50w; 750 lumens; 2900K; 100 CRI
LEDS830	SORAA bi-pin LED module; lamp included; 8w; 500 lumens; 3000K; 80 CRI
MOUNT:	
FSJ	fusion jack*
MPT	monopoint**
MRL	monorail




MINI-MIYU P. 170

MODEL:	HS887
COLOR:	
GY	gray
BU	steel blue
FINISH:	
BZ	bronze
SC	satin nickel
LAMP:	
1B	GY6.35 Xenon; lamp included; 35w; 525 lumens; 2900K; 100 CRI
LEDS830	SORAA bi-pin LED module; lamp included; 8w; 500 lumens; 3000K; 80 CRI
MOUNT:	
FSJ	fusion jack*
MPT	monopoint**
MRL	monorail




MINI-MONTY P. 217

MODEL:	HS338
COLOR:	
BU	blue
MO	mocha
OP	opal
RD	red
FINISH:	
BZ	bronze
SC	satin nickel
LAMP:	
1B50	GY6.35 Xenon; lamp included; 50w; 750 lumens; 2900K; 100 CRI
LEDS830	SORAA bi-pin LED module; lamp included; 8w; 500 lumens; 3000K; 80 CRI
MOUNT:	
FSJ	fusion jack*
MPT	monopoint**
MRL	monorail



MINI-ROCK CANDY CYLINDER (LOW-VOLTAGE PENDANT) P. 168

MODEL:	HS547
COLOR:	
CR	clear
AM	dark amber
SM	smoke
FINISH:	
BZ	bronze
SC	satin nickel
LAMP:	
1B	GY6.35 Xenon; lamp included; 50w; 750 lumens; 2900K; 100 CRI
LEDS830	SORAA bi-pin LED module; lamp included; 8w; 500 lumens; 3000K; 80 CRI
MOUNT:	
FSJ	fusion jack*
MPT	monopoint**
MRL	monorail



*Fusion Jack canopies sold separately. See p. 419-425 for options.
**Includes 4" Round Flush Canopy
***Monorail and all other accessories sold separately.
For use with 24 volt transformer, add suffix "-24" to item number. Only available with Xenon lamp.

MINI-ROCK CANDY CYLINDER

(WALL SCONCE) P. 287

TYPE:

HW halogen
PW compact fluorescent

MODEL: **623**

COLOR:

AM amber
CR clear
SM smoke

FINISH:


BZ bronze
SC satin nickel

LAMP:

2G HW only; 1x; halogen G9; lamp included; 120v; 60w; 790 lumens; 2900K; 100 CRI

CF1HE PW only; 1x; G24W-3 quad tube fluorescent; lamp included; 120v; 26w; 1800 lumens; 2700K; 82 CRI

CF2HE PW only; 1x; G24Q-3 quad tube fluorescent; lamp included; 277v; 26w; 1800 lumens; 2700K; 82 CRI



wall projection 3.9" / 99 mm

MINI-ROCK CANDY ROUND

P. 169

MODEL: **HS546**

COLOR:

CR clear
SM smoke

FINISH:

BZ bronze
SC satin nickel

LAMP:


1B GY6.35 Xenon; lamp included; 50w; 750 lumens; 2900K; 100 CRI

LEDS830 SORAA bi-pin LED module; lamp included; 8w; 500 lumens; 3000K; 80 CRI

LED

MOUNT:

FSJ fusion jack*
MPT monopoint**
MRL monorail



MINI-SIGNAL P. 141

MODEL: **HS860**

COLOR:

GYBU rubberized gray exterior / blue interior
GYCP rubberized gray exterior / copper interior
GYGD rubberized gray exterior / gold interior
GYPL rubberized gray exterior / platinum interior
WHBU rubberized white exterior / blue interior
WHCP rubberized white exterior / copper interior
WHGD rubberized white exterior / gold interior
WHPL rubberized white exterior / platinum interior

FINISH:

SC satin nickel

LAMP:


1A halogen MR16; lamp included; 35w; 3000K; 100 CRI

LED930 LED MR16; lamp included; 8w; 435 lumens; 3000K; 95 CRI

LED

MOUNT:

FSJ fusion jack*
MPT monopoint**
MRL monorail




How to Order Your LBL Lighting Fixture. Refer to page 434 for detailed instructions and dimmer guidelines. Build the item number by using the base model number and adding on the appropriate bolded codes for each of the selected options, in the order they are listed. For example: Item **#HS834FRBZLEDS830FSJ** is an Adara low-voltage pendant with Frost glass Color, and Bronze hardware Finish, including a SORAA LED module, all in a Fusion Jack mounting configuration.

Sample Ordering Grid

HS834	COLOR	<i>FR</i>	FINISH	<i>BZ</i>	LAMP	<i>LEDS830</i>	MOUNT	<i>FSJ</i>
	FR	FROST	BZ	BRONZE	1B	GY6.35 XENON 50W	FSJ	FUSION JACK
	SM	SMOKE	SC	SATIN NICKEL	LEDS830	SORAA LED MODULE 8W 500	MPT	MONOPOINT
	BU	STEEL BLUE				GROSS LUMEN 80 CRI 3000K	MRL	MONORAIL


MINI-VERA P. 153

- MODEL: **HS778**
- COLOR:
OS opal/silver
- FINISH:
SC satin nickel
- LAMP:
1B GY6.35 Xenon; lamp included; 35w; 525 lumens; 2900K; 100 CRI
- LEDS830** SORAA bi-pin LED module; lamp included; 8w; 500 lumens; 3000K; 80 CRI
LED
- MOUNT:
FSJ fusion jack*
MPT monopoint**
MRL monorail




MINI-ZURI P. 143

- MODEL: **HS859**
- COLOR:
BL black
CP copper
SI silver
- FINISH:
BZ bronze
SC satin nickel
- LAMP:
1B GY6.35 Xenon; lamp included; 50w; 750 lumens; 2900K; 100 CRI
- MOUNT:
FSJ fusion jack*
MPT monopoint**
MRL monorail



MIYU P. 100

- TYPE:
LF incandescent
PF compact fluorescent
- MODEL: **578**
- COLOR:
BR dark brown
GY gray
BU steel blue
- FINISH:
BZ bronze
SC satin nickel
- LAMP:
— LF only; 1x; medium base (not included); 120v; 60w max.
T24
2D LF only; 1x; medium base BT15; lamp included; 120v; 43w
CF PF only; 1x; GX24Q-3 triple tube; lamp included; 120v; 32w; 2328 lumens; 2700K; 82 CRI



MODO P. 248

- MODEL: **HD474**
- FINISH:
BZ bronze
SC satin nickel
- LENGTH:
03 3"
06 6"
12 12"
- LAMP:
1A50 halogen MR16; lamp included; 50w; 3000K; 100 CRI
LED LED MR16; lamp included; 8w; 435 lumens; 3000K; 95 CRI
LED
- MOUNT:
FSJ fusion jack*
MPT monopoint**
MRL monorail



MODO ACCESSORIES
METAL SHIELD P. 249


- MODEL: **HAC476**
- FINISH:
BZ bronze
SC satin nickel



MODULAR
INDUSTRIAL MEDIUM P. 387

- MODEL: **PW527**
- FINISH:
BZ bronze
SS brushed stainless steel
- LAMP:
17L1HE 2x; T8 bi-pin fluorescent; lamp included; 120v; 17w; 1350 lumens; 3000K; 85 CRI
CF
17L2HE 2x; T8 bi-pin fluorescent; lamp included; 120v; 17w; 1350 lumens; 3000K; 85 CRI
CF
17L1HB 2x; T8 bi-pin fluorescent; lamp included; 120v; 17w; 1350 lumens; 3000K; 85 CRI
CF
17L2HB 2x; T8 bi-pin fluorescent; lamp included; 120v; 17w; 1350 lumens; 3000K; 85 CRI
CF
24L1HE 2x; T5HO mini bi-pin fluorescent; lamp included; 120v; 24w; 2000 lumens; 3000K; 82 CRI
CF
24L2HE 2x; T5HO mini bi-pin fluorescent; lamp included; 277v; 24w; 2000 lumens; 3000K; 82 CRI
CF
24L1HB 2x; T5HO mini bi-pin fluorescent; lamp included; 120v; 24w; 2000 lumens; 3000K; 82 CRI
CF
24L2HB 2x; T5HO mini bi-pin fluorescent; lamp included; 277v; 24w; 2000 lumens; 3000K; 82 CRI
CF

- LOCATION:
W wet



wall projection 5.2" / 132 mm

*Fusion Jack canopies sold separately. See p. 419-425 for options.
**Includes 4" Round Flush Canopy
***Monorail and all other accessories sold separately.
For use with 24 volt transformer, add suffix "-24" to item number. Only available with Xenon lamp.

MODULAR INDUSTRIAL SMALL P. 387

TYPE:

JW incandescent
PW compact fluorescent

MODEL: **119**

FINISH:

BZ bronze
SS brushed stainless steel

LOCATION:

W wet

LAMP:

— JW only; 2x; medium base (not included); 120v; 60w max.

T24

260 JW only; 2x; medium base halogen BT15; lamp included; 120v; 43w; 750 lumens; 2900K; 100 CRI

2241HE PW only; 2x; 2G11 twin tube fluorescent; lamp included; 120v; 24w; 1800 lumens; 3000K; 82 CRI


CF

2242HE PW only; 2x; 2G11 twin tube fluorescent; lamp included; 277v; 24w; 1800 lumens; 3000K; 82 CRI

CF

LOCATION:

W wet



wall projection 5.2" / 132 mm

MONACO P. 147

MODEL: **HS780**

COLOR:

GD gold bubble

FINISH:


BZ bronze
SC satin nickel

LAMP:

1B GY6.35 Xenon; lamp included; 35w; 525 lumens; 2900K; 100 CRI

MOUNT:

FSJ fusion jack*
MPT monopoint**
MRL monorail



MONO-ARC P. 257

MODEL: **HPARC**

FINISH:

BZ bronze
SC satin nickel

LAMP:

1A35 MR16; lamp included; 35w; 3000K; 100 CRI


1A50 halogen MR16; lamp included; 50w; 3000K; 100 CRI

LED830 LED MR16; lamp included; 6w; 435 lumens; 3000K; 80 CRI

LED

MOUNT:

MPT monopoint



MONO-TEL P. 257

MODEL: **HPTEL**

FINISH:

SC satin nickel

LAMP:

1A35 MR16; lamp included; 35w; 3000K; 100 CRI


1A50 halogen MR16; lamp included; 50w; 3000K; 100 CRI

LED830 LED MR16; lamp included; 6w; 435 lumens; 3000K; 80 CRI

LED

MOUNT:

MPT monopoint



MONTY P. 321

TYPE:

HW halogen
PW compact fluorescent

MODEL: **936**

COLOR:

MO mocha
OP opal

FINISH:

BZ bronze
SC satin nickel


LAMP:

2G60 HW only; 1x; G9 halogen; lamp included; 120v; 60w; 790 lumens; 2900K; 100 CRI

ADA T24

13Q PW only; 1x; G24Q-1 quad tube fluorescent; lamp included; 120v; 13w; 900 lumens; 2700K; 82 CRI

CF ADA



wall projection 3.8" / 97 mm

How to Order Your LBL Lighting Fixture. Refer to page 434 for detailed instructions and dimmer guidelines. Build the item number by using the base model number and adding on the appropriate bolded codes for each of the selected options, in the order they are listed. For example: Item **#HS834FRBZLEDS830FSJ** is an Adara low-voltage pendant with Frost glass Color, and Bronze hardware Finish, including a SORAA LED module, all in a Fusion Jack mounting configuration.

Sample Ordering Grid

HS834	COLOR	FR	FINISH	BZ	LAMP	LEDS830	MOUNT	FSJ
	FR	FROST	BZ	BRONZE	1B	GY6.35 XENON 50W	FSJ	FUSION JACK
	SM	SMOKE	SC	SATIN NICKEL	LED830	SORAA LED MODULE 8W 500	MPT	MONOPOINT
	BU	STEEL BLUE				GROSS LUMEN 80 CRI 3000K	MRL	MONORAIL

MOON DANCE 13 P. 380


MODEL: OD788

COLOR:
SM smoke glass

FINISH:
BZ bronze
SI silver

LAMP:
- 1x; medium base (not included); 120v; 60w max.
T24

LED 1x; LED Par 20; lamp included; 120v; 8w; 500 lumens; 3000K; 85 CRI
LED T24



MOON DANCE 18 P. 380


MODEL: OD789

COLOR:
SM smoke glass

FINISH:
BZ bronze
SI silver

LAMP:
- 1x; medium base (not included); 120v; 75w max.
T24

LED 1x; LED Par 30L; lamp included; 120v; 13w; 850 lumens; 3000K; 85 CRI
LED T24



MOON DANCE FLUSH P. 278, 380

MODEL: ODF827


COLOR:
SM smoke glass

FINISH:
BZ bronze
SI silver

LAMP:
- 2x; medium base (not included); 120v; 60w max.
T24

LED 1x; integrated LED; lamp included; 120v; 21w; 1100 lumens; 3000K; 80 CRI
LED T24

LED277 1x; integrated LED; lamp included; 277v; 21w; 1100 lumens; 3000K; 80 CRI
LED T24




NATE 17 P. 371

MODEL: OD1007

FINISH:
BZ bronze
GRP graphite

LAMP:
LED930 integrated LED; 120v; 136 delivered lumens; 3000K; 90 CRI
LED T24



NEPTUNE I P. 210

MODEL: HS371


COLOR:
AM amber
BU blue
OP opal
RD red

FINISH:
BZ bronze
SC satin nickel

LAMP:
1B50 GY6.35 Xenon; lamp included; 50w; 750 lumens; 2900K; 100 CRI

LEDs830 SORAA bi-pin LED module; lamp included; 8w; 500 lumens; 3000K; 80 CRI
LED

MOUNT:
FSJ fusion jack*
MPT monopoint**
MRL monorail




NATE 09 P. 371

MODEL: OD1006

FINISH:
BZ bronze
GRP graphite

LAMP:
LED930 integrated LED; 120v; 30 delivered lumens; 3000K; 90 CRI
LED ADA T24

LOCATION:
W wet




*Fusion Jack canopies sold separately. See p. 419-425 for options.
**Includes 4" Round Flush Canopy
***Monorail and all other accessories sold separately.
For use with 24 volt transformer, add suffix "-24" to item number. Only available with Xenon lamp.

NEUTRINO P. 369MODEL: **OD1012**

FINISH:

BZ bronze
GRP graphite

LAMP:

LEDWD integrated LED (warm color dim);
120v; 14.4w; 463 delivered lumens;
3000-2200K; 90 CRI**LED ADA T24****NEUTRON** P. 191MODEL: **HS390**

COLOR:

CR clear
FR frost

GLASS LENGTH:

16 16"

FINISH:

SC satin nickel


LAMP:

1L LED MR16; lamp included

LAMP COLOR:

AM amber
BU blue
GR green
RD red
WH cool white 5000K
WW warm white 3000K
RG rgb

MOUNT:

FSJ fusion jack*
MPT monopoint**
MRL monorail**NEW YORK LARGE** P. 389MODEL: **PW530**


FINISH:

BZ bronze
SS brushed stainless steel

LAMP:

25L1HE 2x; T8 bi-pin fluorescent; lamp included;
120v; 25w; 2150 lumens; 3000K; 85 CRI
CF**25L2HE** 2x; T8 bi-pin fluorescent; lamp included;
277v; 25w; 2150 lumens; 3000K; 85 CRI
CF**25L1HB** 2x; T8 bi-pin fluorescent; lamp included;
120v; 25w; 2150 lumens; 3000K; 85 CRI
CF**25L2HB** 2x; T8 bi-pin fluorescent; lamp included;
277v; 25w; 2150 lumens; 3000K; 85 CRI
CF**39L1HE** 2x; T5HO mini bi-pin fluorescent;
lamp included; 120v; 39w; 3100 lumens;
3000K; 85 CRI
CF**39L2HE** 2x; T5HO mini bi-pin; lamp included;
277v; 39w; 3100 lumens; 3000K; 85 CRI
CF**39L1HB** 2x; T5HO mini bi-pin fluorescent;
lamp included; 120v; 39w; 3100 lumens;
3000K; 85 CRI
CF**39L2HB** 2x; T5HO mini bi-pin fluorescent;
lamp included; 277v; 39w; 3100 lumens;
3000K; 85 CRI
CF

LOCATION:

W wet**NEW YORK MEDIUM** P. 389MODEL: **PW529**


FINISH:

BZ bronze
SS brushed stainless steel

LAMP:

17L1HE 2x; T8 bi-pin fluorescent; lamp included;
120v; 17w; 1350 lumens; 3000K; 85 CRI
CF**17L2HE** 2x; T8 bi-pin fluorescent; lamp included;
277v; 17w; 1350 lumens; 3000K; 85 CRI
CF**17L1HB** 2x; T8 bi-pin fluorescent; lamp included;
120v; 17w; 1350 lumens; 3000K; 85 CRI
CF**17L2HB** 2x; T8 bi-pin fluorescent; lamp included;
277v; 17w; 1350 lumens; 3000K; 85 CRI
CF**24L1HE** 2x; T5HO mini bi-pin fluorescent;
lamp included; 120v; 24w; 2000 lumens;
3000K; 82 CRI
CF**24L3HE** 2x; T5HO mini bi-pin; lamp included;
277v; 24w; 2000 lumens; 3000K; 82 CRI
CF**24L1HB** 2x; T5HO mini bi-pin fluorescent;
lamp included; 120v; 24w; 2000 lumens;
3000K; 82 CRI
CF**24L3HB** 2x; T5HO mini bi-pin fluorescent;
lamp included; 277v; 24w; 2000 lumens;
3000K; 82 CRI
CF

LOCATION:

W wet


How to Order Your LBL Lighting Fixture. Refer to page 434 for detailed instructions and dimmer guidelines. Build the item number by using the base model number and adding on the appropriate bolded codes for each of the selected options, in the order they are listed. For example: Item **#HS834FRBZLEDS830FSJ** is an Adara low-voltage pendant with Frost glass Color, and Bronze hardware Finish, including a SORAA LED module, all in a Fusion Jack mounting configuration.

Sample Ordering Grid

HS834	COLOR	FR	FINISH	BZ	LAMP	LEDS830	MOUNT	FSJ
	FR	FROST	BZ	BRONZE	1B	GY6.35 XENON 50W	FSJ	FUSION JACK
	SM	SMOKE	SC	SATIN NICKEL	LEDS830	SORAA LED MODULE 8W 500	MPT	MONOPOINT
	BU	STEEL BLUE				GROSS LUMEN 80 CRI 3000K	MRL	MONORAIL


NEW YORK SMALL P. 389

TYPE:	
JW	incandescent
PW	compact flourescent
MODEL: 115	
FINISH:	
BZ	bronze
SS	brushed stainless steel
LAMP:	
-	JW only; 2x; medium base (not included); 120v; 60w max. T24
260	JW only; 2x; medium base halogen BT15; lamp included; 120v; 43w; 750 lumens; 2900K; 82 CRI
2241HE	PW only; 2x; 2G11 twin tube flourescent; lamp included; 120v; 24w; 1800 lumens; 3000K; 82 CRI CF
2242HE	PW only; 2x; 2G11 twin tube flourescent; lamp included; 277v; 24w; 1800 lumens; 3000K; 82 CRI CF




NOEMA P. 69

MODEL: LP995	
FINISH:	
GD	matte gold
WH	matte white
BLGD	black exterior / gold interior
LAMP:	
-	1x; medium base (not included); 120v; 75w max. T24
LED830	1x; medium base LED A19; lamp included; 120v; 11w; 532 delivered lumens; 3000K; 80 CRI LED




OMA P. 87

MODEL: LP953	
COLOR:	
SM	smoke
WH	frosted white
LAMP:	
LEDWD	integrated LED (warm color dim); 120v; 14.1w; 260 delivered lumens; 3000-2200K; 90 CRI LED




OMNI COVER MEDIUM P. 325

TYPE:	
PW	compact flourescent
JW	incandescent
MODEL: 561	
COLOR:	
BOP	opal glass
FLI	linen fabric
FPE	pewter fabric
HFR	frost glass
MET	metal
FINISH:	
BZ	bronze
SI	silver
LAMP:	
-	JW only; 2x; medium base (not included); 120v; 60w max. ADA T24
2D	JW only; 2x; medium base halogen; lamp included; 120v; 43w; 750 lumens; 2900K; 100 CRI ADA
CF1HE	PW only; 1x; 2G11 twin tube; lamp included; 120v; 24w; 1800 lumens; 3000K; 82 CRI CF ADA
CF2HE	PW only; 1x; 2G11 twin tube; lamp included; 277v; 24w; 1800 lumens; 3000K; 82 CRI CF ADA



OMNI COVER SMALL P. 326

TYPE:	
JW	incandescent
LW	LED
PW	compact flourescent
MODEL: 559	
COLOR:	
BOP	opal glass
FLI	linen fabric
FPE	pewter fabric
HFR	frost glass
MET	metal
FINISH:	
BZ	bronze
SI	silver
LAMP:	
-	JW only; 1x; medium base (not included); 120v; 60w max. ADA T24
2D	JW only; 1x; medium base halogen BT15; lamp included; 120v; 43w; 760 lumens; 2800K; 100 CRI ADA
CF1HE	PW only; 1x; GX24Q-2 triple tube flourescent; lamp included; 120v; 18w; 1200 lumens; 2700K; 82 CRI CF ADA
CF2HE	PW only; 1x; GX24Q-2 triple tube flourescent; lamp included; 277v; 18w; 1200 lumens; 2700K; 82 CRI CF ADA
LED	LW only; 1x; integrated LED; lamp included; 120v; 10w; 1600 lumens; 2700K; 80 CRI; outdoor only LED ADA
LED277	LW only; 1x; integrated LED; lamp included; 277v; 10w; 1600 lumens; 2700K; 80 CRI; outdoor only LED ADA



*Fusion Jack canopies sold separately. See p. 419-425 for options.
**Includes 4" Round Flush Canopy
***Monorail and all other accessories sold separately.
For use with 24 volt transformer, add suffix "-24" to item number. Only available with Xenon lamp.

ONYX P. 199

MODEL / DESCRIPTION:

HS451 cone
HS176 cylinder
HS177 dome
HS178 teardrop

COLOR:

ON onyx

FINISH:

BZ bronze
SC satin nickel


LAMP:

1B50 GY6.35 Xenon; lamp included; 50w;
 750 lumens; 2900K; 100 CRI

LEDS830 SORAA bi-pin LED module;
 lamp included; 8w; 500 lumens;
 3000K; 80 CRI
LED

MOUNT:

FSJ fusion jack*
MPT monopoint**
MRL monorail

**ONYX CYLINDER**
(WALL SCONCE) P. 308

MODEL: **HW176**

COLOR:


ON onyx

FINISH:

BZ bronze

LAMP:

2G60 1x; G9 halogen; lamp included; 120v; 60w;
 790 lumens; 2900K; 100 CRI



wall projection 7.3" / 185 mm

OONI P. 224

MODEL: **HS171**

COLOR:

AM amber
BU blue
CR clear

FINISH:


SC satin nickel

LAMP:

1B35 GY6.35 Xenon; lamp included; 35w;
 600 lumens; 3000K; 100 CRI

MOUNT:

FSJ fusion jack*
MPT monopoint**
MRL monorail

**ORBIT SWIVEL I** P. 243

MODEL: **HB273**

FINISH:

BZ bronze
SC satin nickel

LENGTH:

01 1"
06 6"
12 12"


LAMP:

1A50 halogen MR16; lamp included; 50w;
 3000K; 100 CRI

LED LED MR16; lamp included; 8w;
 435 lumens; 3000K; 95 CRI
LED

MOUNT:

FSJ fusion jack*
MPT monopoint**
MRL monorail

**OREON** P. 136

MODEL: **HS994**

COLOR:

WH white

FINISH:


SC satin nickel

LAMP:

LEDS830 1x; SORAA bi-pin; lamp included; 12v; 8w;
 387 delivered lumens; 3000K; 80 CRI
LED

MOUNT:

FSJ fusion jack*
MPT monopoint**
MRL monorail

**ORNATA** P. 91

MODEL: **LP945**

COLOR:

SIAQ silver exterior / aqua interior
SICA silver exterior / champagne interior


FINISH:

SC satin nickel

LAMP:

— 1x; medium base (not included);
 120v; 75w max.
T24

LED827 1x; medium base, LED A19; lamp included;
 120v; 9.5w; 800 lumens; 2700K; 80 CRI
LED




How to Order Your LBL Lighting Fixture. Refer to page 434 for detailed instructions and dimmer guidelines. Build the item number by using the base model number and adding on the appropriate bolded codes for each of the selected options, in the order they are listed. For example: Item **#HS834FRBZLEDS830FSJ** is an Adara low-voltage pendant with Frost glass Color, and Bronze hardware Finish, including a SORAA LED module, all in a Fusion Jack mounting configuration.

Sample Ordering Grid

HS834	COLOR	FR	FINISH	BZ	LAMP	LEDS830	MOUNT	FSJ
	FR	FROST	BZ	BRONZE	1B	GY6.35 XENON 50W	FSJ	FUSION JACK
	SM	SMOKE	SC	SATIN NICKEL	LEDS830	SORAA LED MODULE 8W 500	MPT	MONOPOINT
	BU	STEEL BLUE				GROSS LUMEN 80 CRI 3000K	MRL	MONORAIL


ORTEX P. 51

- MODEL: SU886
- FINISH:
- BL black
- SI silver
- WH white
- LAMP:
- LED830 integrated LED; 120v; 42w; 3360 lumens; 3000K; 80 CRI
- LED 830277 integrated LED; 277v; 42w; 3360 lumens; 3000K; 80 CRI



PAIGE P. 151


- MODEL: HS795
- COLOR:
- CR clear
- AM light amber
- SM smoke
- FINISH:
- BZ bronze
- SC satin nickel
- LAMP:
- 1B GY6.35 Xenon; lamp included; 35w; 525 lumens; 2900K; 100 CRI
- LED830 SORAA bi-pin LED module; lamp included; 8w; 500 lumens; 3000K; 80 CRI
- MOUNT:
- FSJ fusion jack*
- MPT monopoint**
- MRL monorail



PALM LANE LARGE P. 379

- TYPE:
- JW incandescent
- PW compact fluorescent
- MODEL: 637
- COLOR:
- OP opal glass
- FINISH:
- BZ bronze
- SI silver
- LAMP:
- JW only; 1x; medium base (not included); 120v; 75w max.
- CF1HE PW only; 1x; GX24Q-3 triple tube fluorescent; lamp included; 120v; 26w; 1800 lumens; 2700K; 82 CRI
- CF2HE PW only; 1x; GX24Q-3 triple tube fluorescent; lamp included; 277v; 26w; 1800 lumens; 2700K; 82 CRI


- LOCATION:
- W wet



PALM LANE SMALL P. 379

- TYPE:
- JW incandescent
- PW compact fluorescent
- MODEL: 638
- COLOR:
- OP opal glass
- FINISH:
- BZ bronze
- SI silver
- LAMP:
- JW only; 1x; medium base (not included); 120v; 60w max.
- CF1HE PW only; 1x; GX24Q-3 triple tube fluorescent; lamp included; 120v; 18w; 1200 lumens; 2700K; 82 CRI
- CF2HE PW only; 1x; GX24Q-3 triple tube fluorescent; lamp included; 277v; 18w; 1200 lumens; 2700K; 82 CRI

- LOCATION:
- W wet



*Fusion Jack canopies sold separately. See p. 419-425 for options.

**Includes 4" Round Flush Canopy

***Monorail and all other accessories sold separately.

For use with 24 volt transformer, add suffix "-24" to item number. Only available with Xenon lamp.

PAVIA P. 329

TYPE:

JW incandescent
PW compact fluorescent

MODEL: **484**

COLOR:

LT latte
OP opal

FINISH:

BZ bronze
SC satin nickel

LAMP:


— JW only; 1x; medium base (not included);
 120v; 60w max.

ADA T24**2D60**

JW only; 1x; medium base halogen BT15;
 lamp included; 120v; 43w; 620 lumens;
 2900K; 100 CRI

ADA**139**

PW only; 1x; 2G11 twin tube fluorescent;
 lamp included; 120v; 36w; 3000K; 82 CRI

CF ADA

wall projection 3.8" / 97 mm

PERF P. 126

TYPE:

LF incandescent
PF compact fluorescent

MODEL: **5500**

COLOR:

CC chrome coat

LAMP:

— LF only; 1x; medium base (not included);
 120v; 60w max.

T24**32T**


PF only; 1x; GX24Q-3 triple tube;
 lamp included; 120v; 32w; 2328 lumens;
 2700K; 82 CRI

CF**32T-FP**

PF only; 1x; GX24Q-3 triple tube;
 lamp included; 120v; 32w; 2328 lumens;
 2700K; 82 CRI

CF**LED827**

LF only; 1x; medium base LED A19;
 lamp included; 120v; 9.5w; 800 lumens;
 2700K; 80 CRI

LED**PHOTON 34** P. 23MODEL: **CH996**

FINISH:


AB aged brass
SC satin nickel

LAMP:

LED930 integrated LED; 120v; 23.5w;
 1725 delivered lumens; 3000K; 90 CRI

LED**LED 930277**

integrated LED; 277v; 23.5w;
 1725 delivered lumens; 3000K; 90 CRI

LED**PHOTON 48** P. 23MODEL: **CH997**

FINISH:


AB aged brass
SC satin nickel

LAMP:

LED930 integrated LED; 120v; 35.1w;
 2709 delivered lumens; 3000K; 90 CRI

LED**LED 930277**

integrated LED; 277v; 35.1w;
 2709 delivered lumens; 3000K; 90 CRI

LED**PIER 60** P. 383MODEL: **LW639**

FINISH:


BZ bronze
SI silver

LAMP:

LED integrated LED; 120v; 13w; 250 lumens;
 3000K; 80 CRI

LED ADA T24

LOCATION:

W wet

wall projection 4" / 102 mm

PEAK P. 367MODEL: **OD1014**

COLOR:


BZ bronze
GRP graphite

LAMP:

LEDWD integrated LED (warm color dim);
 120v; 295 delivered lumens;
 3000-2200K; 90 CRI

LED T24

LOCATION:

W wet

wall projection 4.3" / 109 mm

How to Order Your LBL Lighting Fixture. Refer to page 434 for detailed instructions and dimmer guidelines. Build the item number by using the base model number and adding on the appropriate bolded codes for each of the selected options, in the order they are listed. For example: Item **#HS834FRBZLEDS830FSJ** is an Adara low-voltage pendant with Frost glass Color, and Bronze hardware Finish, including a SORAA LED module, all in a Fusion Jack mounting configuration.

Sample Ordering Grid

HS834	COLOR	FR	FINISH	BZ	LAMP	LEDS830	MOUNT	FSJ
	FR	FROST	BZ	BRONZE	1B	GY6.35 XENON 50W	FSJ	FUSION JACK
	SM	SMOKE	SC	SATIN NICKEL	LEDS830	SORAA LED MODULE 8W 500	MPT	MONOPOINT
	BU	STEEL BLUE				GROSS LUMEN 80 CRI 3000K	MRL	MONORAIL

PIER 60 LARGE P. 383


MODEL: **OD825**

FINISH:
BZ bronze
SI silver

LAMP:
LED integrated LED; 120v; 25w; 500 lumens; 3000K; 80 CRI
LED T24

LED277 integrated LED; 277v; 25w; 500 lumens; 3000K; 80 CRI
LED T24

LOCATION:
W wet



PIER 60 MEDIUM P. 383


MODEL: **OD826**

FINISH:
BZ bronze
SI silver

LAMP:
LED integrated LED; 120v; 22w; 400 lumens; 3000K; 80 CRI
LED ADA T24

LED277 integrated LED; 277v; 22w; 400 lumens; 3000K; 80 CRI
LED ADA T24

LOCATION:
W wet



PRESIDIO P. 319

TYPE:
HW halogen
PW compact fluorescent

MODEL: **614**

COLOR:
B black
S stainless steel

SCREW:
S standard

LAMP:
100 HW only; 1x; R75 double-ended halogen; lamp included; 120v; 100w; 1650 lumens; 2900K; 100 CRI

2131HE PW only; 2x; G24Q-1 quad tube fluorescent; lamp included; 120v; 13w; 900 lumens; 2700K; 82 CRI
CF


2123HE PW only; 2x; G24Q-1 quad tube fluorescent; lamp included; 277v; 13w; 900 lumens; 2700K; 82 CRI
CF

2181HE PW only; 2x; G24Q-2 quad tube fluorescent; lamp included; 120v; 18w; 1250 lumens; 2700K; 82 CRI
CF

2182HE PW only; 2x; G24Q-2 quad tube fluorescent; lamp included; 277v; 18w; 1250 lumens; 2700K; 82 CRI
CF

2261HE PW only; 2x; G24Q-3 quad tube fluorescent; lamp included; 120v; 26w; 1825 lumens; 2700K; 82 CRI
CF

2262HE PW only; 2x; G24Q-3 quad tube fluorescent; lamp included; 277v; 26w; 1825 lumens; 2700K; 82 CRI
CF



PRESIDIO WET P. 393


MODEL: **HW614**

FINISH:
B black
S stainless steel

SCREW TYPE:
S standard
T tamper proof

LAMP:
100 R75S double-ended halogen; lamp included; 120v; 100w; 1650 lumens; 2900K; 100 CRI
LED T24

LOCATION:
W wet




QUADRATE P. 365

MODEL: **OD1015**

FINISH:
BZ bronze
GRP graphite

LAMP:
LEDWD integrated LED (warm color dim); 120v; 383 delivered lumens; 3000-2200K; 90 CRI
LED T24

LOCATION:
W wet



*Fusion Jack canopies sold separately. See p. 419-425 for options.
**Includes 4" Round Flush Canopy
***Monorail and all other accessories sold separately.
For use with 24 volt transformer, add suffix "-24" to item number. Only available with Xenon lamp.

RACHEL P. 183MODEL: **HS455**

COLOR:

LTOP latte/opal
MOLT mocha/latte
OPAM opal/amber

FINISH:

BZ bronze
SC satin nickel

LAMP:


1B50 GY6.35 Xenon; lamp included; 50w; 750 lumens; 2900K; 100 CRI

LEDS830

SORAA bi-pin LED module; lamp included; 8w; 500 lumens; 3000K; 80 CRI
LED

MOUNT:

FSJ fusion jack*
MPT monopoint**
MRL monorail

**RAMI** P. 318MODEL: **WS722**

FINISH:

SS stainless steel

LAMP:

CF1HE 1x; GX24Q-2 triple tube; lamp included; 120v; 18w; 1250 lumens; 2700K; 82 CRI
CF

CF2HE


1x; GX24Q-2 triple tube; lamp included; 277v; 18w; 1250 lumens; 2700K; 82 CRI
CF

LED

1x; integrated LED; lamp included; 120v; 10w; 600 lumens; 2700K; 80 CRI
LED

LED277

1x; integrated LED; lamp included; 277v; 10w; 600 lumens; 2700K; 80 CRI
LED



wall projection 4.3" / 109 mm

RANIA P. 358MODEL: **BA823**

COLOR:

OY opal acrylic
OP opal glass

FINISH:

BZ bronze
SC satin nickel

LAMP:

CF1HE 1x; T5HO mini bi-pin fluorescent; lamp included; 120v; 24w; 2000 lumens; 3000K; 82 CRI
CF **ADA**

CF2HE


1x; T5HO mini bi-pin fluorescent; lamp included; 277v; 24w; 2000 lumens; 3000K; 82 CRI
CF **ADA**

LED

1x; integrated LED; 120v; 20w; 1480 lumens; 3000K; 80 CRI
LED **ADA**

LED277

1x; integrated LED; 277v; 20w; 1480 lumens; 3000K; 80 CRI
LED **ADA**

**RAVEN 18** P. 386MODEL: **OD746**

FINISH:

BL black
SI silver

LAMP:


LED integrated LED; 120v; 12w; 250 lumens; 3000K; 80 CRI
LED **ADA** **T24**

LED277

integrated LED; 277v; 12w; 250 lumens; 3000K; 80 CRI
LED **ADA** **T24**

LOCATION:

W wet

**RELIC NO. 2** P. 185MODEL: **HS689**

COLOR:

AM amber
CR clear

FINISH:


BZ bronze
SC satin nickel

LAMP:

1B35 GY6.35 Xenon; lamp included; 35w; 525 lumens; 2900K; 100 CRI

MOUNT:

FSJ fusion jack*
MPT monopoint**
MRL monorail

**RAVEN 12** P. 386MODEL: **OD745**

FINISH:

BL black
SI silver

LAMP:


LED integrated LED; 120v; 12w; 250 lumens; 3000K; 80 CRI
LED **ADA** **T24**

LED277

integrated LED; 277v; 12w; 250 lumens; 3000K; 80 CRI
LED **ADA** **T24**

LOCATION:

W wet




How to Order Your LBL Lighting Fixture. Refer to page 434 for detailed instructions and dimmer guidelines. Build the item number by using the base model number and adding on the appropriate bolded codes for each of the selected options, in the order they are listed. For example: Item **#HS834FRBZLEDS830FSJ** is an Adara low-voltage pendant with Frost glass Color, and Bronze hardware Finish, including a SORAA LED module, all in a Fusion Jack mounting configuration.

Sample Ordering Grid

HS834	COLOR	FR	FINISH	BZ	LAMP	LEDS830	MOUNT	FSJ
	FR	FROST	BZ	BRONZE	1B	GY6.35 XENON 50W	FSJ	FUSION JACK
	SM	SMOKE	SC	SATIN NICKEL	LEDS830	SORAA LED MODULE 8W 500	MPT	MONOPOINT
	BU	STEEL BLUE				GROSS LUMEN 80 CRI 3000K	MRL	MONORAIL


RENÉE I P. 137

MODEL:	HS283
COLOR:	
OP	opal
FINISH:	
SC	satin nickel
LAMP:	
1B50	GY6.35 Xenon; lamp included; 50w; 750 lumens; 2900K; 100 CRI
LEDS830	SORAA bi-pin LED module; lamp included; 8w; 500 lumens; 3000K; 80 CRI
	LED
MOUNT:	
FSJ	fusion jack*
MPT	monopoint**
MRL	monorail




REV SWIVEL P. 235

MODEL:	HE441
FINISH:	
BZ	bronze
SC	satin nickel
LENGTH:	
01	1"
06	6"
12	12"
LAMP:	
1A50	halogen MR16; lamp included; 50w; 3000K; 100 CRI
LED	LED MR16; lamp included; 8w; 435 lumens; 3000K; 95 CRI
	LED
MOUNT:	
FSJ	fusion jack*
MPT	monopoint**
MRL	monorail




RIO P. 182

MODEL:	HS585
COLOR:	
BB	amber / dark brown
BG	brown / gray
FINISH:	
BZ	bronze
SC	satin nickel
LAMP:	
1B	GY6.35 Xenon; lamp included; 50w; 750 lumens; 2900K; 100 CRI
LEDS830	SORAA bi-pin LED module; lamp included; 8w; 500 lumens; 3000K; 80 CRI
	LED
MOUNT:	
FSJ	fusion jack*
MPT	monopoint**
MRL	monorail




ROCK CANDY CYLINDER P. 115

TYPE:	
LF	incandescent
PF	compact flourescent
MODEL:	553
COLOR:	
CR	clear
AM	amber
SM	smoke
FINISH:	
BZ	bronze
SC	satin nickel
LAMP:	
-	LF only; 1x; medium base (not included); 120v; 60w max.
	T24
2D	LF only; 1x; medium base BT15; lamp included; 120v; 43w
CF	PF only; 1x; GX24Q-3 triple tube; lamp included; 120v; 26w; 1800 lumens; 2700K; 82 CRI
	CF



ROCKET P. 227

MODEL:	HS265
FINISH:	
SC	satin nickel
LAMP:	
1A35	halogen MR16; lamp included; 35w; 3000K; 100 CRI
MOUNT:	
FSJ	fusion jack*
MPT	monopoint**
MRL	monorail



*Fusion Jack canopies sold separately. See p. 419-425 for options.
**Includes 4" Round Flush Canopy
***Monorail and all other accessories sold separately.
For use with 24 volt transformer, add suffix "-24" to item number. Only available with Xenon lamp.

ROCKS P. 215MODEL: **HS261**

COLOR:

CR clear


FINISH:

BZ bronze**SC** satin nickel

LAMP:

1B35 GY6.35 Xenon; lamp included; 35w; 525 lumens; 2900K; 100 CRI

MOUNT:

FSJ fusion jack***MPT** monopoint****MRL** monorail**SEGURO** P. 179MODEL: **HS467**

COLOR:

CR clear**SM** smoke


FINISH:

BZ bronze**SC** satin nickel

LAMP:

1B35 GY6.35 Xenon; lamp included; 35w; 525 lumens; 2900K; 100 CRI

MOUNT:

FSJ fusion jack***MPT** monopoint****MRL** monorail**SHIELD GALLERIA** P. 257MODEL: **GHB295**


FINISH:

BL black**BZ** bronze**FR** frosted glass**SI** silver anodized aluminum

LAMP:

1A50 halogen MR16; lamp included; 50w; 3000K; 100 CRI

MOUNT:

MPT monopoint****SHIELD SWIVEL I** P. 239MODEL: **HB295**

COLOR:

BL black**BZ** bronze**FR** frost**SI** silver

FINISH:

BZ bronze**SC** satin nickel

LENGTH:

01 1"**06** 6"**12** 12"


LAMP:

1A50 halogen MR16; lamp included; 50w; 3000K; 100 CRI**LED**

LED MR16; lamp included; 8w; 435 lumens; 3000K; 95 CRI

LED

MOUNT:

FSJ fusion jack***MPT** monopoint****MRL** monorail**SHOWTIME** P. 310

TYPE:

JW incandescent**LW** LED**PW** compact fluorescentMODEL: **632**

COLOR:

OP opal

FINISH:

SC satin nickel

LAMP:

- JW only; 1x; medium base (not included); 120v; 60w max.**T24****2D**

JW only; 1x; medium base halogen BT15; lamp included; 120v; 43w; 750 lumens; 2900K; 100 CRI

ADA**CF1HE**


PW only; 1x; GX24Q-2 triple tube fluorescent; lamp included; 120v; 18w; 1200 lumens; 2700K; 82 CRI

CF **ADA****CF2HE**

PW only; 1x; GX24Q-2 triple tube fluorescent; lamp included; 277v; 18w; 1200 lumens; 2700K; 82 CRI

CF **ADA****LED**

LW only; 1x; integrated LED; lamp included; 120v; 10w; 600 lumens; 2700K; 80 CRI

LED **ADA**

wall projection 3.8" / 97 mm

SIENA P. 334MODEL: **CW003**


FINISH:

BZ bronze**SC** satin nickel

COMPATIBLE LAMP TYPES:

xenon

halogen (120v in / 12v out)



wall projection 3.9" / 99 mm — 5.6" / 142 mm

How to Order Your LBL Lighting Fixture. Refer to page 434 for detailed instructions and dimmer guidelines. Build the item number by using the base model number and adding on the appropriate bolded codes for each of the selected options, in the order they are listed. For example: Item **#HS834FRBZLEDS830FSJ** is an Adara low-voltage pendant with Frost glass Color, and Bronze hardware Finish, including a SORAA LED module, all in a Fusion Jack mounting configuration.


Sample Ordering Grid

HS834	COLOR	FR	FINISH	BZ	LAMP	LEDS830	MOUNT	FSJ
	FR	FROST	BZ	BRONZE	1B	GY6.35 XENON 50W	FSJ	FUSION JACK
	SM	SMOKE	SC	SATIN NICKEL	LEDS830	SORAA LED MODULE 8W 500	MPT	MONOPOINT
	BU	STEEL BLUE				GROSS LUMEN 80 CRI 3000K	MRL	MONORAIL

SIGNAL P. 73

MODEL:	LP861
COLOR:	
GYBU	rubberized gray exterior / blue interior
GYCP	rubberized gray exterior / copper interior
GYGD	rubberized gray exterior / gold interior
GYPL	rubberized gray exterior / platinum interior
WHBU	rubberized white exterior / blue interior
WHCP	rubberized white exterior / copper interior
WHGD	rubberized white exterior / gold interior
WHPL	rubberized white exterior / platinum interior


LAMP:	
-	1x; medium base (not included); 120v; 150w max. T24
CF	1x; GX24Q-3 triple tube; lamp included; 120v; 32w; 2328 lumens; 2700K; 82 CRI CF
CF277	1x; GX24Q-3 triple tube; lamp included; 277v; 32w; 2328 lumens; 2700K; 82 CRI CF
LED827	1x; medium base LED A19; lamp included; 120v; 9.5w; 800 lumens; 2700K; 80 CRI LED



SIGNAL GRANDE P. 73

MODEL:	LP862
COLOR:	
GYBU	rubberized gray exterior / blue interior
GYCP	rubberized gray exterior / copper interior
GYGD	rubberized gray exterior / gold interior
GYPL	rubberized gray exterior / platinum interior
WHBU	rubberized white exterior / blue interior
WHCP	rubberized white exterior / copper interior
WHGD	rubberized white exterior / gold interior
WHPL	rubberized white exterior / platinum interior

LAMP:	
-	1x; medium base (not included); 120v; 150w max. T24
CF	1x; GX24Q-3 triple tube; lamp included; 120v; 32w; 2328 lumens; 2700K; 82 CRI CF
CF277	1x; GX24Q-3 triple tube; lamp included; 277v; 32w; 2328 lumens; 2700K; 82 CRI CF
LED827	1x; medium base LED A21; lamp included; 120v; 19w; 1680 lumens; 2700K; 80 CRI LED




SPHERE 3-LIGHT P. 29

MODEL:	LP84903
FINISH:	
BL	rubberized black
SC	satin nickel
WH	rubberized white

GLASS COLOR:	
CR	cast clear
FR	frost
SM	cast smoke

LAMP:	
LED930	3x; integrated LED; 120v; 14w; 470 lumens 3000K; 90 CRI LED
LEDWD	3x; integrated LED (warm color dim); 120v; 14w; 470 lumens; 3000-2200K; 90 CRI LED




SPHERE 7-LIGHT P. 29

MODEL:	LP84907
FINISH:	
BL	rubberized black
SC	satin nickel
WH	rubberized white

GLASS COLOR:	
CR	cast clear
FR	frost
SM	cast smoke

LAMP:	
LED930	7x; integrated LED; 120v; 14w; 470 lumens 3000K; 90 CRI LED
LEDWD	7x; integrated LED (warm color dim); 120v; 14w; 470 lumens; 3000-2200K; 90 CRI LED




SOPHIA P. 205

MODEL:	HS266
COLOR:	
AM	amber
CR	clear

FINISH:	
BZ	bronze
SC	satin nickel

LAMP:	
1A35	halogen MR16; lamp included; 35w; 3000K; 100 CRI

MOUNT:	
FSJ	fusion jack*
MPT	monopoint**
MRL	monorail



*Fusion Jack canopies sold separately. See p. 419-425 for options.
**Includes 4" Round Flush Canopy
***Monorail and all other accessories sold separately.
For use with 24 volt transformer, add suffix "-24" to item number. Only available with Xenon lamp.

SPHERE 11-LIGHT P. 29

MODEL: **LP84911**

FINISH:

BL rubberized black
SC satin nickel
WH rubberized white


GLASS COLOR:

CR cast clear
FR frost
SM cast smoke

LAMP:

LED930 11x; integrated LED; 120v; 14w;
 470 lumens 3000K; 90 CRI
LED

LEDWD 11x; integrated LED (warm color dim);
 120v; 14w; 470 lumens;
 3000-2200K; 90 CRI
LED



SPHERE FLUSH P. 275, 301

MODEL: **FM929**

COLOR:


CR clear
FR frost

FINISH:

BL matte black
SC satin nickel
WH matte white

LAMP:

LEDWD integrated LED (warm color dim); 120v;
 15w; 600 lumens; 3000-2200K; 90 CRI
LED **ADA**



SPHERE LINE-VOLTAGE P. 121

MODEL: **LP849**

FINISH:

BL rubberized black
SC satin nickel
WH rubberized white


GLASS COLOR:

CR cast clear
FR frost
SM cast smoke

LAMP:

LED930 integrated LED; 120v; 14w; 470 lumens;
 3000K; 90 CRI
LED

LEDWD integrated LED (warm color dim); 120v;
 14w; 470 lumens; 3000-2200K; 90 CRI
LED



SPHERE WALL P. 299

MODEL: **WS929**

COLOR:


CR clear
FR frost
SM smoke

FINISH:

BL rubberized black
SC satin nickel
WH rubberized white

LAMP:

LEDWD integrated LED (warm color dim); 120v;
 9w; 500 lumens; 3000-2200K; 90 CRI
LED



SPHERE LOW-VOLTAGE P. 135

MODEL: **HS848**

FINISH:

BL rubberized black
SC satin nickel
WH rubberized white

GLASS COLOR:

CR cast clear
FR frost
SM cast smoke

FINISH:


SC satin nickel

LAMP:

LED830 integrated LED; 9w; 628 lumens;
 3000K; 80 CRI
LED

MOUNT:

FSJ fusion jack*
MPT monopoint**
MRL monorail




How to Order Your LBL Lighting Fixture. Refer to page 434 for detailed instructions and dimmer guidelines. Build the item number by using the base model number and adding on the appropriate bolded codes for each of the selected options, in the order they are listed. For example: Item **#HS834FRBZLEDS830FSJ** is an Adara low-voltage pendant with Frost glass Color, and Bronze hardware Finish, including a SORAA LED module, all in a Fusion Jack mounting configuration.

Sample Ordering Grid

HS834	COLOR	FR	FINISH	BZ	LAMP	LEDS830	MOUNT	FSJ
	FR	FROST	BZ	BRONZE	1B	GY6.35 XENON 50W	FSJ	FUSION JACK
	SM	SMOKE	SC	SATIN NICKEL	LEDS830	SORAA LED MODULE 8W 500	MPT	MONOPOINT
	BU	STEEL BLUE				GROSS LUMEN 80 CRI 3000K	MRL	MONORAIL


STEELE 24 P. 339

- MODEL: BA1008
- COLOR:
OY frosted acrylic
- FINISH:
PC polished chrome
SC satin nickel
- LAMP:
LED927 integrated LED; 120v; 25w; 1218 delivered lumens; 2700K; 90 CRI
LED ADA
927277 integrated LED; 277v; 25w; 1218 delivered lumens; 2700K; 90 CRI
LED ADA
LED930 integrated LED; 120v; 25w; 1218 delivered lumens; 3000K; 90 CRI
LED ADA
LED 930277 integrated LED; 277v; 25w; 1218 delivered lumens; 3000K; 90 CRI
LED ADA




STEELE 36 P. 339

- MODEL: BA1009
- COLOR:
OY frosted acrylic
- FINISH:
PC polished chrome
SC satin nickel
- LAMP:
LED927 integrated LED; 120v; 36w; 1639 delivered lumens; 2700K; 90 CRI
LED ADA
927277 integrated LED; 277v; 36w; 1639 delivered lumens; 2700K; 90 CRI
LED ADA
LED930 integrated LED; 120v; 36w; 1639 delivered lumens; 3000K; 90 CRI
LED ADA
LED 930277 integrated LED; 277v; 36w; 1639 delivered lumens; 3000K; 90 CRI
LED ADA




SWING P. 245

- MODEL: HD503
- FINISH:
BZ bronze
SC satin nickel
- BEAM SPREAD:
25 25°
40 40°
- LENGTH:
03 3"
06 6"
12 12"
- LAMP:
LED integrated LED; lamp included; 6w; 360 lumens; 3000K; 80 CRI
LED
- MOUNT:
FSJ fusion jack*
MPT monopoint**
MRL monorail




SWING ACCESSORIES
MINI-ROCK CANDY P. 249

- MODEL: HAC606
- COLOR:
AM dark amber
CR clear
SM smoke




SWING ACCESSORIES
ONYX CONE P. 249

- MODEL: HAC481
- COLOR:
ON honey onyx



SWING ACCESSORIES
SIGMA P. 249

- MODEL: HAC479
- FINISH:
BZ bronze
SC satin nickel




SWING ACCESSORIES
VOTI P. 249

- MODEL: HAC482
- COLOR:
AM amber
BU blue
FR frost
- FINISH:
BZ bronze
SC satin nickel



TALLO 6 P. 31

- MODEL: CH949
- FINISH:
BL matte black
SC satin nickel
- LAMP:
LEDWD 1x; integrated LED (warm color dim); 120v; 9w; 497 delivered lumens; 3000-2200K; 90 CRI
LED




*Fusion Jack canopies sold separately. See p. 419-425 for options.
**Includes 4" Round Flush Canopy
***Monorail and all other accessories sold separately.
For use with 24 volt transformer, add suffix "-24" to item number. Only available with Xenon lamp.

TALLO 12 P. 31MODEL: **CH950**

FINISH:

BL matte black**SC** satin nickel

LAMP:

LEDWD 1x; integrated LED (warm color dim); 120v; 14.5w; 497 delivered lumens; 3000-2200K; 90 CRI**LED****TAV 14** P. 381MODEL: **OD734**


FINISH:

MTBZ metal / bronze

LAMP:

LED integrated LED; 120v; 12w; 250 lumens; 2700K; 80 CRI; outdoor only**LED** **ADA** **T24****LED277** integrated LED; 277v; 12w; 250 lumens; 2700K; 80 CRI; outdoor only**LED** **ADA** **T24**

LOCATION:

W wet

wall projection 3.3" / 84 mm

TAV 18 P. 381MODEL: **OD735**


FINISH:

MTBZ metal / bronze

LAMP:

LED integrated LED; 120v; 12w; 250 lumens; 2700K; 80 CRI; outdoor only**LED** **ADA** **T24****LED277** integrated LED; 277v; 12w; 250 lumens; 2700K; 80 CRI; outdoor only**LED** **ADA** **T24**

LOCATION:

W wet

wall projection 3.3" / 84 mm

TEAR DROP P. 331

TYPE:

HW halogen**LW** LED**PW** compact fluorescentMODEL: **4601**

COLOR:

OP opal

FINISH:

SC satin nickel

LAMP:

2G60 HW only; 1x; halogen G9; lamp included; 120v; 60w; 790 lumens; 2900K; 100 CRI**ADA****13Q1HE**

PW only; 1x; G24Q-1 quad tube fluorescent; lamp included; 120v; 13w; 900 lumens; 2700K; 82 CRI

CF **ADA****13Q2HE**


PW only; 1x; G24Q-1 quad tube fluorescent; lamp included; 277v; 13w; 900 lumens; 2700K; 82 CRI

CF **ADA****LED**

LW only; 1x; integrated LED; lamp included; 120v; 10w; 600 lumens; 2700K; 80 CRI

LED **ADA****LED277**

LW only; 1x; integrated LED; lamp included; 277v; 10w; 600 lumens; 2700K; 80 CRI

LED **ADA**

wall projection 3.3" / 84 mm


How to Order Your LBL Lighting Fixture. Refer to page 434 for detailed instructions and dimmer guidelines. Build the item number by using the base model number and adding on the appropriate bolded codes for each of the selected options, in the order they are listed. For example: Item **#HS834FRBZLEDS830FSJ** is an Adara low-voltage pendant with Frost glass Color, and Bronze hardware Finish, including a SORAA LED module, all in a Fusion Jack mounting configuration.

Sample Ordering Grid

HS834	COLOR	<i>FR</i>	FINISH	<i>BZ</i>	LAMP	<i>LEDS830</i>	MOUNT	<i>FSJ</i>
	FR	FROST	BZ	BRONZE	1B	GY6.35 XENON 50W	FSJ	FUSION JACK
	SM	SMOKE	SC	SATIN NICKEL	LEDS830	SORAA LED MODULE 8W 500	MPT	MONOPOINT
	BU	STEEL BLUE				GROSS LUMEN 80 CRI 3000K	MRL	MONORAIL

TEAR-SII COAX P. 202

MODEL:	HS242
COLOR:	
BU	blue
OP	opal
RD	red
FINISH:	
SC	satin nickel
LAMP:	
1B35	GY6.35 Xenon; lamp included; 35w; 525 lumens; 2900K; 100 CRI
LEDS830	SORAA bi-pin LED module; lamp included; 8w; 500 lumens; 3000K; 80 CRI
	LED
MOUNT:	
FSJ	fusion jack*
MPT	monopoint**
MRL	monorail



TENUR ROUND 10 P. 270, 302

MODEL:	FM925
COLOR:	
OY	opal acrylic
FINISH:	
SI	silver
WH	matte white
LAMP:	
LED930	integrated LED; 120v; 12w; 750 lumens; 3000K; 90 CRI
	LED ADA
LED 930277	integrated LED; 277v; 12w; 750 lumens; 3000K; 90 CRI
	LED ADA

Ceiling or wall mountable.



TENUR ROUND 12 P. 270, 302

MODEL:	FM924
COLOR:	
OY	opal acrylic
FINISH:	
SI	silver
WH	matte white
LAMP:	
LED930	integrated LED; 120v; 30w; 1300 lumens; 3000K; 90 CRI
	LED ADA
LED 930277	integrated LED; 277v; 30w; 1300 lumens; 3000K; 90 CRI
	LED ADA


Ceiling or wall mountable.



TENUR SQUARE 9 P. 269, 303

MODEL:	FM927
COLOR:	
OY	opal acrylic
FINISH:	
SI	silver
WH	matte white
LAMP:	
LED930	integrated LED; 120v; 22w; 1100 lumens; 3000K; 90 CRI
	LED ADA
LED 930277	integrated LED; 277v; 22w; 1100 lumens; 3000K; 90 CRI
	LED ADA

Ceiling or wall mountable.



TENUR SQUARE 12 P. 269, 303


MODEL:	FM926
COLOR:	
OY	opal acrylic
FINISH:	
SI	silver
WH	matte white
LAMP:	
LED930	integrated LED; 120v; 30w; 1400 lumens; 3000K; 90 CRI
	LED ADA
LED 930277	integrated LED; 277v; 30w; 1400 lumens; 3000K; 90 CRI
	LED ADA

Ceiling or wall mountable.



TINDRA P. 111

MODEL:	LP794
COLOR:	
OP	opal
SM	transparent smoke
FINISH:	
BZ	bronze
SC	satin nickel
LAMP:	
-	1x; medium base (not included); 120v; 60w max.
	T24
2D	1x; medium base classic edison T9; lamp included (smoke only); 30w; 500 lumens; 2700K 100 CRI
CF	1x; GX24Q-3 triple tube; lamp included (opal only); 32w; 2328 lumens; 2700K; 82 CRI
	CF



*Fusion Jack canopies sold separately. See p. 419-425 for options.
**Includes 4" Round Flush Canopy
***Monorail and all other accessories sold separately.
For use with 24 volt transformer, add suffix "-24" to item number. Only available with Xenon lamp.

TOGAN P. 63

MODEL: **LP893**

COLOR:

WHAL white top / aluminum bottom

WHWH white top / white bottom


LAMP:

— 1x; medium base (not included);
120v; 75w max.

T24

LED827 1x; medium base LED A21; lamp included;
120v; 9.5w; 800 lumens; 2700K; 80 CRI

LED



TOGAN GRANDE P. 63

MODEL: **LP892**

COLOR:

WHAL white top / aluminum bottom

WHWH white top / white bottom


LAMP:

— 1x; medium base (not included);
120v; 75w max.

T24

LED827 1x; medium base LED A21; lamp included;
120v; 19w; 1680 lumens; 2700K; 80 CRI

LED



TOGAN LOW-VOLTAGE P. 139

MODEL: **HS893**

COLOR:

WHAL white top / aluminum bottom

WHWH white top / white bottom

FINISH:

SC satin nickel

LAMP:

1A halogen MR16; lamp included; 50w;
3000K; 100 CRI

LED930 LED MR16; lamp included; 8w;
435 lumens; 3000K; 95 CRI


LED

MOUNT:

FSJ fusion jack*

MPT monopoint**

MRL monorail



TOP P. 288

TYPE:

HW halogen

PW compact fluorescent

MODEL: **2930**

COLOR:

FR frost

FINISH:

BL matte black

BZ bronze

PC polished chrome


SC satin nickel

LAMP:

2G40 HW only; 1x; halogen G9; lamp included;
120v; 40w; 480 lumens; 2900K; 100 CRI

PL13 PW only; 1x; 2GX7 twin tube fluorescent;
lamp included; 120v; 13w; 800 lumens;
3000K; 82 CRI

CF



wall projection 2.9" / 75 mm

TOP-SI COAX P. 192

MODEL: **HS240**

COLOR:

AM amber

CR clear

OP opal

FINISH:

SC satin nickel

LAMP:


1B50 GY6.35 Xenon; lamp included; 50w;
750 lumens; 2900K; 100 CRI

MOUNT:

FSJ fusion jack*

MPT monopoint**

MRL monorail



TORQUE 18 P. 33

MODEL: **SU897**

FINISH:

SC satin nickel

WH matte white

SIZE:

18 18" diameter


LAMP:

LED930 integrated LED; 120v; 35w; 2400 lumens;
3000K; 90 CRI

LED

LED 930277 integrated LED; 277v; 35w; 2400 lumens;
3000K; 90 CRI

LED




How to Order Your LBL Lighting Fixture. Refer to page 434 for detailed instructions and dimmer guidelines. Build the item number by using the base model number and adding on the appropriate bolded codes for each of the selected options, in the order they are listed. For example: Item **#HS834FRBZLEDS830FSJ** is an Adara low-voltage pendant with Frost glass Color, and Bronze hardware Finish, including a SORAA LED module, all in a Fusion Jack mounting configuration.

Sample Ordering Grid

HS834	COLOR	FR	FINISH	BZ	LAMP	LEDS830	MOUNT	FSJ
	FR	FROST	BZ	BRONZE	1B	GY6.35 XENON 50W	FSJ	FUSION JACK
	SM	SMOKE	SC	SATIN NICKEL	LEDS830	SORAA LED MODULE 8W 500	MPT	MONOPOINT
	BU	STEEL BLUE				GROSS LUMEN 80 CRI 3000K	MRL	MONORAIL

TORQUE 27 P. 33

- MODEL: SU897
- FINISH:
- SC satin nickel
- WH matte white
- SIZE:
- 27 27" diameter
- LAMP:
- LED930 integrated LED; 120v; 45w; 3200 lumens; 3000K; 90 CRI
- LED 930277 integrated LED; 277v; 45w; 3200 lumens; 3000K; 90 CRI
- dimmer statement to come




TRISTA P. 149

- MODEL: HS844
- COLOR:
- GD gold
- FINISH:
- SC satin nickel
- LAMP:
- LED930 LED MR16; lamp included; 8w; 435 lumens; 3000K; 90 CRI
- MOUNT:
- FSJ fusion jack*
- MPT monopoint**
- MRL monorail




TRISTA GRANDE P. 107

- MODEL: LP885
- COLOR:
- GD gold
- FINISH:
- BL black
- SC satin nickel
- WH white
- LAMP:
- LED830 integrated LED; 120v; 15w; 800 lumens; 3000K; 80 CRI
- LED 830277 integrated LED; 277v; 15w; 800 lumens; 3000K; 80 CRI



TUBE 2 P. 229


- MODEL: HS2932
- COLOR:
- FR frost
- FINISH:
- BL black (monopoint only)
- BZ bronze
- SC satin nickel
- LAMP:
- 1B35 GY6.35 Xenon; lamp included; 35w; 525 lumens; 2900K; 100 CRI
- MOUNT:
- MPT monopoint**
- MRL monorail



TUBULAR LARGE P. 391

- MODEL: PW532
- FINISH:
- BZ bronze
- SS brushed stainless steel
- LAMP:
- 25L1HE 2x; T8 bi-pin flourescent; lamp included; 120v; 25w; 2150 lumens; 3000K; 85 CRI
- 25L2HE 2x; T8 bi-pin flourescent; lamp included; 277v; 25w; 2150 lumens; 3000K; 85 CRI
- 25L1HB 2x; T8 bi-pin flourescent; lamp included; 120v; 25w; 2150 lumens; 3000K; 85 CRI
- 25L2HB 2x; T8 bi-pin flourescent; lamp included; 277v; 25w; 2150 lumens; 3000K; 85 CRI
- 39L1HE 2x; T5HO mini bi-pin flourescent; lamp included; 120v; 39w; 3100 lumens; 3000K; 85 CRI
- 39L2HE 2x; T5HO mini bi-pin flourescent; lamp included; 277v; 39w; 3100 lumens; 3000K; 85 CRI
- 39L1HB 2x; T5HO mini bi-pin flourescent; lamp included; 120v; 39w; 3100 lumens; 3000K; 85 CRI
- 39L2HB 2x; T5HO mini bi-pin flourescent; lamp included; 277v; 39w; 3100 lumens; 3000K; 85 CRI

- LOCATION:
- W wet



*Fusion Jack canopies sold separately. See p. 419-425 for options.

**Includes 4" Round Flush Canopy

***Monorail and all other accessories sold separately.

For use with 24 volt transformer, add suffix "-24" to item number. Only available with Xenon lamp.

TUBULAR MEDIUM P. 391

MODEL: **PW531**

FINISH:

BZ bronze
SS brushed stainless steel

LAMP:

17L1HE 2x; T8 bi-pin fluorescent; lamp included; 120v; 17w; 1350 lumens; 3000K; 85 CRI
CF

17L2HE 2x; T8 bi-pin fluorescent; lamp included; 277v; 17w; 1350 lumens; 3000K; 85 CRI
CF

17L1HB 2x; T8 bi-pin fluorescent; lamp included; 120v; 17w; 1350 lumens; 3000K; 85 CRI
CF

17L2HB 2x; T8 bi-pin fluorescent; lamp included; 277v; 17w; 1350 lumens; 3000K; 85 CRI
CF

24L1HE 2x; T5HO mini bi-pin fluorescent; lamp included; 120v; 24w; 2000 lumens; 3000K; 82 CRI
CF


24L3HE 2x; T5HO mini bi-pin fluorescent; lamp included; 277v; 24w; 2000 lumens; 3000K; 82 CRI
CF

24L1HB 2x; T5HO mini bi-pin fluorescent; lamp included; 120v; 24w; 2000 lumens; 3000K; 82 CRI
CF

24L3HB 2x; T5HO mini bi-pin fluorescent; lamp included; 277v; 24w; 2000 lumens; 3000K; 82 CRI
CF

LOCATION:

W wet



wall projection 6.3"/160 mm

TUBULAR SMALL P. 391

TYPE:

JW incandescent
PW compact fluorescent

MODEL: **120**

FINISH:

BZ bronze
SS brushed stainless steel

LAMP:

- JW only; 2x; medium base (not included); 120v; 60w max.
T24


260 JW only; 2x; medium base halogen BT15; lamp included; 120v; 43w; 750 lumens; 2900K; 100 CRI

2241HE PW only; 2x; 2G11 twin tube fluorescent; lamp included; 120v; 24w; 1800 lumens; 3000K; 82 CRI
CF

2242HE PW only; 2x; 2G11 twin tube fluorescent; lamp included; 277v; 24w; 1800 lumens; 3000K; 82 CRI
CF

LOCATION:

W wet



wall projection 6.3"/160 mm

TWILIGHT 20 P. 37

MODEL: **HS4420**

OPTION:

- bare lamp
F flite paper

LAMP:


410 20x; G4 bi-pin Xenon; lamp included; 120v; 10w; 2500 lumens; 2800K; 100 CRI

FINISH:

SC satin nickel

LENGTH:

60 60" overall
120 120" overall

TWILIGHT GLASS
TEARDROP ACCESSORY
P. 37

COLOR:

GB1AM amber
GB1BU blue
GB1FR frost


How to Order Your LBL Lighting Fixture. Refer to page 434 for detailed instructions and dimmer guidelines. Build the item number by using the base model number and adding on the appropriate bolded codes for each of the selected options, in the order they are listed. For example: Item **#HS834FRBZLEDS830FSJ** is an Adara low-voltage pendant with Frost glass Color, and Bronze hardware Finish, including a SORAA LED module, all in a Fusion Jack mounting configuration.

Sample Ordering Grid

HS834	COLOR	FR	FINISH	BZ	LAMP	LEDS830	MOUNT	FSJ
	FR	FROST	BZ	BRONZE	1B	GY6.35 XENON 50W	FSJ	FUSION JACK
	SM	SMOKE	SC	SATIN NICKEL	LEDS830	SORAA LED MODULE 8W 500	MPT	MONOPOINT
	BU	STEEL BLUE				GROSS LUMEN 80 CRI 3000K	MRL	MONORAIL


TWIN SPOT SWIVEL P. 233

MODEL:	HE382
FINISH:	
BZ	bronze
SC	satin nickel
LENGTH:	
03	3"
06	6"
12	12"
LAMP:	
1A35	halogen MR16; lamp included; 35w; 3000K; 100 CRI
MOUNT:	
FSJ	fusion jack*
MPT	monopoint**
MRL	monorail



TWIN TUBE BATH INSTALLATION KIT P. 360

MODEL:	KHBTWN
HEAD / DESCRIPTION:	
TB	tube
COLOR:	
FR	frosted glass
FINISH:	
BZ	bronze
SC	satin nickel
LAMP:	
1B10	6x; G4 xenon; lamp included; 12v; 10w; 125 lumens; 2800K; 100 CRI
1B20	6x; G4 xenon; lamp included; 12v; 20w; 250 lumens; 2800K; 100 CRI
CANOPY:	
02	2" canopy with 2" electrical box
04	4" canopy




TWIN TUBE BATH ADDITIONAL HEADS P. 361

MODEL:	KHBTWN
HEAD / DESCRIPTION:	
TB	tube
COLOR:	
FR	frosted glass
FINISH:	
BZ	bronze
SC	satin nickel
LAMP:	
1B10	6x; G4 xenon; lamp included; 12v; 10w; 125 lumens; 2800K; 100 CRI
1B20	6x; G4 xenon; lamp included; 12v; 20w; 250 lumens; 2800K; 100 CRI




UPSTATE 11 P. 385

MODEL:	OD736
FINISH:	
BZ	bronze
SI	silver
LAMP:	
LED	integrated LED; 120v; 12w; 250 lumens; 3000K; 80 CRI
LED277	integrated LED; 277v; 12w; 250 lumens; 3000K; 80 CRI
LOCATION:	
W	wet




UPSTATE 18 P. 385

MODEL:	OD737
FINISH:	
BZ	bronze
SI	silver
LAMP:	
LED	integrated LED; 120v; 12w; 250 lumens; 3000K; 80 CRI
LED277	integrated LED; 277v; 12w; 250 lumens; 3000K; 80 CRI
LOCATION:	
W	wet



UPTOWN LARGE P. 384

MODEL:	LW641
FINISH:	
BL	black
BZ	bronze
SI	silver
LAMP:	
LED	integrated LED; 120v; 13w; 250 lumens; 3000K; 80 CRI
LOCATION:	
W	wet



*Fusion Jack canopies sold separately. See p. 419-425 for options.
**Includes 4" Round Flush Canopy
***Monorail and all other accessories sold separately.
For use with 24 volt transformer, add suffix "-24" to item number. Only available with Xenon lamp.

UPTOWN SMALL P. 384

MODEL: **LW642**

FINISH:


BL black
BZ bronze
SI silver

LAMP:

LED integrated LED; 120v; 13w; 250 lumens;
 3000K; 80 CRI
LED T24

LOCATION:

W wet



VANTRA P. 276, 313

MODEL: **FM853**

FINISH:

SC satin nickel
WH rubberized white

DISTRIBUTION:


RF back reflector-forward throw
NR no reflector-direct / indirect

LAMP:

LED830 integrated LED; 120v; 40w; 2600 lumens;
 3000K; 80 CRI
LED ADA

LED 830277 integrated LED; 277v; 40w; 2600 lumens;
 3000K; 80 CRI
LED ADA

Ceiling or wall mountable, vertically or horizontally.



VARIA P. 108

MODEL: **LP881**

COLOR:

CR clear
SM smoke

FINISH:

BZ bronze
SC satin nickel

LAMP:


— 1x; medium base (not included);
 120v; 75w max.
T24

CF 1x; GX24Q-3 triple tube; lamp included;
 120v; 32w; 2328 lumens; 2700K; 82 CRI
CF

CF277 1x; GX24Q-3 triple tube; lamp included;
 277v; 32w; 2328 lumens; 2700K; 82 CRI
CF

LED827 1x; medium base LED A19; lamp included;
 120v; 9.5w; 800 lumens; 2700K; 80 CRI
LED

PSUNV 1x; GX24Q-3 triple tube; programmed
 start; lamp included; 120-277v; 32w;
 2328 lumens; 2700K; 82 CRI
CF



VENT P. 247

MODEL: **HD475**

FINISH:

BZ bronze
SC satin nickel

LENGTH:

03 3"
06 6"
12 12"


LAMP:

1A50 halogen MR16; lamp included; 50w;
 3000K; 100 CRI

LED LED MR16; lamp included; 8w;
 435 lumens; 3000K; 95 CRI
LED

MOUNT:

FSJ fusion jack*
MPT monopoint**
MRL monorail



VENT ACCESSORIES MINI-ROCK CANDY P. 249

MODEL: **HAC606**

COLOR:

AM dark amber
CR clear
SM smoke



VENT ACCESSORIES ONYX CONE P. 249

MODEL: **HAC481**

COLOR:

ON honey onyx



How to Order Your LBL Lighting Fixture. Refer to page 434 for detailed instructions and dimmer guidelines. Build the item number by using the base model number and adding on the appropriate bolded codes for each of the selected options, in the order they are listed. For example: Item **#HS834FRBZLEDS830FSJ** is an Adara low-voltage pendant with Frost glass Color, and Bronze hardware Finish, including a SORAA LED module, all in a Fusion Jack mounting configuration.

Sample Ordering Grid

HS834	COLOR	FR	FINISH	BZ	LAMP	LEDS830	MOUNT	FSJ
	FR	FROST	BZ	BRONZE	1B	GY6.35 XENON 50W	FSJ	FUSION JACK
	SM	SMOKE	SC	SATIN NICKEL	LEDS830	SORAA LED MODULE 8W 500	MPT	MONOPOINT
	BU	STEEL BLUE				GROSS LUMEN 80 CRI 3000K	MRL	MONORAIL

VENT ACCESSORIES

SIGMA P. 249

MODEL: **HAC479**

FINISH:

BZ bronze
SC satin nickel



VENT ACCESSORIES

VOTI P. 249

MODEL: **HAC482**

COLOR:

AM amber
BU blue
FR frost

FINISH:

BZ bronze
SC satin nickel



VERA

P. 113

MODEL: **LP777**

COLOR:

OS opal / silver

FINISH:

SC satin nickel

LAMP:

— 1x; medium base (not included); 120v; 75w max.


T24

CF 1x; GX24Q-3 triple tube; lamp included; 120v; 32w; 2328 lumens; 2700K; 82 CRI

CF

LED827 1x; medium base LED A19; lamp included; 120v; 9.5w; 800 lumens; 2700K; 80 CRI

LED



VERTURA 24

P. 355

MODEL: **BA867**

FINISH:

BZ bronze
SC satin nickel


LAMP:

LED830 integrated LED; 120v; 12.5w; 550 lumens; 3000K; 80 CRI

LED

LED 830277 integrated LED; 277v; 12.5w; 550 lumens; 3000K; 80 CRI

LED



VERTURA 36

P. 355

MODEL: **BA868**

FINISH:

BZ bronze
SC satin nickel


LAMP:

LED830 integrated LED; 120v; 25w; 975 lumens; 3000K; 80 CRI

LED

LED 830277 integrated LED; 277v; 25w; 975 lumens; 3000K; 80 CRI

LED



VESSA

P. 281

MODEL: **FM842**

COLOR:

FR frost

FINISH:

SC satin nickel


LAMP:

LED830 integrated LED; 120v; 28w; 1000 lumens; 3000K; 80 CRI

LED

LED 830277 integrated LED; 277v; 28w; 1000 lumens; 3000K; 80 CRI

LED



VETRA

P. 105

MODEL: **LP970**

COLOR:

LN linen glass


LAMP:

— 1x; candelabra base (not included); 120v; 25w max.

T24

LED922 1x; candelabra base LED T6; lamp included; 120v; 2w; 143 delivered lumens; 2200K; 90 CRI

LED



VETRA FLUSH

P. 260

MODEL: **FM972**

COLOR:

LN linen glass

FINISH:

SC satin nickel


LAMP:

— 2x; medium base (not included); 120v; 60w max.

T24

LED823 2x; medium base LED ST19; lamp included; 120v; 6.5w; 466 delivered lumens; 2300K; 80 CRI

LED



*Fusion Jack canopies sold separately. See p. 419-425 for options.

**Includes 4" Round Flush Canopy

***Monorail and all other accessories sold separately.

For use with 24 volt transformer, add suffix "-24" to item number. Only available with Xenon lamp.


VETRA GRANDE P. 105

MODEL: LP969

COLOR:
LN linen glass

LAMP:
— 1x; medium base (not included); 120v; 60w max.
T24

LED823 1x; medium base LED ST19; lamp included; 120v; 6.5w; 590 delivered lumens; 2300K; 80 CRI
LED



VETRA WALL P. 284


MODEL: WS971

COLOR:
LN linen glass

FINISH:
SC satin nickel

LAMP:
— 1x; candelabra base (not included); 120v; 25w max.
ADA T24

LED922 1x; candelabra base LED T6; lamp included; 120v; 2w; 151 delivered lumens; 2200K; 90 CRI
LED ADA



wall projection 3.9" / 99.6 mm

VORTEX P. 222


MODEL: HS235

COLOR:
AM amber
BU blue
RD red

FINISH:
SC satin nickel

LAMP:
1B50 GY6.35 Xenon; lamp included; 50w; 750 lumens; 2900K; 100 CRI

MOUNT:
FSJ fusion jack*
MPT monopoint**
MRL monorail



WINDFALL P. 372


MODEL: OD785

FINISH:
BL black
SI silver

LAMP:
LED integrated LED; 120v; 20w; 500 lumens; 3000K; 80 CRI
LED ADA T24

LED277 integrated LED; 277v; 20w; 500 lumens; 3000K; 80 CRI
LED ADA T24

LOCATION:
W wet



wall projection 4" / 102 mm


XTERNA P. 47

MODEL: SU858

FINISH:
SC satin nickel
WH white

LAMP:
LED830 integrated LED; 120v; 43w; 1900 lumens; 3000K; 80 CRI
LED

LED 830277 integrated LED; 277v; 43w; 1900 lumens; 3000K; 80 CRI
LED




ZAHRA 10 P. 271

MODEL: FM870

FINISH:
SC satin nickel
WH rubberized white

LAMP:
LED830 integrated LED; 120v; 19w; 550 lumens; 3000K; 80 CRI
LED ADA

LED 830277 integrated LED; 277v; 19w; 550 lumens; 3000K; 80 CRI
LED ADA




How to Order Your LBL Lighting Fixture. Refer to page 434 for detailed instructions and dimmer guidelines. Build the item number by using the base model number and adding on the appropriate bolded codes for each of the selected options, in the order they are listed. For example: Item **#HS834FRBZLEDS830FSJ** is an Adara low-voltage pendant with Frost glass Color, and Bronze hardware Finish, including a SORAA LED module, all in a Fusion Jack mounting configuration.

Sample Ordering Grid

HS834	COLOR	FR	FINISH	BZ	LAMP	LEDS830	MOUNT	FSJ
	FR	FROST	BZ	BRONZE	1B	GY6.35 XENON 50W	FSJ	FUSION JACK
	SM	SMOKE	SC	SATIN NICKEL	LEDS830	SORAA LED MODULE 8W 500	MPT	MONOPOINT
	BU	STEEL BLUE				GROSS LUMEN 80 CRI 3000K	MRL	MONORAIL


ZAHRA 17 P. 271

- MODEL: FM871
- FINISH:
- SC satin nickel
- WH rubberized white
- LAMP:
- LED830 integrated LED; 120v; 30w; 1000 lumens; 3000K; 80 CRI
- LED 830277 integrated LED; 277v; 30w; 1000 lumens; 3000K; 80 CRI




ZAHRA 20 P. 271

- MODEL: FM872
- FINISH:
- SC satin nickel
- WH rubberized white
- LAMP:
- LED830 integrated LED; 120v; 43w; 1900 lumens; 3000K; 80 CRI
- LED 830277 integrated LED; 277v; 43w; 1900 lumens; 3000K; 80 CRI



ZEVO P. 65


- MODEL: LP955
- FINISH:
- FG fossil gray
- WH matte white
- BLGD black exterior / gold interior
- LAMP:
- 1x; medium base (not included); 120v; 75w max.
- LED830 1x; medium base LED A19; lamp included; 120v; 11w; 737 delivered lumens; 3000K; 80 CRI



ZOLLO P. 173


- MODEL: HS693
- COLOR:
- BU blue
- GY gray
- FINISH:
- BZ bronze
- SC satin nickel
- LAMP:
- 1B GY6.35 Xenon; lamp included; 50w; 750 lumens; 100 CRI; 2900K
- LEDS830 SORAA bi-pin LED module; lamp included; 8w; 500 lumens; 3000K; 80 CRI

- MOUNT:
- FSJ fusion jack*
- MPT monopoint**
- MRL monorail



ZURI P. 122

- MODEL: LP764
- COLOR:
- CP copper
- SI silver
- FINISH:
- BZ bronze
- SC satin nickel
- LAMP:
- 1x; medium base (not included); 120v; 60w max.
- LED823 1x; medium base LED A19; lamp included; 120v; 6.5w; 650 lumens; 2300K; 80 CRI



*Fusion Jack canopies sold separately. See p. 419-425 for options.

**Includes 4" Round Flush Canopy

***Monorail and all other accessories sold separately.

For use with 24 volt transformer, add suffix "-24" to item number. Only available with Xenon lamp.

MODEL NAME INDEX

MODEL NAME	SECTION	PRODUCT PAGE	ORDERING GRID
ABBEY	LOW-VOLTAGE PENDANTS	211	435
ABBEY GRANDE	LINE-VOLTAGE PENDANTS	110	435
ADARA	LOW-VOLTAGE PENDANTS	132	435
AIRIN	WALL	304	435
ALBAN	BATH	345	436
ALLEA	LINE-VOLTAGE PENDANTS	66	436
AMPHORA	LINE-VOLTAGE PENDANTS	68	436
ANELLA	FLUSH MOUNTS	262	436
APEX SWIVEL	LOW-VOLTAGE HEADS	244	436
AQUARI	LOW-VOLTAGE PENDANTS	171	436
ARKA	LINEAR SUSPENSION	52	437
ASHLAND	WALL	306	437
ASTORA	LINE-VOLTAGE PENDANTS	58	437
ASTORA GRANDE	LINE-VOLTAGE PENDANTS	58	437
AURI	LOW-VOLTAGE HEADS	232	437
AVELA	OUTDOOR	376	437
AVIVA 14	OUTDOOR	375	438
AVIVA 26	OUTDOOR	375	438
BANJA	LOW-VOLTAGE PENDANTS	203	438
BARE HEAD APOLLO SWIVEL I	LOW-VOLTAGE HEADS	250	438
BARE HEAD SWIVEL I	LOW-VOLTAGE HEADS	236	438
BARE HEAD SWIVEL II	LOW-VOLTAGE HEADS	252	438
BATONS	CHANDELIERS	38	439
BLING LINEAR	LINEAR SUSPENSION	44	439
BLING LOW-VOLTAGE	LOW-VOLTAGE PENDANTS	212	439
BONN	LOW-VOLTAGE PENDANTS	160	439
BRIOLETTE	LOW-VOLTAGE PENDANTS	162	440
BRIOLETTE GRANDE	LINE-VOLTAGE PENDANTS	92	440
BULLÉ	LOW-VOLTAGE PENDANTS	208	440
CALIX 7-LIGHT	LINEAR SUSPENSION	53	440
CAMELOT	WALL	309	440
CANDORA 19	CHANDELIERS	26	440
CANDORA 29	CHANDELIERS	26	441
CANDORA 34	CHANDELIERS	26	441
CAPTURE	FLUSH MOUNTS, WALL	272, 296	441
CHILL	LOW-VOLTAGE PENDANTS	180	441
CLIFTON	WALL	332	441
COLISEUM	LOW-VOLTAGE PENDANTS	196	441
CONSTELLATION	CHANDELIERS	40	442
CORINNA	LOW-VOLTAGE PENDANTS	146	442
CREST 12	FLUSH MOUNTS	266	442
CREST 17	FLUSH MOUNTS	266	442
CREST 20	FLUSH MOUNTS	266	442
CROSSBLEND	LINE-VOLTAGE PENDANTS	80	442
CROSSBLEND FLUSH	FLUSH MOUNTS	264	442
CROSSBLEND GRANDE	LINE-VOLTAGE PENDANTS	80	442
CRYSTAL BALL	LOW-VOLTAGE PENDANTS	225	443
CYLIA	LOW-VOLTAGE PENDANTS	178	443
CYPREE LARGE	LOW-VOLTAGE PENDANTS	164	443
CYPREE SMALL	LOW-VOLTAGE PENDANTS	165	443
DAHLING	LOW-VOLTAGE PENDANTS	156	444
DAHLING	WALL	322	444

MODEL NAME	SECTION	PRODUCT PAGE	ORDERING GRID
DAHLING GRANDE	LINE-VOLTAGE PENDANTS	109	444
DENTON 24	BATH	350	444
DENTON 48	BATH	350	445
DIMENSIONS	LOW-VOLTAGE PENDANTS	188	445
DOLLY	LOW-VOLTAGE PENDANTS	186	445
DOLLY GRANDE	LINE-VOLTAGE PENDANTS	118	445
DOLLY WALL SCONCE	WALL	294	445
DOVER	BATH	352	446
DROP	LINE-VOLTAGE PENDANTS	101	446
DUKE	LINE-VOLTAGE PENDANTS	84	446
DUKE GRANDE	LINE-VOLTAGE PENDANTS	84	446
EAST RIVER	LINEAR SUSPENSION	54	446
EAST RIVER	WALL, OUTDOOR	314, 374	447
ECLIPSE	OUTDOOR	392	447
ELLIS 12	WALL, BATH	292, 344	447
ELLIS 24	BATH	344	447
ELLIS 36	BATH	344	448
EMI	LOW-VOLTAGE PENDANTS	181	448
ENSU	WALL	335	448
ERLEN	LINE-VOLTAGE PENDANTS	127	448
ESSENCE	LINEAR SUSPENSION	48	448
ESSENCE TRIO	LINEAR SUSPENSION	49	448
FACETTE	LOW-VOLTAGE PENDANTS	130	449
FACETTE GRANDE	LINE-VOLTAGE PENDANTS	88	449
FINAL CALL MEDIUM	BATH	348	449
FIONA	WALL	330	449
FIONA 18	FLUSH MOUNTS	279	449
FIONA GRANDE	LINE-VOLTAGE PENDANTS	93	450
FLECTION	FLUSH MOUNTS	277	450
FLOW	LOW-VOLTAGE PENDANTS	220	450
FLUTE	LOW-VOLTAGE PENDANTS	200	450
FUSION JACK CONNECTORS	CANOPIES & ACCESSORIES	424-425	424-425
FUSION JACK MULTI-PORT CANOPIES	CANOPIES & ACCESSORIES	422-425	422-425
FUSION JACK SINGLE-PORT CANOPIES	CANOPIES & ACCESSORIES	419-420	419-420
GELATO	LOW-VOLTAGE PENDANTS	223	450
HANNA	WALL	311	450
HEAD ACCESSORIES (DIFFUSER)	LOW-VOLTAGE HEADS	255	450
HEAD ACCESSORIES (FLITE PAPER)	LOW-VOLTAGE HEADS	255	451
HEAD ACCESSORIES (LINEAR SPREAD)	LOW-VOLTAGE HEADS	255	450
HEAD ACCESSORIES (LOUVER LENS HOLDER)	LOW-VOLTAGE HEADS	255	451
HEAD ACCESSORIES (SOFT FOCUS)	LOW-VOLTAGE HEADS	255	450
HEAD ACCESSORIES (STRUCTURE CLIP)	LOW-VOLTAGE HEADS	255	451
HEAD ACCESSORIES (STRUCTURE LOUVER)	LOW-VOLTAGE HEADS	255	451
HEAD ACCESSORIES DIFFUSER SPREAD LENSES	LOW-VOLTAGE HEADS	255	451
HORIZON	LOW-VOLTAGE PENDANTS	154	451

MODEL NAME INDEX

MODEL NAME	SECTION	PRODUCT PAGE	ORDERING GRID
HOVER	LOW-VOLTAGE PENDANTS	219	451
HUNTER 10	OUTDOOR	373	451
HUNTER 24	OUTDOOR	373	451
ICICLE	LOW-VOLTAGE PENDANTS	194	452
INTERLACE	CHANDELIERS	24	452
INTERLACE 18	CHANDELIERS	24	452
INTERLACE 45	CHANDELIERS	24	452
ISLA	LINE-VOLTAGE PENDANTS	94	452
JARVAS 24	BATH	338	452
JARVAS 36	BATH	338	453
JARVAS WALL	WALL, BATH	289, 338	453
JUNIPER	LINE-VOLTAGE PENDANTS	119	453
JUNIPER	WALL	327	454
KARIF	LINE-VOLTAGE PENDANTS	102	454
KENDALL	LINE-VOLTAGE PENDANTS	116	454
KENTON	WALL	316	454
LANIA FLUSH	FLUSH MOUNTS	261	455
LANIA GRANDE	LINE-VOLTAGE PENDANTS	82	454
LANIA LARGE	LINE-VOLTAGE PENDANTS	82	454
LANIA SMALL	LINE-VOLTAGE PENDANTS	82	455
LANIA WALL	WALL	285	455
LEXUM	LOW-VOLTAGE PENDANTS	144	455
LIFO	LINE-VOLTAGE PENDANTS	78	455
LIFO FLUSH	FLUSH MOUNTS	263	455
LILY	LOW-VOLTAGE PENDANTS	206	456
LINE VOLTAGE MULTI-LIGHT CANOPIES	CANOPIES & ACCESSORIES	414	414
LINE WAVE	CHANDELIERS	34	456
LINE WAVE 2	CHANDELIERS	34	456
LINEA 20	BATH	346	456
LINEA 40	BATH	346	457
LOFT	LINE-VOLTAGE PENDANTS	74	457
LOFT GRANDE	LINE-VOLTAGE PENDANTS	74	457
LOLA	BATH	359	457
LUFÉ ROUND 24	BATH	340	457
LUFÉ ROUND 36	BATH	340	458
LUFÉ ROUND 48	BATH	340	458
LUFÉ ROUND WALL	WALL, BATH	290, 340	458
LUFÉ SQUARE 24	BATH	341	458
LUFÉ SQUARE 36	BATH	341	458
LUFÉ SQUARE 48	BATH	341	459
LUFÉ SQUARE WALL	WALL, BATH	291, 341	459
LYNK 12	WALL, BATH	293, 342	459
LYNK 24	BATH	342	459
LYNK 36	BATH	342	460
MADELEINE	LOW-VOLTAGE PENDANTS	218	460
MASON	LINE-VOLTAGE PENDANTS	96	460
MASON CLASSIC	LINE-VOLTAGE PENDANTS	96	460
MATI CII	LINE-VOLTAGE PENDANTS	98	460
MATI CI8	LINE-VOLTAGE PENDANTS	98	460
MATI CN9	LINE-VOLTAGE PENDANTS	98	461
MATI FI6	LINE-VOLTAGE PENDANTS	98	461

MODEL NAME	SECTION	PRODUCT PAGE	ORDERING GRID
MEKANIC	LINE-VOLTAGE PENDANTS	124	461
MENARA	LINE-VOLTAGE PENDANTS	60	461
MENARA GRANDE	LINE-VOLTAGE PENDANTS	60	461
MERLINO SWIVEL II	LOW-VOLTAGE HEADS	254	461
MEZZO	LINE-VOLTAGE PENDANTS	76	462
MEZZO GRANDE	LINE-VOLTAGE PENDANTS	76	462
MIA	BATH	356	462
MILO	LINE-VOLTAGE PENDANTS	70	462
MINI-DAHLING	LOW-VOLTAGE PENDANTS	156	462
MINI-DIA	LOW-VOLTAGE PENDANTS	145	462
MINI-DOME I SWIVEL I	LOW-VOLTAGE HEADS	240	463
MINI-INDULGENT	LOW-VOLTAGE PENDANTS	197	463
MINI-ISIS CYLINDER	LOW-VOLTAGE PENDANTS	166	463
MINI-ISLA	LOW-VOLTAGE PENDANTS	176	464
MINI-JASPER	LOW-VOLTAGE PENDANTS	174	464
MINI-MASON	LOW-VOLTAGE PENDANTS	158	464
MINI-MIYU	LOW-VOLTAGE PENDANTS	170	464
MINI-MONTY	LOW-VOLTAGE PENDANTS	216	464
MINI-ROCK CANDY CYLINDER	LOW-VOLTAGE PENDANTS	168	464
MINI-ROCK CANDY CYLINDER	WALL	286	465
MINI-ROCK CANDY ROUND	LOW-VOLTAGE PENDANTS	169	465
MINI-SIGNAL	LOW-VOLTAGE PENDANTS	140	465
MINI-VERA	LOW-VOLTAGE PENDANTS	152	466
MINI-ZURI	LOW-VOLTAGE PENDANTS	142	466
MIYU	LINE-VOLTAGE PENDANTS	100	466
MODO	LOW-VOLTAGE HEADS	248	466
MODO ACCESSORIES	LOW-VOLTAGE HEADS	249	466
MODULAR INDUSTRIAL MEDIUM	OUTDOOR	387	466
MODULAR INDUSTRIAL SMALL	OUTDOOR	387	467
MONACO	LOW-VOLTAGE PENDANTS	147	467
MONO-ARC	LOW-VOLTAGE HEADS	256	467
MONORAIL CONNECTORS	MONORAIL HARDWARE	400-401	400-401
MONORAIL HARDWARE	MONORAIL HARDWARE	394-411	394-411
MONORAIL POWER FEED CANOPIES	MONORAIL HARDWARE	404-405	404-405
MONORAIL RAIL	MONORAIL HARDWARE	398-399	398-399
MONORAIL STANDOFFS	MONORAIL HARDWARE	401-402	401-402
MONORAIL TRANSFORMERS	MONORAIL HARDWARE	407-411	407-411
MONO-TEL	LOW-VOLTAGE HEADS	256	467
MONTY	WALL	320	467
MOON DANCE 13	OUTDOOR	380	468
MOON DANCE 18	OUTDOOR	380	468
MOON DANCE FLUSH	FLUSH MOUNTS, OUTDOOR	278, 380	468
MULTI-PORT CANOPIES	CANOPIES & ACCESSORIES	414, 422-425	414, 422-425
NATE 09	OUTDOOR	370	468
NATE 17	OUTDOOR	370	468
NEPTUNE I	LOW-VOLTAGE PENDANTS	210	468
NEUTRINO	OUTDOOR	368	469
NEUTRON	LOW-VOLTAGE PENDANTS	190	469
NEW YORK LARGE	OUTDOOR	388	469
NEW YORK MEDIUM	OUTDOOR	388	469
NEW YORK SMALL	OUTDOOR	388	470

MODEL NAME INDEX

MODEL NAME	SECTION	PRODUCT PAGE	ORDERING GRID
NOEMA	LINE-VOLTAGE PENDANTS	69	470
OMA	LINE-VOLTAGE PENDANTS	86	470
OMNI MEDIUM COVER	WALL	324	470
OMNI SMALL COVER	WALL	326	470
ONYX (CONE)	LOW-VOLTAGE PENDANTS	198	471
ONYX (CYLINDER)	LOW-VOLTAGE PENDANTS	198	471
ONYX (DOME)	LOW-VOLTAGE PENDANTS	198	471
ONYX (TEARDROP)	LOW-VOLTAGE PENDANTS	198	471
ONYX CYLINDER	WALL	308	471
OONI	LOW-VOLTAGE PENDANTS	224	471
ORBIT SWIVEL I	LOW-VOLTAGE HEADS	242	471
OREON	LOW-VOLTAGE PENDANTS	136	471
ORNATA	LINE-VOLTAGE PENDANTS	90	471
ORTEX	LINEAR SUSPENSION	50	472
PAIGE	LOW-VOLTAGE PENDANTS	150	472
PALM LANE LARGE	OUTDOOR	378	472
PALM LANE SMALL	OUTDOOR	378	472
PAVIA	WALL	328	473
PEAK	OUTDOOR	366	473
PERF	LINE-VOLTAGE PENDANTS	126	473
PHOTON 34	CHANDELIERS	22	473
PHOTON 48	CHANDELIERS	22	473
PIER 60	OUTDOOR	382	473
PIER 60 LARGE	OUTDOOR	382	474
PIER 60 MEDIUM	OUTDOOR	382	474
PRESIDIO	WALL, OUTDOOR	319, 393	474
QUADRATE	OUTDOOR	364	474
RACHEL	LOW-VOLTAGE PENDANTS	183	475
RAMI	WALL	318	475
RANIA	BATH	358	475
RAVEN I2	OUTDOOR	386	475
RAVEN I8	OUTDOOR	386	475
RELIC NO. 2	LOW-VOLTAGE PENDANTS	184	475
RENÉE I	LOW-VOLTAGE PENDANTS	137	476
REV SWIVEL	LOW-VOLTAGE HEADS	234	476
RIO	LOW-VOLTAGE PENDANTS	182	476
ROCK CANDY CYLINDER	LINE-VOLTAGE PENDANTS	114	476
ROCKET	LOW-VOLTAGE PENDANTS	226	476
ROCKS	LOW-VOLTAGE PENDANTS	214	477
SEGURO	LOW-VOLTAGE PENDANTS	179	477
SHIELD GALLERIA	LOW-VOLTAGE HEADS	256	477
SHIELD SWIVEL I	LOW-VOLTAGE HEADS	238	477
SHOWTIME	WALL	310	477
SIENA	WALL	334	477
SIGNAL	LINE-VOLTAGE PENDANTS	72	478
SIGNAL GRANDE	LINE-VOLTAGE PENDANTS	72	478
SOPHIA	LOW-VOLTAGE PENDANTS	204	478
SPHERE	LINE-VOLTAGE PENDANTS	120	479
SPHERE	LOW-VOLTAGE PENDANTS	134	479
SPHERE II-LIGHT	CHANDELIERS	28	479
SPHERE 3-LIGHT	CHANDELIERS	28	478
SPHERE 7-LIGHT	CHANDELIERS	28	478

MODEL NAME	SECTION	PRODUCT PAGE	ORDERING GRID
SPHERE FLUSH	FLUSH MOUNTS, WALL	274, 300	479
SPHERE WALL	WALL	298	479
STEELE 24	BATH	339	480
STEELE 36	BATH	339	480
SWING	LOW-VOLTAGE HEADS	245	480
SWING ACCESSORIES (MINI-ROCK CANDY)	LOW-VOLTAGE HEADS	249	480
SWING ACCESSORIES (ONYX CONE)	LOW-VOLTAGE HEADS	249	480
SWING ACCESSORIES (SIGMA)	LOW-VOLTAGE HEADS	249	480
SWING ACCESSORIES (VOTI)	LOW-VOLTAGE HEADS	249	480
TALLO I2	CHANDELIERS	30	481
TALLO 6	CHANDELIERS	30	480
TAV I4	OUTDOOR	381	481
TAV I8	OUTDOOR	381	481
TEAR DROP	WALL	331	481
TEAR-SII COAX	LOW-VOLTAGE PENDANTS	202	482
TENUR ROUND I0	FLUSH MOUNTS, WALL	270, 302	482
TENUR ROUND I2	FLUSH MOUNTS, WALL	270, 302	482
TENUR SQUARE I2	FLUSH MOUNTS, WALL	268, 303	482
TENUR SQUARE 9	FLUSH MOUNTS, WALL	268, 303	482
TINDRA	LINE-VOLTAGE PENDANTS	111	482
TOGAN	LINE-VOLTAGE PENDANTS	62	483
TOGAN	LOW-VOLTAGE PENDANTS	138	483
TOGAN GRANDE	LINE-VOLTAGE PENDANTS	62	483
TOP	WALL	288	483
TOP-SI COAX	LOW-VOLTAGE PENDANTS	192	483
TORQUE I8	CHANDELIERS	32	483
TORQUE 27	CHANDELIERS	32	484
TRISTA	LOW-VOLTAGE PENDANTS	148	484
TRISTA GRANDE	LINE-VOLTAGE PENDANTS	106	484
TUBE 2	LOW-VOLTAGE PENDANTS	228	484
TUBULAR LARGE	OUTDOOR	390	484
TUBULAR MEDIUM	OUTDOOR	390	485
TUBULAR SMALL	OUTDOOR	390	485
TUBULAR SMALL	OUTDOOR	390	485
TWILIGHT 20	CHANDELIERS	36	485
TWILIGHT GLASS ACCESSORY (AMBER)	CHANDELIERS	36	485
TWILIGHT GLASS ACCESSORY (BLUE)	CHANDELIERS	36	485
TWILIGHT GLASS ACCESSORY (FROST)	CHANDELIERS	36	485
TWIN SPOT SWIVEL	LOW-VOLTAGE HEADS	233	486
TWIN TUBE	BATH	360	486
TWIN TUBE ADDITIONAL HEADS	BATH	360	486
UPSTATE II	OUTDOOR	385	486
UPSTATE I8	OUTDOOR	385	486
UPTOWN LARGE	OUTDOOR	384	486
UPTOWN SMALL	OUTDOOR	384	487
VANTRA	FLUSH MOUNTS, WALL	276, 312	487
VARIA	LINE-VOLTAGE PENDANTS	108	487
VENT	LOW-VOLTAGE HEADS	246	487

MODEL NAME INDEX

MODEL NAME	SECTION	PRODUCT PAGE	ORDERING GRID
VENT ACCESSORIES (MINI-ROCK CANDY)	LOW-VOLTAGE HEADS	249	487
VENT ACCESSORIES (ONYX CONE)	LOW-VOLTAGE HEADS	249	487
VENT ACCESSORIES (SIGMA)	LOW-VOLTAGE HEADS	249	488
VENT ACCESSORIES (VOTI)	LOW-VOLTAGE HEADS	249	488
VERA	LINE-VOLTAGE PENDANTS	112	488
VERTURA 24	BATH	354	488
VERTURA 36	BATH	354	488
VESSA	FLUSH MOUNTS	280	488
VETRA	LINE-VOLTAGE PENDANTS	104	488
VETRA FLUSH	FLUSH MOUNTS	260	488
VETRA GRANDE	LINE-VOLTAGE PENDANTS	104	489
VETRA WALL	WALL	284	489
VORTEX	LOW-VOLTAGE PENDANTS	222	489
WINDFALL	OUTDOOR	372	489
XTERNA	LINEAR SUSPENSION	46	489
ZAHRA 10	FLUSH MOUNTS	271	489
ZAHRA 17	FLUSH MOUNTS	271	490
ZAHRA 20	FLUSH MOUNTS	271	490
ZEVO	LINE-VOLTAGE PENDANTS	64	490
ZOLLO	LOW-VOLTAGE PENDANTS	172	490
ZURI	LINE-VOLTAGE PENDANTS	122	490

MODEL # PREFIX KEY

MODEL # PREFIX	MODEL NAME	MODEL # PREFIX	MODEL NAME
BAI008	STEELE 24	HB295	SHIELD SWIVEL I
BAI009	STEELE 36	HB325	MINI-DOME I SWIVEL
BA7445	LOLA	HBMRI6	BARE HEAD SWIVEL I
BA823	RANIA	HDI62	APEX SWIVEL
BA824	ALBAN	HD474	MODO
BA840	DENTON 24	HD475	VENT
BA841	DENTON 48	HD503	SWING
BA867	VERTURA 24	HD852	AURI
BA868	VERTURA 36	HDMRI6	BARE HEAD APOLLO SWIVEL I
BA905	ELLIS 36	HE382	TWIN SPOT SWIVEL
BA906	ELLIS 24	HE441	REV SWIVEL
BA913	LYNK 36	HPARC	MONO-ARC
BA914	LYNK 24	HPTEL	MONO-TEL
BA977	JARVAS 24	HSI71	OONI
BA978	JARVAS 36	HSI76	ONYX (CYLINDER)
BA980	LUFE ROUND 24	HSI77	ONYX (DOME)
BA981	LUFE ROUND 36	HSI78	ONYX (TEARDROP)
BA982	LUFE ROUND 48	HSI94	FLUTE
BA984	LUFE SQUARE 24	HS20612	BATONS
BA985	LUFE SQUARE 36	HS235	VORTEX
BA986	LUFE SQUARE 48	HS240	TOP-SI COAX
CH946	CANDORA 19	HS242	TEAR-SII COAX
CH947	CANDORA 29	HS621	MINI-DAHLING
CH948	CANDORA 34	HS261	ROCKS
CH949	TALLO 6	HS264	CRYSTAL BALL
CH950	TALLO 12	HS265	ROCKET
CH951	LINE WAVE	HS266	SOPHIA
CH996	PHOTON 34	HS268	MADELEINE
CH997	PHOTON 48	HS271	GELATO
CW002	ENSU	HS277	ICICLE
CW003	SIENA	HS283	RENÉE I
CW004	CLIFTON	HS2932	TUBE 2
EF667	DUKE	HS337	DIMENSIONS
FM700	FIONA 18	HS338	MINI-MONTY
FM842	VESSA	HS348	BULLÉ
FM853	VANTRA	HS371	NEPTUNE I
FM866	FLECTION	HS377	FLOW
FM869	ANELLA	HS378	LILY
FM870	ZAHRA 10	HS381	HOVER
FM871	ZAHRA 17	HS390	NEUTRON
FM872	ZAHRA 20	HS4420	TWILIGHT 20
FM894	CREST 20	HS447	BLING LOW-VOLTAGE
FM895	CREST 12	HS451	ONYX (CONE)
FM896	CREST 17	HS455	RACHEL
FM924	TENUR ROUND 12	HS459	ABBEY
FM925	TENUR ROUND 10	HS461	BONN
FM926	TENUR SQUARE 12	HS462	CYPREE LARGE
FM927	TENUR SQUARE 9	HS463	CYPREE SMALL
FM928	CAPTURE	HS467	SEGURO
FM929	SPHERE FLUSH	HS472	CYLIA
FM958	LIFO FLUSH	HS504	BANJA
FM961	CROSSBLEND FLUSH	HS506	MINI-ISLA
FM968	LANIA FLUSH	HS511	COLISEUM
FM972	VETRA FLUSH	HS51307	CONSTELLATION
GHB295	SHIELD GALLERIA	HS524	BLING LINEAR
HA300	MERLINO SWIVEL II	HS539	MINI-JASPER
HAMRI6	BARE HEAD SWIVEL II	HS542	AQUARII
HB273	ORBIT SWIVEL I	HS545	MINI-ISIS CYLINDER

MODEL # PREFIX KEY

MODEL # PREFIX	MODEL NAME	MODEL # PREFIX	MODEL NAME	MODEL # PREFIX	MODEL NAME	MODEL # PREFIX	MODEL NAME
HS546	MINI-ROCK CANDY RND	LF594	MASON	LW642	UPTOWN SMALL	PW681	FIONA
HS547	MINI-ROCK CANDY CYL	LF608	DAHLING GRANDE	LW674	FINAL CALL MEDIUM	PW936	MONTY
HS549	BRIOLETTE	LF680	FIONA GRANDE	LW681	FIONA	SU756	DUKE GRANDE
HS574	MINI-MASON	LN060SILED	LINEA 20	ODI006	NATE 09	SU767	INTERLACE
HS583	CHILL	LNi20SILED	LINEA 40	ODI007	NATE I7	SU768	CALIX 7-LIGHT
HS585	RIO	LP764	ZURI	ODIOI2	NEUTRINO	SU770	EAST RIVER
HS586	HORIZON	LP772	MEZZO	ODIOI4	PEAK	SU784	MILO
HS593	EMI	LP773	MEZZO GRANDE	ODIOI5	QUADRATE	SU832	INTERLACE 18
HS599	MINI-INDULGENT	LP777	VERA	OD734	TAV 14	SU833	INTERLACE 45
HS616	DAHLING	LP793	KENDALL	OD735	TAV 18	SU850	ARKA
HS689	RELIC NO 2	LP794	TINDRA	OD736	UPSTATE II	SU858	XTERNA
HS693	ZOLLO	LP839	MEKANIC	OD737	UPSTATE 18	SU886	ORTEX
HS699	DOLLY	LP844	AMPHORA	OD745	RAVEN I2	SU897	TORQUE 18
HS775	CORINNA	LP849	SPHERE	OD746	RAVEN I8	SU897	TORQUE 27
HS778	MINI-VERA	LP84903	SPHERE 3-LIGHT	OD771	EAST RIVER	SU952	LINE WAVE 2
HS780	MONACO	LP84907	SPHERE 7-LIGHT	OD785	WINDFALL	SU992	ESSENCE
HS781	LEXUM	LP849II	SPHERE II-LIGHT	OD786	AVIVA I4	SU993	ESSENCE TRIO
HS783	MINI-DIA	LP86I	SIGNAL	OD787	AVIVA 26	WS696	ASHLAND
HS795	PAIGE	LP862	SIGNAL GRANDE	OD788	MOON DANCE I3	WS698	CAMELOT
HS834	ADARA	LP874	ERLEN	OD789	MOON DANCE I8	WS722	RAMI
HS844	TRISTA	LP875	LOFT GRANDE	OD8I8	HUNTER IO	WS765	DOLLY WALL
HS848	SPHERE	LP876	LOFT	OD8I9	HUNTER 24	WS822	HANNA
HS859	MINI-ZURI	LP88I	VARIA	OD825	PIER 60 LARGE	WS838	KENTON
HS860	MINI-SIGNAL	LP882	DOLLY GRANDE	OD826	PIER 60 MEDIUM	WS898	AIRIN
HS887	MINI-MIYU	LP885	TRISTA GRANDE	OD843	AVELA	WS907	ELLIS I2
HS893	TOGAN	LP889	BRIOLETTE GRANDE	ODF827	MOON DANCE FLUSH	WS916	LYNK I2
HS903	FACETTE	LP890	MENARA GRANDE	PF229	JUNIPER	WS929	SPHERE WALL
HS994	OREON	LP89I	MENARA	PF500	ABBAY GRANDE	WS967	LANIA WALL
HWI76	ONYX CYLINDER	LP892	TOGAN GRANDE	PF5490	DROP	WS97I	VETRA WALL
HW2930	TOP	LP893	TOGAN	PF5500	PERF	WS979	JARVAS WALL
HW460I	TEAR DROP	LP904	FACETTE GRANDE	PF553	ROCK CANDY CYLINDER	WS983	LUFE ROUND WALL
HW486	MIA	LP942	KARIF	PF578	MIYU	WS987	LUFE SQUARE WALL
HW496	DOVER	LP945	ORNATA	PF594	MASON	SU897	TORQUE 18
HW614	PRESIDIO	LP953	OMA	PF608	DAHLING GRANDE	SU897	TORQUE 27
HW623	MINI-ROCK CANDY CYLINDER	LP954	ALLEA	PWII5	NEW YORK SMALL	SU952	LINE WAVE 2
HW936	MONTY	LP955	ZEVO	PWII9	MODULAR INDUSTRIAL SML	SU992	ESSENCE
JWII5	NEW YORK SMALL	LP956	LIFO	PWI20	TUBULAR SMALL	SU993	ESSENCE TRIO
JWII9	MODULAR INDUSTRIAL SMALL	LP959	CROSSBLEND GRANDE	PW230	JUNIPER	WS696	ASHLAND
JWI20	TUBULAR SMALL	LP960	CROSSBLEND	PW2930	TOP	WS698	CAMELOT
JW230	JUNIPER	LP962	ASTORA	PW460I	TEAR DROP	WS722	RAMI
JW484	PAVIA	LP963	ASTORA GRANDE	PW484	PAVIA	WS765	DOLLY WALL SCONCE
JW559	OMNI SMALL COVER	LP964	LANIA SMALL	PW486	MIA	WS822	HANNA
JW56I	OMNI MEDIUM COVER	LP965	LANIA LARGE	PW496	DOVER	WS838	KENTON
JW612	ECLIPSE	LP966	LANIA GRANDE	PW527	MODULAR INDUSTRIAL MED	WS898	AIRIN
JW622	DAHLING	LP969	VETRA GRANDE	PW529	NEW YORK MEDIUM	WS907	ELLIS I2
JW632	SHOWTIME	LP970	VETRA	PW530	NEW YORK LARGE	WS916	LYNK I2
JW637	PALM LANE LARGE	LP973	MATI FI6	PW53I	TUBULAR MEDIUM	WS929	SPHERE WALL
JW638	PALM LANE SMALL	LP974	MATI CII	PW532	TUBULAR LARGE	WS967	LANIA WALL
JW68I	FIONA	LP975	MATI CN9	PW559	OMNI SMALL COVER	WS97I	VETRA WALL
KHBTWN	TWIN TUBE	LP976	MATI CI8	PW56I	OMNI MEDIUM COVER	WS979	JARVAS WALL
LF229	JUNIPER	LP995	NOEMA	PW6I2	ECLIPSE	WS983	LUFE ROUND WALL
LF500	ABBY GRANDE	LW460I	TEAR DROP	PW6I4	PRESIDIO	WS987	LUFE SQUARE WALL
LF5I2	ISLA	LW496	DOVER	PW622	DAHLING		
LF5490	DROP	LW559	OMNI SMALL COVER	PW623	MINI-ROCK CANDY CYLINDER		
LF5500	PERF	LW622	DAHLING	PW632	SHOWTIME		
LF553	ROCK CANDY CYLINDER	LW632	SHOWTIME	PW637	PALM LANE LARGE		
LF573	MASON CLASSIC	LW639	PIER 60	PW638	PALM LANE SMALL		
LF578	MIYU	LW64I	UPTOWN LARGE	PW674	FINAL CALL MEDIUM		



7400 LINDER AVE.
SKOKIE, IL 60077

PHONE: 847.410.4400
FAX: 847.410.4500

lblighting.com