




RESIDENTIAL & LIGHT COMMERCIAL HEATING PRODUCTS

U.S. Electrical & Refrigeration Distributor Pricing 2019
SEPTEMBER 1, 2019 REV. 0


nVent

RAYCHEM



MTO

Products marked with this symbol are **MTO ("Made To Order")**, do not qualify for freight prepaid, and delivery time is estimated at time of order.


FI

Products marked with this symbol are **FI ("Factory Inventoried")**, qualify for prepaid freight when the qualifying freight dollar amount is met, and typically delivery time is immediate.

QF


Products marked with this symbol are **QF ("Qualified for Freight")**, qualify for prepaid freight when the qualifying freight dollar amount is met, and delivery time is estimated at time of order.

CONTENTS




1 PIPE FREEZE PROTECTION

4




2 ROOF & GUTTER DE-ICING

10




3 SURFACE SNOW MELTING

15



4 FLOOR HEATING


21



Pipe Freeze Protection

PRODUCT DESCRIPTION		PART NO.	CATEGORY	LIST PRICE USD / UNIT
HEATING CABLES				
FROSTGUARD SELF-REGULATING HEATING CABLE PREASSEMBLED KITS				
	FG1-6P	P000002022	FI	76.57/PC
	FrostGuard preassembled self-regulating heating cable, 120 V, 6 W/ft at 40°F, 6 ft with 6 ft cold lead and lighted 3-prong plug Weight: 1.5 lbs Pkg: 12 x 12.75 x 2.875 inches UPC: 715629008107			
	FG1-12P	P000002023	FI	96.97/PC
	FrostGuard preassembled self-regulating heating cable, 120 V, 6 W/ft at 40°F, 12 ft with 6 ft cold lead and lighted 3-prong plug Weight: 1.8 lbs Pkg: 12 x 12.75 x 2.875 inches UPC: 715629008114			
	FG1-18P	P000002024	FI	121.76/PC
	FrostGuard preassembled self-regulating heating cable, 120 V, 6 W/ft at 40°F, 18 ft with 6 ft cold lead and lighted 3-prong plug Weight: 2.2 lbs Pkg: 12 x 12.75 x 2.875 inches UPC: 715629008121			
	FG1-24P	P000002025	FI	145.48/PC
	FrostGuard preassembled self-regulating heating cable, 120 V, 6 W/ft at 40°F, 24 ft with 6 ft cold lead and lighted 3-prong plug Weight: 2.6 lbs Pkg: 12 x 12.75 x 2.875 inches UPC: 715629008138			
	FG1-36P	P000002038	FI	198.65/PC
	FrostGuard preassembled self-regulating heating cable, 120 V, 6 W/ft at 40°F, 36 ft with 6 ft cold lead and lighted 3-prong plug Weight: 3.4 lbs Pkg: 12 x 12.75 x 2.875 inches UPC: 715629008220			
	FG1-50P	P000002026	FI	255.19/PC
	FrostGuard preassembled self-regulating heating cable, 120 V, 6 W/ft at 40°F, 50 ft with 6 ft cold lead and lighted 3-prong plug Weight: 4.3 lbs Pkg: 12 x 12.75 x 2.875 inches UPC: 715629008145			


PRODUCT DESCRIPTION		PART NO.	CATEGORY	LIST PRICE USD / UNIT
	FG1-75P	P000002027	FI	357.91/PC
	FrostGuard preassembled self-regulating heating cable, 120 V, 6 W/ft at 40°F, 75 ft with 6 ft cold lead and lighted 3-prong plug Weight: 5.9 lbs Pkg: 12 x 12.75 x 2.875 inches UPC: 715629008152			
	FG1-100P	P000002028	FI	460.51/PC
	FrostGuard preassembled self-regulating heating cable, 120 V, 6 W/ft at 40°F, 100 ft with 6 ft cold lead and lighted 3-prong plug Weight: 7.5 lbs Pkg: 12 x 12.75 x 2.875 inches UPC: 715629008169			
	FG2-6L	P000002029	FI	79.99/PC
	FrostGuard preassembled self-regulating heating cable, 240 V, 6 W/ft at 40°F, 6 ft with 6 ft cold lead Weight: 1.5 lbs Pkg: 12 x 12.75 x 2.875 inches UPC: 715629008176			
	FG2-12L	P000002030	FI	105.47/PC
	FrostGuard preassembled self-regulating heating cable, 240 V, 6 W/ft at 40°F, 12 ft with 6 ft cold lead Weight: 1.9 lbs Pkg: 12 x 12.75 x 2.875 inches UPC: 715629008183			
	FG2-18L	P000002031	FI	129.98/PC
	FrostGuard preassembled self-regulating heating cable, 240 V, 6 W/ft at 40°F, 18 ft with 6 ft cold lead Weight: 2.3 lbs Pkg: 12 x 12.75 x 2.875 inches UPC: 715629008190			
FG2-24L	P000002032	FI	157.79/PC	
FrostGuard preassembled self-regulating heating cable, 240 V, 6 W/ft at 40°F, 24 ft with 6 ft cold lead Weight: 2.7 lbs Pkg: 12 x 12.75 x 2.875 inches UPC: 715629008206				
WINTERGARD SELF-REGULATING HEATING CABLES (CUT TO LENGTH)				
	H311100	144941-000	FI	446.17/PC
	WinterGard self-regulating heating cable TruckPak, 120 V, 3 W/ft at 40°F, 100 ft; incl. two H900 hardwired power/end seal kits, one H910 splice/tee kit, and one H903 application tape Weight: 9 lbs Pkg: 10.5 x 9.5 x 4.5 inches UPC: 715629000118			
	H311250	064721-000	FI	872.22/PC
	WinterGard self-regulating heating cable reel, 120 V, 3 W/ft at 40°F, 250 ft Weight: 17 lbs Pkg: 10 x 7 x 11 inches UPC: 715629000125			

	PRODUCT DESCRIPTION	PART NO.	CATEGORY	LIST PRICE USD / UNIT
	H611050 WinterGard Plus self-regulating heating cable box, 120 V, 6 W/ft at 40°F, 50 ft Weight: 3 lbs Pkg: 9 x 8 x 2.5 inches UPC: 715629000132	487817-000	FI	222.45/PC
	H611100 WinterGard Plus self-regulating heating cable TruckPak, 120 V, 6 W/ft at 40°F, 100 ft; incl. two H900 hardwired power/end seal kits, one H910 splice/tee kit, and one H903 application tape Weight: 9 lbs Pkg: 10.5 x 9.5 x 4.5 inches UPC: 715629000149	192789-000	FI	542.17/PC
	H611250 WinterGard Plus self-regulating heating cable reel, 120 V, 6 W/ft at 40°F, 250 ft Weight: 17 lbs Pkg: 10 x 7 x 11 inches UPC: 715629000156	107153-000	FI	1,112.22/PC
	H621050 WinterGard Plus self-regulating heating cable box, 240 V, 6 W/ft at 40°F, 50 ft Weight: 3 lbs Pkg: 9 x 8 x 2.5 inches UPC: 715629000194	330419-000	FI	232.98/PC
	H621100 WinterGard Plus self-regulating heating cable TruckPak, 240 V, 6 W/ft at 40°F, 50 ft; incl. two H900 hardwired power/end seal kits, one H910 splice/tee kit, and one H903 application tape Weight: 9 lbs Pkg: 10.5 x 9.5 x 4.5 inches UPC: 715629000200	945417-000	FI	563.26/PC
	H621250 WinterGard Plus self-regulating heating cable reel, 240 V, 6 W/ft at 40°F, 250 ft Weight: 17 lbs Pkg: 10 x 7 x 11 inches UPC: 715629000217	511569-000	FI	1,164.91/PC
	H612050 WinterGard Wet self-regulating heating cable box, 120 V, 6 W/ft at 40°F, 50 ft Weight: 4 lbs Pkg: 9 x 8 x 2.5 inches UPC: 715629000163	196811-000	FI	278.06/PC
	H612100 WinterGard Wet self-regulating heating cable TruckPak, 120 V, 6 W/ft at 40°F, 100 ft; incl. two H900 hardwired power/end seal kits, one H910 splice/tee kit, and one H903 application tape Weight: 10 lbs Pkg: 10.5 x 9.5 x 4.5 inches UPC: 715629000170	640509-000	FI	653.40/PC

	PRODUCT DESCRIPTION	PART NO.	CATEGORY	LIST PRICE USD / UNIT
	H612250	278989-000	FI	1,390.28/PC
	WinterGard Wet self-regulating heating cable reel, 120 V, 6 W/ft at 40°F, 250 ft Weight: 20 lbs Pkg: 10 x 7 x 11 inches UPC: 715629000187			
	H612500	037453-000	FI	2,780.55/PC
	WinterGard Wet self-regulating heating cable reel, 120 V, 6 W/ft at 40°F, 500 ft Weight: 43 lbs Pkg: 14 x 14 x 14 inches UPC: 715629000096			
	H6121000	848237-000	FI	5,561.10/PC
	WinterGard Wet self-regulating heating cable reel, 120 V, 6 W/ft at 40°F, 1000 ft Weight: 77 lbs Pkg: 14 x 14 x 14 inches UPC: 7156290000835			
	H622050	301635-000	FI	314.94/PC
	WinterGard Wet self-regulating heating cable box, 240 V, 6 W/ft at 40°F, 50 ft Weight: 4 lbs Pkg: 9 x 8 x 2.5 inches UPC: 7156290000224			
	H622100	403503-000	FI	727.16/PC
	WinterGard Wet self-regulating heating cable TruckPak, 240 V, 6 W/ft at 40°F, 100 ft; incl. two H900 hardwired power/end seal kits, one H910 splice/tee kit, and one H903 application tape Weight: 10 lbs Pkg: 10.5 x 9.5 x 4.5 inches UPC: 7156290000231			
	H622250	591185-000	FI	1,574.67/PC
	WinterGard Wet self-regulating heating cable reel, 240 V, 6 W/ft at 40°F, 250 ft Weight: 20 lbs Pkg: 10 x 7 x 11 inches UPC: 7156290000248			
	H622500	652037-000	FI	3,149.33/PC
	WinterGard Wet self-regulating heating cable reel, 240 V, 6 W/ft at 40°F, 500 ft Weight: 43 lbs Pkg: 14 x 14 x 14 inches UPC: 715629001007			
	H6221000	203365-000	FI	6,298.68/PC
	WinterGard Wet self-regulating heating cable reel, 240 V, 6 W/ft at 40°F, 1000 ft Weight: 77 lbs Pkg: 14 x 14 x 14 inches UPC: 7156290000842			

PRODUCT DESCRIPTION		PART NO.	CATEGORY	LIST PRICE USD / UNIT
COMPRESSOR HEATING CABLES				
FREEZGARD SELF-REGULATING CRANKCASE HEATERS				
	CCH-1C	342903-000	FI	63.74/PC
	FreezGard self-regulating crankcase heater, 120 V, 32 W at 50°F, 60 W at 0°F, 4 ft with flexible lock-strap and pre-stripped 28-inch cold leads for easy connection and hard-wiring Weight: 0.5 lbs Pkg: 9 x 9 x 2 inches UPC: 715629000507			
	CCH-2C	864811-000	FI	63.74/PC
	FreezGard self-regulating crankcase heater, 240 V, 32 W at 50°F, 60 W at 0°F, 4 ft with flexible lock-strap and pre-stripped 28-inch cold leads for easy connection and hard-wiring Weight: 0.5 lbs Pkg: 9 x 9 x 2 inches UPC: 715629000491			
THERMOSTATS/CONTROLS				
	THERMOSTAT OUTLET FOR PREASSEMBLED KITS			
	TC3	130972-000	FI	27.79/PC
Thermo cube, thermostatically controlled outlet, on at 35°F Weight: 1 lbs Pkg: 6 x 8 x 6 inches UPC: 715629002112				
	MECHANICAL THERMOSTATS			
	AMC-F5	031661-000	FI	204.28/PC
Mechanical thermostat for ambient or line sensing, 40°F fixed setpoint , 22 A at 125/250/480 V Weight: 1.5 lbs Pkg: 4 x 4 x 5.5 inches UPC: 715629005519				
	AMC-1A	573977-000	FI	519.53/PC
	Mechanical thermostat for ambient sensing, 15-140°F adjustable setpoint, 22 A at 125/250/480 V Weight: 1.6 lbs Pkg: 4 x 4 x 5.5 inches UPC: 715629007193			
	ELECTRONIC THERMOSTATS			
	EC-TS	P000001115	FI	368.43/PC
Electronic thermostat for ambient, pipe, or slab sensing, 30-110°F adjustable setpoint, 25 ft thermistor, 30 A at 100-277 V Weight: 0.9 lbs Pkg: 8 x 8 x 4 inches UPC: 715629007278				

PRODUCT DESCRIPTION		PART NO.	CATEGORY	LIST PRICE USD / UNIT
ACCESSORIES				
	CONNECTION ACCESSORIES			
	H900	396537-000	FI	33.12/PC
	Mechanical power connection kit (hardwired), includes end seal Weight: 0.5 lbs Pkg: 10 x 6 x 2 inches UPC: 715629000255			
	H908	893515-000	FI	71.88/PC
	Plug-In cord set w/GFPD, includes end seal Weight: 1 lbs Pkg: 18 x 7 x 1.5 inches UPC: 715629000316			
	H910	217793-000	FI	18.30/PC
	Splice & tee kit (waterproof), for either one splice or one tee; includes end seal Weight: 0.3 lbs Pkg: 10 x 6 x 2 inches UPC: 715629000330			
	H912	763791-000	FI	16.05/PAC
	Mechanical end seal kit, gel-filled (2 ea) Weight: 0.3 lbs Pkg: 10 x 6 x 2 inches UPC: 715629000804			
	FIXING MATERIALS			
	H903	586649-000	FI	16.62/PC
	Application tape & labels, 66 ft roll Weight: 0.3 lbs Pkg: 10 x 6 x 2 inches UPC: 715629000279			



Roof & Gutter De-Icing

PRODUCT DESCRIPTION		PART NO.	CATEGORY	LIST PRICE USD / UNIT
HEATING CABLES				
FROSTGUARD SELF-REGULATING HEATING CABLE PREASSEMBLED KITS				
	FG1-6P	P000002022	FI	76.57/PC
	FrostGuard preassembled self-regulating heating cable, 120 V, 6 W/ft at 40°F, 6 ft with 6 ft cold lead and lighted 3-prong plug Weight: 1.5 lbs Pkg: 12 x 12.75 x 2.875 inches UPC: 715629008107			
	FG1-12P	P000002023	FI	96.97/PC
	FrostGuard preassembled self-regulating heating cable, 120 V, 6 W/ft at 40°F, 12 ft with 6 ft cold lead and lighted 3-prong plug Weight: 1.8 lbs Pkg: 12 x 12.75 x 2.875 inches UPC: 715629008114			
	FG1-18P	P000002024	FI	121.76/PC
	FrostGuard preassembled self-regulating heating cable, 120 V, 6 W/ft at 40°F, 18 ft with 6 ft cold lead and lighted 3-prong plug Weight: 2.2 lbs Pkg: 12 x 12.75 x 2.875 inches UPC: 715629008121			
	FG1-24P	P000002025	FI	145.48/PC
	FrostGuard preassembled self-regulating heating cable, 120 V, 6 W/ft at 40°F, 24 ft with 6 ft cold lead and lighted 3-prong plug Weight: 2.6 lbs Pkg: 12 x 12.75 x 2.875 inches UPC: 715629008138			
	FG1-36P	P000002038	FI	198.65/PC
	FrostGuard preassembled self-regulating heating cable, 120 V, 6 W/ft at 40°F, 36 ft with 6 ft cold lead and lighted 3-prong plug Weight: 3.4 lbs Pkg: 12 x 12.75 x 2.875 inches UPC: 715629008220			
	FG1-50P	P000002026	FI	255.19/PC
	FrostGuard preassembled self-regulating heating cable, 120 V, 6 W/ft at 40°F, 50 ft with 6 ft cold lead and lighted 3-prong plug Weight: 4.3 lbs Pkg: 12 x 12.75 x 2.875 inches UPC: 715629008145			

PRODUCT DESCRIPTION		PART NO.	CATEGORY	LIST PRICE USD / UNIT
FG1-75P		P000002027	FI	357.91/PC
FrostGuard preassembled self-regulating heating cable, 120 V, 6 W/ft at 40°F, 75 ft with 6 ft cold lead and lighted 3-prong plug Weight: 5.9 lbs Pkg: 12 x 12.75 x 2.875 inches UPC: 715629008152				
FG1-100P		P000002028	FI	460.51/PC
FrostGuard preassembled self-regulating heating cable, 120 V, 6 W/ft at 40°F, 100 ft with 6 ft cold lead and lighted 3-prong plug Weight: 7.5 lbs Pkg: 12 x 12.75 x 2.875 inches UPC: 715629008169				
WINTERGARD SELF-REGULATING HEATING CABLES (CUT TO LENGTH)				
	H612050	196811-000	FI	278.06/PC
	WinterGard Wet self-regulating heating cable box, 120 V, 6 W/ft at 40°F, 50 ft Weight: 4 lbs Pkg: 9 x 8 x 2.5 inches UPC: 715629000163			
	H612100	640509-000	FI	653.40/PC
	WinterGard Wet self-regulating heating cable TruckPak, 120 V, 6 W/ft at 40°F, 100 ft; incl. two H900 hardwired power/end seal kits, one H910 splice/tee kit, and one H903 application tape Weight: 10 lbs Pkg: 10.5 x 9.5 x 4.5 inches UPC: 715629000170			
	H612250	278989-000	FI	1,390.28/PC
	WinterGard Wet self-regulating heating cable reel, 120 V, 6 W/ft at 40°F, 250 ft Weight: 20 lbs Pkg: 10 x 7 x 11 inches UPC: 715629000187			
	H612500	037453-000	FI	2,780.55/PC
	WinterGard Wet self-regulating heating cable reel, 120 V, 6 W/ft at 40°F, 500 ft Weight: 43 lbs Pkg: 14 x 14 x 14 inches UPC: 715629000996			
	H6121000	848237-000	FI	5,561.10/PC
	WinterGard Wet self-regulating heating cable reel, 120 V, 6 W/ft at 40°F, 1000 ft Weight: 77 lbs Pkg: 14 x 14 x 14 inches UPC: 715629000835			
	H622050	301635-000	FI	314.94/PC
	WinterGard Wet self-regulating heating cable box, 240 V, 6 W/ft at 40°F, 50 ft Weight: 4 lbs Pkg: 9 x 8 x 2.5 inches UPC: 715629000224			

	PRODUCT DESCRIPTION	PART NO.	CATEGORY	LIST PRICE USD / UNIT
	H622100 WinterGard Wet self-regulating heating cable TruckPak, 240 V, 6 W/ft at 40°F, 100 ft; incl. two H900 hardwired power/end seal kits, one H910 splice/tee kit, and one H903 application tape Weight: 10 lbs Pkg: 10.5 x 9.5 x 4.5 inches UPC: 715629000231	403503-000	FI	727.16/PC
	H622250 WinterGard Wet self-regulating heating cable reel, 240 V, 6 W/ft at 40°F, 250 ft Weight: 20 lbs Pkg: 10 x 7 x 11 inches UPC: 715629000248	591185-000	FI	1,574.67/PC
	H622500 WinterGard Wet self-regulating heating cable reel, 240 V, 6 W/ft at 40°F, 500 ft Weight: 43 lbs Pkg: 14 x 14 x 14 inches UPC: 715629001007	652037-000	FI	3,149.33/PC
	H6221000 WinterGard Wet self-regulating heating cable reel, 240 V, 6 W/ft at 40°F, 1000 ft Weight: 77 lbs Pkg: 14 x 14 x 14 inches UPC: 715629000842	203365-000	FI	6,298.68/PC

THERMOSTATS/CONTROLS

MECHANICAL THERMOSTATS



AMC-F5	031661-000	FI	204.28/PC
Mechanical thermostat for ambient or line sensing, 40°F fixed setpoint, 22 A at 125/250/480 V Weight: 1.5 lbs Pkg: 4 x 4 x 5.5 inches UPC: 715629005519			



AMC-1A	573977-000	FI	519.53/PC
Mechanical thermostat for ambient sensing, 15-140°F adjustable setpoint, 22 A at 125/250/480 V Weight: 1.6 lbs Pkg: 4 x 4 x 5.5 inches UPC: 715629007193			

ELECTRONIC THERMOSTATS



EC-TS	P000001115	FI	368.43/PC
Electronic thermostat for ambient, pipe, or slab sensing, 30-110°F adjustable setpoint, 25 ft thermistor, 30 A at 100-277 V Weight: 0.9 lbs Pkg: 8 x 8 x 4 inches UPC: 715629007278			

PRODUCT DESCRIPTION		PART NO.	CATEGORY	LIST PRICE USD / UNIT
SNOW CONTROLLERS				
	PD PRO Automatic snow / ice melting controller, 30 A at 100-277 V, use with CIT-1, GIT-1 and SIT-6E snow and ice sensors (sold separately) Weight: 4 lbs Pkg: 12 x 4 x 8 inches UPC: 715629007605	P000001508	FI	769.50/PC
	GF PRO Automatic snow / ice melting controller with GFEP, 30 A at 100-277 V, use CIT-1, GIT-1 and SIT-6 snow and ice sensors (sold separately) Weight: 4 lbs Pkg: 12 x 4 x 8 inches UPC: 715629007612	P000001509	FI	855.12/PC
	RCU-3 Remote Control (for use with PD Pro, APS-3C or EUR-5A) Weight: 1 lbs Pkg: 8 x 6 x 5 inches UPC: 715629007544	P000000883	FI	291.13/PC
	RCU-4 Remote control (for use with GF Pro, APS-4C or SC-40C) Weight: 1 lbs Pkg: 8 x 6 x 5 inches UPC: 715629007551	P000000884	MTO	291.13/PC
SNOW SENSORS				
	LCD-8 Low cost aerial snow switch, 16 A at 120-240 V Weight: 2 lbs Pkg: 8 x 8 x 8 inches UPC: 715629007643	P000001624	FI	512.62/PC
	CIT-1 Aerial snow sensor, calls for snow melting heater operation at temperatures below 38°F (3.3°C) while precipitation, in any form, is present, 24 VAC Weight: 1 lbs Pkg: 6 x 6 x 6 inches UPC: 715629007568	512289-000	FI	672.45/PC
	GIT-1 Gutter de-icing snow sensor, calls for snow melting heater operation at temperatures below 38°F (3.3°C) while precipitation, in any form, is present, 24 VAC Weight: 2 lbs Pkg: 6 x 6 x 10 inches UPC: 715629007582	126795-000	FI	478.37/PC

ACCESSORIES

CONNECTION KITS

**H900**

396537-000

FI**33.12/PC**

Mechanical power connection kit (hardwired), includes end seal

Weight: 0.5 lbs Pkg: 10 x 6 x 2 inches UPC: 715629000255

**H908**

893515-000

FI**71.88/PC**

Plug-In cord set w/GFPD, includes end seal

Weight: 1 lbs Pkg: 18 x 7 x 1.5 inches UPC: 715629000316

**H910**

217793-000

FI**18.30/PC**

Splice & tee kit (waterproof), for either one splice or one tee; includes end seal

Weight: 0.3 lbs Pkg: 10 x 6 x 2 inches UPC: 715629000330

**H912**

763791-000

FI**16.05/PAC**

Mechanical end seal kit, gel-filled (2 ea)

Weight: 0.3 lbs Pkg: 10 x 6 x 2 inches UPC: 715629000804

ACCESSORIES

**H913**

876259-000

FI**19.87/PAC**

Roof clips (10 ea)

Weight: 1 lbs Pkg: 10 x 6 x 2 inches UPC: 715629000958

**H914**

194719-000

FI**66.91/PAC**

Roof clips (50 ea)

Weight: 4 lbs Pkg: 8 x 8 x 4 inches UPC: 715629000965

**H915**

882781-000

FI**18.08/PC**

Downspout hanger bracket

Weight: 0.5 lbs Pkg: 13 x 5 x .5 inches UPC: 715629000972

**CCB-CU**

R6201-CU-70

MTO**7.49/FT**

Cable Cover Bracket, copper, copper color

Weight: 170 lbs/1000 ft

CCB-AL

R6201-AL-03

MTO**5.00/FT**

Cable Cover Bracket, aluminum, bone white color

Weight: 170 lbs/1000 ft

CCB-AL

R6201-AL-23


MTO**5.00/FT**



Cable Cover Bracket, aluminum, matte black

Weight: 170 lbs/1000 ft

For additional color options, please refer to the U.S. RIM pricebook (H81927)

Surface Snow Melting



PRODUCT DESCRIPTION		PART NO.	CATEGORY	LIST PRICE USD / UNIT
HEATING CABLES				
ELECTROMELT SELF-REGULATING HEATING CABLES (CUT TO LENGTH)				
	EM2-XR	449561-000	FI	16.90/FT
	ElectroMelt self-regulating heating cable, 208-277 V, heavy outer jacket; power output varies with spacing and installation, i.e.: 32 W/ft @ 240 V			
	Weight: 209 lbs/1000 ft UPC: 715629007049			
	Specific length requests for EM2-XR require a 72-hour turnaround for shipment and will include a \$50 charge per length. Minimum purchase length is 100 ft			
ACCESSORIES				
ELECTROMELT CONNECTIONS, SPLICES AND TERMINATIONS				
 Power connection EMK-XP	EMK-XP	579519-000	FI	70.88/PC
	ElectroMelt power connection and end seal kit, water-resistant assembly that is sealed with a proprietary adhesive and protected by a crosslinked, modified polyolefin heat-shrinkable tube.			
 End seal EMK-XP	Weight: 0.4 lbs UPC: 715629007063			
	EMK-XS	356667-000	FI	63.71/PC
	ElectroMelt splice kit, water-resistant assembly that is sealed with a proprietary adhesive and protected by a crosslinked, modified polyolefin heat-shrinkable tube.			
	Weight: 0.2 lbs UPC: 715629007070			
	EMK-XEJ	472207-000	FI	50.84/PC
	ElectroMelt expansion joint kit			
	Weight: 0.3 lbs UPC: 715629007087			

PRODUCT DESCRIPTION

PART NO.

CATEGORY

LIST PRICE
USD / UNIT

ACCESSORIES FOR ELECTROMELT SYSTEM



EMK-XJR


693647-000

FI

55.97/PC

ElectroMelt jacket repair kit; heat-shrinkable wrap-around sleeve for covering a damaged outer jacket

Weight: 0.8 lbs UPC: 715629007094



EMK-XJB


052577-000

FI

264.09/PC

ElectroMelt junction box

Weight: 5.4 lbs UPC: 715629007100



EMK-XCT


906441-000

FI

41.92/PAC

ElectroMelt seven-inch nylon cable ties, (100/box) not UV stable

Weight: 0.29 lbs UPC: 715629007117



EMK-XT

980631-000

FI

153.64/PC

Crimp tool for the crimps in the connection kit

Weight: 1 lbs UPC: 715629007124



SMCS

P000000659

FI

69.11/PC


Snow melting caution sign; 6 x 4 inch

Weight: 0.9 lbs UPC: 715629007025

HEATING CABLES

STANDARD MI HEATING CABLE UNITS

Type SUA



SUA3

SUA3

FI

826.51/PC

REF: A/61RD3200-RD/140/WATTS/VOLTAGE/7/R22A/Y/N12

Standard mineral insulated heating unit SUA3, heated length 140 ft, [500 W at 120 V, 2000 W at 240 V, 2740 W at 277 V]

Weight: 12 lbs UPC: 715629006301



SUA4

SUA4

FI

647.94/PC

REF: A/61RD3390-RD/68/1600/208/7/R22A/Y/N12

Standard mineral insulated heating unit SUA4, heated length 68 ft, [550 W at 120 V, 1600 W at 208 V]

Weight: 8 lbs UPC: 715629006318

PRODUCT DESCRIPTION
PART NO.
CATEGORY
**LIST PRICE
USD / UNIT**
SUA5
SUA5
FI
561.68/PC
REF: A/61RD3610-RD/40/550/120/7/R22A/Y/N12

Standard mineral insulated heating unit SUA5, heated length 40 ft,
[550 W at 120 V]

Weight: 6 lbs UPC: 715629006325

SUA7
SUA7
FI
684.97/PC
REF: A/61RD3200-RD/95/2300/208/7/R22A/Y/N12

Standard mineral insulated heating unit SUA7, heated length 95 ft,
[750 W at 120 V, 2300 W at 208 V]

Weight: 9 lbs UPC: 715629006332

SUA8
SUA8
FI
1,149.17/PC
REF: A/61RE3105-RD/177/WATTS/VOLTAGE/7/R22A/Y/N12


Standard mineral insulated heating unit SUA8, heated length 177 ft, [800 W at 120 V, 2400 W at 208 V, 3200 W at 240 V, 4100 W at 277 V]

Weight: 15 lbs UPC: 715629006349

SUA9
SUA9
FI
627.10/PC
REF: A/61RD3200-RD/66/1100/120/7/R22A/Y/N12

Standard mineral insulated heating unit SUA9, heated length 66 ft,
[1100 W at 120 V]

Weight: 8 lbs UPC: 715629006356

Type SUB

SUB1
SUB1
FI
1,010.48/PC
REF: B/61RE3105-RD/132/3100/208/15/R25A/Y/N12

Standard mineral insulated heating unit SUB1, heated length 132 ft, [1000 W at 120 V, 3100 W at 208 V]

Weight: 15 lbs UPC: 715629006363




SUB2
SUB2
FI
1,579.41/PC
REF: B/61RE4600-RD/240/WATTS/VOLTAGE/15/R25A/Y/N12

Standard mineral insulated heating unit SUB2, heated length 240 ft, [1000 W at 120 V, 4000 W at 240 V, 5300 W at 277 V]

Weight: 26 lbs UPC: 715629006370




PRODUCT DESCRIPTION	PART NO.	CATEGORY	LIST PRICE USD / UNIT
SUB3 REF: B/61RE4400-RD/280/WATTS/VOLTAGE/15/R30A/Y/N12 Standard mineral insulated heating unit SUB3, heated length 280 ft, [1300 W at 120 V, 3900 W at 208 V, 5200 W at 240 V, 6850 W at 277 V] Weight: 31 lbs UPC: 715629006387	SUB3	FI	1,637.07/PC
SUB4 REF: B/61RE4300-RD/320/WATTS/VOLTAGE/15/R30A/Y/N12 Standard mineral insulated heating unit SUB4, heated length 320 ft, [1500 W at 120 V, 6000 W at 240 V, 8000 W at 277 V] Weight: 34 lbs UPC: 715629006394	SUB4	FI	1,780.82/PC
SUB5 REF: B/61RE4300-RD/260/WATTS/VOLTAGE/15/R40A/Y/N12 Standard mineral insulated heating unit SUB5, heated length 260 ft, [1800 W at 120 V, 5500 W at 208 V, 7350 W at 240 V] Weight: 29 lbs UPC: 715629006400	SUB5	FI	1,194.45/PC
SUB6 REF: B/61RE4200-RD/375/WATTS/VOLTAGE/15/R40A/Y/N12 Standard mineral insulated heating unit SUB6, heated length 375 ft, [1900 W at 120 V, 5700 W at 208 V, 7500 W at 240 V, 10200 W at 277 V] Weight: 44 lbs UPC: 715629006417	SUB6	FI	1,679.41/PC
SUB7 REF: B/61RE4200-RD/310/WATTS/VOLTAGE/15/R40A/Y/N12 Standard mineral insulated heating unit SUB7, heated length 310 ft, [2300 W at 120 V, 7000 W at 208 V, 9250 W at 240 V] Weight: 37 lbs UPC: 715629006424	SUB7	FI	1,532.23/PC
SUB8 REF: B/61RC4100-RD/550/WATTS/VOLTAGE/15/R60A/Y/N12 Standard mineral insulated heating unit SUB8, heated length 550 ft, [2300 W at 120 V, 6800 W at 208 V, 9000 W at 240 V, 12200 W at 277 V] Weight: 59 lbs UPC: 715629006431	SUB8	FI	1,800.15/PC

PRODUCT DESCRIPTION		PART NO.	CATEGORY	LIST PRICE USD / UNIT
SUB9		SUB9	FI	2,020.95/PC
REF: B/61RC5651-RD/630/WATTS/VOLTAGE/15/R60A/Y/N12				
Standard mineral insulated heating unit SUB9, heated length 630 ft, [3000 W at 120 V, 9000 W at 208 V, 12000 W at 240 V, 16400 W at 277 V]				
Weight: 69 lbs UPC: 715629006448				
SUB10		SUB10	FI	2,577.97/PC
REF: B/61RC5409-RD/717/WATTS/VOLTAGE/15/R80A/Y/N12				
Standard mineral insulated heating unit SUB10, heated length 717 ft, [4300 W at 120 V, 13000 W at 208 V, 17000 W at 240 V]				
Weight: 99 lbs UPC: 715629006455				
Tolerance on wattage output $\pm 10\%$ at rated voltage.				
ACCESSORIES				
MI CONNECTION KITS & ACCESSORIES				
	HARD-SPACER-GALV-25MM-25M	SPACERGALV	FI	84.93/PC
	Galvanized steel pre-punch strapping - 25 m roll Weight: 2.85 lbs UPC: 715629006998			
	HARD-SPACER-SS-25MM-25M	107826-000	FI	113.10/PC
	Stainless steel pre-punched strapping - 25 m roll Weight: 2.77 lbs UPC: 715629007001			
	SMCS	P000000659	FI	69.11/PC
	Snow melting caution sign; 6 x 4 inch Weight: 0.9 lbs UPC: 715629007025			
	MI-GROUND-KIT	P000000279	FI	61.91/PC
	MI heating cable grounding kit Weight: 2 lbs UPC: 715629007032			

PRODUCT DESCRIPTION		PART NO.	CATEGORY	LIST PRICE USD / UNIT
THERMOSTATS/CONTROLS				
	ELECTRONIC THERMOSTATS			
	EC-TS Electronic thermostat for ambient, pipe, or slab sensing, 30-110°F adjustable setpoint, 25 ft thermistor, 30 A at 100-277 V Weight: 0.9 lbs Pkg: 8 x 8 x 4 inches UPC: 715629007278	P000001115	FI	368.43/PC
	SNOW CONTROLLERS			
	PD PRO Automatic snow / ice melting controller, 30 A at 100-277 V, use with CIT-1, GIT-1 and SIT-6E snow and ice sensors (sold separately) Weight: 4 lbs Pkg: 12 x 4 x 8 inches UPC: 715629007605	P000001508	FI	769.50/PC
	GF PRO Automatic snow / ice melting controller with GFEP, 30 A at 100-277 V, use CIT-1, GIT-1 and SIT-6 snow and ice sensors (sold separately) Weight: 4 lbs Pkg: 12 x 4 x 8 inches UPC: 715629007612	P000001509	FI	855.12/PC
	RCU-3 Remote Control (for use with PD Pro, APS-3C or EUR-5A) Weight: 1 lbs Pkg: 8 x 6 x 5 inches UPC: 715629007544	P000000883	FI	291.13/PC
	RCU-4 Remote control (for use with GF Pro, APS-4C or SC-40C) Weight: 1 lbs Pkg: 8 x 6 x 5 inches UPC: 715629007551	P000000884	MTO	291.13/PC
	SNOW SENSORS			
	LCD-8 Low cost aerial snow switch, 16 A at 120-240 V Weight: 2 lbs Pkg: 8 x 8 x 8 inches UPC: 715629007643	P000001624	FI	512.62/PC
	CIT-1 Aerial snow sensor, calls for snow melting heater operation at temperatures below 38°F (3.3°C) while precipitation, in any form, is present, 24 VAC Weight: 1 lbs Pkg: 6 x 6 x 6 inches UPC: 715629007568	512289-000	FI	672.45/PC
	SIT-6E Pavement-mounted snow sensor, calls for snow melting heater operation at temperatures below 38°F (3.3°C) while precipitation, in any form, is present, 24 VAC Weight: 11 lbs Pkg: 6 x 6 x 6 inches UPC: 715629007575	P000000112	FI	1,483.05/PC

Floor Heating



PRODUCT DESCRIPTION		PART NO.	CATEGORY	LIST PRICE USD / UNIT
HEATING MATS				
	NUHEAT STANDARD MATS, 120 V			
	F1006	FG0001	FI	219.60/PC
	NUHEAT standard mat, 120 V, 40"x27", 0.8 Amps, 90 W. Mat dimensions 3'4" x 2'3" Weight: 1.95 lbs Pkg: 44 x 5 x 5 inches UPC: 620713000014			
	F1008	FG0002	FI	238.76/PC
	NUHEAT standard mat, 120 V, 40"x32", 0.9 Amps, 107 W. Mat dimensions 3'4" x 2'8" Weight: 2.1 lbs Pkg: 44 x 5 x 5 inches UPC: 620713000021			
	F1010	FG0003	FI	256.44/PC
NUHEAT standard mat, 120 V, 40"x40", 1.1 Amps, 133 W. Mat dimensions 3'4" x 3'4" Weight: 2.3 lbs Pkg: 44 x 5 x 5 inches UPC: 620713000038				
F1012				
NUHEAT standard mat, 120 V, 40"x48", 1.3 Amps, 160 W. Mat dimensions 3'4" x 4' Weight: 2.4 lbs Pkg: 44 x 5 x 5 inches UPC: 620713000045				
F1206				
NUHEAT standard mat, 120 V, 48"x24", 0.8 Amps, 96 W. Mat dimensions 4' x 2' Weight: 2.4 lbs Pkg: 44 x 5 x 5 inches UPC: 620713000052				
F1208				
NUHEAT standard mat, 120 V, 48"x30, 1.0 Amps, 120 W. Mat dimensions 4' x 2.5' Weight: 2.2 lbs Pkg: 44 x 5 x 5 inches UPC: 620713000069				

PRODUCT DESCRIPTION	PART NO.	CATEGORY	LIST PRICE USD / UNIT
F1209 NUHEAT standard mat, 120 V, 48"x36", 1.2 Amps, 144 W. Mat dimensions 4' x 3' Weight: 2.3 lbs Pkg: 44 x 5 x 5 inches UPC: 620713000076	FG0007	FI	258.48/PC
F1212 NUHEAT standard mat, 120 V, 48"x48", 1.6 Amps, 192 W. Mat dimensions 4' x 4' Weight: 2.3 lbs Pkg: 44 x 11 x 5 inches UPC: 620713001462	FG0008	FI	297.28/PC
F1506 NUHEAT standard mat, 120 V, 60"x24", 1.0 Amps, 120 W. Mat dimensions 5' x 2' Weight: 2.15 lbs Pkg: 44 x 5 x 5 inches UPC: 620713000083	FG0009	FI	249.80/PC
F1508 NUHEAT standard mat, 120 V, 60"x30", 1.3 Amps, 150 W. Mat dimensions 5' x 2.5' Weight: 2.4 lbs Pkg: 44 x 5 x 5 inches UPC: 620713000090	FG0010	FI	258.50/PC
F1509 NUHEAT standard mat, 120 V, 60"x36", 1.5 Amps, 180 W. Mat dimensions 5' x 3' Weight: 2.5 lbs Pkg: 44 x 5 x 5 inches UPC: 620713000106	FG0011	FI	287.70/PC
F1510 NUHEAT standard mat, 120 V, 60"x42", 1.8 Amps, 210 W. Mat dimensions 5' x 3.5' Weight: 2.8 lbs Pkg: 44 x 5 x 5 inches UPC: 620713000113	FG0012	FI	309.40/PC
F1512 NUHEAT standard mat, 120 V, 60"x48", 2.0 Amps, 240 W. Mat dimensions 5' x 4' Weight: 3.6 lbs Pkg: 44 x 10 x 5 inches UPC: 620713000120	FG0013	FI	323.60/PC
F1515 NUHEAT standard mat, 120 V, 60"x60", 2.5 Amps, 300 W. Mat dimensions 5' x 5' Weight: 4.1 lbs Pkg: 44 x 10 x 5 inches UPC: 620713000137	FG0014	FI	360.00/PC

PRODUCT DESCRIPTION	PART NO.	CATEGORY	LIST PRICE USD / UNIT
F1806 NUHEAT standard mat, 120 V, 72"x24", 1.2 Amps, 144 W. Mat dimensions 6' x 2' Weight: 2.25 lbs Pkg: 44 x 5 x 5 inches UPC: 620713000144	FG0015	FI	258.48/PC
F1808 NUHEAT standard mat, 120 V, 72"x30", 1.5 Amps, 180 W. Mat dimensions 6' x 2.5' Weight: 2.45 lbs Pkg: 44 x 5 x 5 inches UPC: 620713000151	FG0016	FI	287.70/PC
F1809 NUHEAT standard mat, 120 V, 72"x36", 1.8 Amps, 216 W. Mat dimensions 6' x 3' Weight: 2.6 lbs Pkg: 44 x 5 x 5 inches UPC: 620713000168	FG0017	FI	312.84/PC
F1810 NUHEAT standard mat, 120 V, 72"x42", 2.1 Amps, 252 W. Mat dimensions 6' x 3.5' Weight: 3 lbs Pkg: 44 x 5 x 5 inches UPC: 620713000175	FG0018	FI	327.60/PC
F1812 NUHEAT standard mat, 120 V, 72"x48", 2.4 Amps, 288 W. Mat dimensions 6' x 4' Weight: 3.85 lbs Pkg: 44 x 10 x 5 inches UPC: 620713000182	FG0019	FI	352.80/PC
F1815 NUHEAT standard mat, 120 V, 72"x 60", 3.0 Amps, 360 W. Mat dimensions 6' x 5' Weight: 4.15 lbs Pkg: 44 x 10 x 5 inches UPC: 620713000199	FG0020	FI	387.00/PC
F1818 NUHEAT standard mat, 120 V, 72"x72", 3.6 Amps, 432 W. Mat dimensions 6' x 6' Weight: 4.9 lbs Pkg: 44 x 10 x 5 inches UPC: 620713000205	FG0021	FI	429.84/PC
F2106 NUHEAT standard mat, 120 V, 84"x24", 1.4 Amps, 168 W. Mat dimensions 7' x 2' Weight: 2.5 lbs Pkg: 44 x 5 x 5 inches UPC: 620713000281	FG0029	FI	276.92/PC

PRODUCT DESCRIPTION	PART NO.	CATEGORY	LIST PRICE USD / UNIT
F2108 NUHEAT standard mat, 120 V, 84"x30", 1.8 Amps, 210 W. Mat dimensions 7' x 2.5' Weight: 2.75 lbs Pkg: 44 x 5 x 5 inches UPC: 620713000298	FG0030	FI	309.40/PC
F2109 NUHEAT standard mat, 120 V, 84"x36", 2.1 Amps, 252 W. Mat dimensions 7' x 3' Weight: 3.15 lbs Pkg: 44 x 5 x 5 inches UPC: 620713000304	FG0031	FI	327.60/PC
F2110 NUHEAT standard mat, 120 V, 84"x42", 2.5 Amps, 294 W. Mat dimensions 7' x 3.5' Weight: 3.4 lbs Pkg: 44 x 5 x 5 inches UPC: 620713000311	FG0032	FI	356.72/PC
F2112 NUHEAT standard mat, 120 V, 84"x48", 2.8 Amps, 336 W. Mat dimensions 7' x 4' Weight: 4.2 lbs Pkg: 44 x 10 x 5 inches UPC: 620713000328	FG0033	FI	378.00/PC
F2115 NUHEAT standard mat, 120 V, 84"x60", 3.5 Amps, 420 W. Mat dimensions 7' x 5' Weight: 4.7 lbs Pkg: 44 x 11 x 5 inches UPC: 620713000335	FG0034	FI	418.60/PC
F2118 NUHEAT standard mat, 120 V, 84"x72", 4.2 Amps, 504 W. Mat dimensions 7' x 6' Weight: 5.3 lbs Pkg: 44 x 10 x 5 inches UPC: 620713000342	FG0035	FI	496.44/PC
F2121 NUHEAT standard mat, 120 V, 84"x84", 4.9 Amps, 588 W. Mat dimensions 7' x 7' Weight: 6.3 lbs Pkg: 44 x 10 x 5 inches UPC: 620713000359	FG0036	FI	578.20/PC
F2506 NUHEAT standard mat, 120 V, 96"x24", 1.6 Amps, 192 W. Mat dimensions 8' x 2' Weight: 2.35 lbs Pkg: 44 x 5 x 5 inches UPC: 620713000366	FG0037	FI	297.28/PC

PRODUCT DESCRIPTION	PART NO.	CATEGORY	LIST PRICE USD / UNIT
F2508 NUHEAT standard mat, 120 V, 96"x30", 2.0 Amps, 240 W. Mat dimensions 8' x 2.5' Weight: 3.1 lbs Pkg: 44 x 5 x 5 inches UPC: 620713000373	FG0038	FI	323.60/PC
F2509 NUHEAT standard mat, 120 V, 96"x36", 2.4 Amps, 288 W. Mat dimensions 8' x 3' Weight: 3.4 lbs Pkg: 44 x 5 x 5 inches UPC: 620713000380	FG0039	FI	352.80/PC
F2510 NUHEAT standard mat, 120 V, 96"x42", 2.8 Amps, 336 W. Mat dimensions 8' x 3.5' Weight: 3.5 lbs Pkg: 44 x 5 x 5 inches UPC: 620713000397	FG0040	FI	378.00/PC
F2512 NUHEAT standard mat, 120 V, 96"x48", 3.2 Amps, 384 W. Mat dimensions 8' x 4' Weight: 4.5 lbs Pkg: 44 x 10 x 5 inches UPC: 620713000403	FG0041	FI	393.60/PC
F2515 NUHEAT standard mat, 120 V, 96"x60", 4.0 Amps, 480 W. Mat dimensions 8' x 5' Weight: 5.25 lbs Pkg: 44 x 10 x 5 inches UPC: 620713000410	FG0042	FI	472.80/PC
F2518 NUHEAT standard mat, 120 V, 96"x72", 4.8 Amps, 576 W. Mat dimensions 8' x 6' Weight: 6.1 lbs Pkg: 44 x 10 x 5 inches UPC: 620713000427	FG0043	FI	566.40/PC
F2521 NUHEAT standard mat, 120 V, 96"x84", 5.6 Amps, 672 W. Mat dimensions 8' x 7' Weight: 6.65 lbs Pkg: 44 x 10 x 5 inches UPC: 620713000434	FG0044	FI	659.68/PC
F2525 NUHEAT standard mat, 120 V, 96"x96", 6.4 Amps, 768 W. Mat dimensions 8' x 8' Weight: 7.85 lbs Pkg: 44 x 10 x 5 inches UPC: 620713000441	FG0045	FI	751.36/PC

PRODUCT DESCRIPTION	PART NO.	CATEGORY	LIST PRICE USD / UNIT
F2706 NUHEAT standard mat, 120 V, 108"x24", 1.8 Amps, 216 W. Mat dimensions 9' x 2' Weight: 3 lbs Pkg: 44 x 5 x 5 inches UPC: 620713000458	FG0046	FI	312.84/PC
F2708 NUHEAT standard mat, 120 V, 108"x30", 2.3 Amps, 270 W. Mat dimensions 9' x 2.5' Weight: 2.95 lbs Pkg: 44 x 5 x 5 inches UPC: 620713000465	FG0047	FI	341.10/PC
F2709 NUHEAT standard mat, 120 V, 108"x36", 2.7 Amps, 324 W. Mat dimensions 9' x 3' Weight: 3.6 lbs Pkg: 44 x 5 x 5 inches UPC: 620713000472	FG0048	FI	372.60/PC
F2710 NUHEAT standard mat, 120 V, 108"x42", 3.2 Amps, 378 W. Mat dimensions 9' x 3.5' Weight: 3.9 lbs Pkg: 44 x 5 x 5 inches UPC: 620713000489	FG0049	FI	392.49/PC
F2712 NUHEAT standard mat, 120 V, 108"x48", 3.6 Amps, 432 W. Mat dimensions 9' x 4' Weight: 4.85 lbs Pkg: 44 x 10 x 5 inches UPC: 620713000496	FG0050	FI	429.84/PC
F2715 NUHEAT standard mat, 120 V, 108"x60", 4.5 Amps, 540 W. Mat dimensions 9' x 5' Weight: 5.3 lbs Pkg: 44 x 10 x 5 inches UPC: 620713000502	FG0051	FI	531.00/PC
F2718 NUHEAT standard mat, 120 V, 108"x72", 5.4 Amps, 648 W. Mat dimensions 9' x 6' Weight: 6.6 lbs Pkg: 44 x 10 x 5 inches UPC: 620713000519	FG0052	FI	636.12/PC
F2721 NUHEAT standard mat, 120 V, 108"x84", 6.3 Amps, 756 W. Mat dimensions 9' x 7' Weight: 7.2 lbs Pkg: 44 x 10 x 5 inches UPC: 620713000526	FG0053	FI	740.88/PC

PRODUCT DESCRIPTION	PART NO.	CATEGORY	LIST PRICE USD / UNIT
F2725 NUHEAT standard mat, 120 V, 108"x96", 7.2 Amps, 864 W. Mat dimensions 9' x 8' Weight: 8.8 lbs Pkg: 44 x 11 x 5 inches UPC: 620713000533	FG0054	FI	843.84/PC
F2727 NUHEAT standard mat, 120 V, 108"x108", 8.1 Amps, 972 W. Mat dimensions 9' x 9' Weight: 9.4 lbs Pkg: 59 x 11 x 5 inches UPC: 620713000540	FG0055	FI	947.70/PC
F3006 NUHEAT standard mat, 120 V, 118"x24", 2.0 Amps, 236 W. Mat dimensions 10' x 2' Weight: 3.2 lbs Pkg: 44 x 5 x 5 inches UPC: 620713000557	FG0056	FI	321.75/PC
F3008 NUHEAT standard mat, 120 V, 118"x30", 2.5 Amps, 295 W. Mat dimensions 10' x 2.5' Weight: 3.45 lbs Pkg: 44 x 5 x 5 inches UPC: 620713000564	FG0057	FI	356.95/PC
F3009 NUHEAT standard mat, 120 V, 118"x36", 3.0 Amps, 354 W. Mat dimensions 10' x 3' Weight: 3.8 lbs Pkg: 44 x 5 x 5 inches UPC: 620713000571	FG0058	FI	385.27/PC
F3010 NUHEAT standard mat, 120 V, 118"x42", 3.4 Amps, 413 W. Mat dimensions 10' x 3.5' Weight: 4.35 lbs Pkg: 44 x 5 x 5 inches UPC: 620713000588	FG0059	FI	412.31/PC
F3012 NUHEAT standard mat, 120 V, 118"x48", 3.9 Amps, 472 W. Mat dimensions 10' x 4' Weight: 5.3 lbs Pkg: 44 x 10 x 5 inches UPC: 620713000595	FG0060	FI	465.71/PC
F3015 NUHEAT standard mat, 120 V, 118"x60", 4.9 Amps, 590 W. Mat dimensions 10' x 5' Weight: 6.15 lbs Pkg: 44 x 10 x 5 inches UPC: 620713000601	FG0061	FI	580.17/PC

PRODUCT DESCRIPTION	PART NO.	CATEGORY	LIST PRICE USD / UNIT
F3018 NUHEAT standard mat, 120 V, 118"x72", 5.9 Amps, 708 W. Mat dimensions 10' x 6' Weight: 7.1 lbs Pkg: 44 x 11 x 5 inches UPC: 620713000618	FG0062	FI	693.84/PC
F3021 NUHEAT standard mat, 120 V, 118"x84", 6.9 Amps, 826 W. Mat dimensions 10' x 7' Weight: 8.35 lbs Pkg: 59 x 11 x 5 inches UPC: 620713000625	FG0063	FI	808.10/PC
F3025 NUHEAT standard mat, 120 V, 118"x96", 7.9 Amps, 944 W. Mat dimensions 10' x 8' Weight: 9.45 lbs Pkg: 59 x 11 x 5 inches UPC: 620713000632	FG0064	FI	920.40/PC
F3027 NUHEAT standard mat, 120 V, 118"x108", 8.9 Amps, 1062 W. Mat dimensions 10' x 9' Weight: 10.3 lbs Pkg: 59 x 11 x 5 inches UPC: 620713000649	FG0065	FI	1,033.68/PC
F3030 NUHEAT standard mat, 120 V, 118"x116", 9.5 Amps, 1141 W. Mat dimensions 10' x 10' Weight: 11.2 lbs Pkg: 59 x 11 x 5 inches UPC: 620713000656	FG0066	FI	1,108.35/PC
F032032-S NUHEAT shower mat, 120 V, 32"x32" with 5-inch center drain hole, 0.7 Amps; Mat dimensions 2'8" x 2'8" Weight: 2.5 lbs Pkg: 44 x 5 x 5 inches UPC: 620713001509	FG0307	FI	213.05/PC
STDXLD NUHEAT standard mat plus extended lead length to 22 ft max (standard is 10 ft)		MT0	Mat Price above plus \$8.40/ft
NUHEAT STANDARD MATS, 240 V			
G1509 NUHEAT standard mat, 240 V, 60"x36", 0.8 Amps, 180 W. Mat dimensions 5' x 3' Weight: 2.8 lbs Pkg: 44 x 5 x 5 inches UPC: 620713000663	FG0101	FI	287.70/PC



PRODUCT DESCRIPTION	PART NO.	CATEGORY	LIST PRICE USD / UNIT
G1510 NUHEAT standard mat, 240 V, 60"x42", 0.9 Amps, 210 W. Mat dimensions 5' x 3.5' Weight: 2.65 lbs Pkg: 44 x 5 x 5 inches UPC: 620713000670	FG0102	FI	309.40/PC
G1512 NUHEAT standard mat, 240 V, 60"x48", 1.0 Amps, 240 W. Mat dimensions 5' x 4' Weight: 3.55 lbs Pkg: 44 x 11 x 5 inches UPC: 620713000687	FG0103	FI	323.60/PC
G1515 NUHEAT standard mat, 240 V, 60"x60", 1.3 Amps, 300 W. Mat dimensions 5' x 5' Weight: 3.95 lbs Pkg: 44 x 11 x 5 inches UPC: 620713000694	FG0104	FI	360.00/PC
G1808 NUHEAT standard mat, 240 V, 72"x30", 0.8 Amps, 180 W. Mat dimensions 6' x 2.5' Weight: 2.8 lbs Pkg: 44 x 5 x 5 inches UPC: 620713000700	FG0105	FI	287.70/PC
G1809 NUHEAT standard mat, 240 V, 72"x36", 0.9 Amps, 216 W. Mat dimensions 6' x 3' Weight: 2.85 lbs Pkg: 44 x 5 x 5 inches UPC: 620713000717	FG0106	FI	312.84/PC
G1810 NUHEAT standard mat, 240 V, 72"x42", 1.1 Amps, 252 W. Mat dimensions 6' x 3.5' Weight: 3.35 lbs Pkg: 44 x 5 x 5 inches UPC: 620713000724	FG0107	FI	327.60/PC
G1812 NUHEAT standard mat, 240 V, 72"x48", 1.2 Amps, 288 W. Mat dimensions 6' x 4' Weight: 3.85 lbs Pkg: 44 x 11 x 5 inches UPC: 620713000731	FG0108	FI	352.80/PC
G1815 NUHEAT standard mat, 240 V, 72"x60", 1.5 Amps, 360 W. Mat dimensions 6' x 5' Weight: 4.25 lbs Pkg: 44 x 11 x 5 inches UPC: 620713000748	FG0109	FI	387.00/PC

PRODUCT DESCRIPTION	PART NO.	CATEGORY	LIST PRICE USD / UNIT
G1818 NUHEAT standard mat, 240 V, 72"x72", 1.8 Amps, 432 W. Mat dimensions 6' x 6' Weight: 4.9 lbs Pkg: 44 x 11 x 5 inches UPC: 620713000755	FG0110	FI	429.84/PC
G2106 NUHEAT standard mat, 240 V, 84"x24", 0.7 Amps, 168 W. Mat dimensions 7' x 2' Weight: 2.9 lbs Pkg: 44 x 5 x 5 inches UPC: 620713000823	FG0117	FI	276.92/PC
G2108 NUHEAT standard mat, 240 V, 84"x30", 0.9 Amps, 210 W. Mat dimensions 7' x 2.5' Weight: 3.05 lbs Pkg: 44 x 5 x 5 inches UPC: 620713000830	FG0118	FI	309.40/PC
G2109 NUHEAT standard mat, 240 V, 84"x36", 1.1 Amps, 252 W. Mat dimensions 7' x 3' Weight: 3.15 lbs Pkg: 44 x 5 x 5 inches UPC: 620713000847	FG0119	FI	327.60/PC
G2110 NUHEAT standard mat, 240 V, 84"x42", 1.2 Amps, 294 W. Mat dimensions 7' x 3.5' Weight: 3 lbs Pkg: 44 x 5 x 5 inches UPC: 620713000854	FG0120	FI	356.72/PC
G2112 NUHEAT standard mat, 240 V, 84"x48", 1.4 Amps, 336 W. Mat dimensions 7' x 4' Weight: 4.25 lbs Pkg: 44 x 11 x 5 inches UPC: 620713000861	FG0121	FI	378.00/PC
G2115 NUHEAT standard mat, 240 V, 84"x60", 1.8 Amps, 420 W. Mat dimensions 7' x 5' Weight: 4.9 lbs Pkg: 44 x 11 x 5 inches UPC: 620713000878	FG0122	FI	418.60/PC
G2118 NUHEAT standard mat, 240 V, 84"x72", 2.1 Amps, 504 W. Mat dimensions 7' x 6' Weight: 5.3 lbs Pkg: 44 x 11 x 5 inches UPC: 620713000885	FG0123	FI	496.44/PC

PRODUCT DESCRIPTION	PART NO.	CATEGORY	LIST PRICE USD / UNIT
G2121 NUHEAT standard mat, 240 V, 84"x84", 2.5 Amps, 588 W. Mat dimensions 7' x 7' Weight: 6.5 lbs Pkg: 44 x 11 x 5 inches UPC: 620713000892	FG0124	FI	578.20/PC
G2506 NUHEAT standard mat, 240 V, 96"x24", 0.8 Amps, 192 W. Mat dimensions 8' x 2' Weight: 2.7 lbs Pkg: 44 x 5 x 5 inches UPC: 620713000908	FG0125	FI	297.28/PC
G2508 NUHEAT standard mat, 240 V, 96"x30", 1.0 Amps, 240 W. Mat dimensions 8' x 2.5' Weight: 2.85 lbs Pkg: 44 x 5 x 5 inches UPC: 620713000915	FG0126	FI	323.60/PC
G2509 NUHEAT standard mat, 240 V, 96"x36", 1.2 Amps, 288 W. Mat dimensions 8' x 3' Weight: 3.4 lbs Pkg: 44 x 5 x 5 inches UPC: 620713000922	FG0127	FI	352.80/PC
G2510 NUHEAT standard mat, 240 V, 96"x42", 1.4 Amps, 336 W. Mat dimensions 8' x 3.5' Weight: 3.45 lbs Pkg: 44 x 5 x 5 inches UPC: 620713000939	FG0128	FI	378.00/PC
G2512 NUHEAT standard mat, 240 V, 96"x48", 1.6 Amps, 384 W. Mat dimensions 8' x 4' Weight: 4.4 lbs Pkg: 44 x 11 x 5 inches UPC: 620713000946	FG0129	FI	393.60/PC
G2515 NUHEAT standard mat, 240 V, 96"x60", 2.0 Amps, 480 W. Mat dimensions 8' x 5' Weight: 5.5 lbs Pkg: 44 x 11 x 5 inches UPC: 620713000953	FG0130	FI	472.80/PC
G2518 NUHEAT standard mat, 240 V, 96"x72", 2.4 Amps, 576 W. Mat dimensions 8' x 6' Weight: 5.85 lbs Pkg: 44 x 11 x 5 inches UPC: 620713000960	FG0131	FI	566.40/PC

PRODUCT DESCRIPTION	PART NO.	CATEGORY	LIST PRICE USD / UNIT
G2521 NUHEAT standard mat, 240 V, 96"x84", 2.8 Amps, 672 W. Mat dimensions 8' x 7' Weight: 5.9 lbs Pkg: 44 x 11 x 5 inches UPC: 620713000977	FG0132	FI	659.68/PC
G2525 NUHEAT standard mat, 240 V, 96"x96", 3.2 Amps, 768 W. Mat dimensions 8' x 8' Weight: 7.62 lbs Pkg: 44 x 11 x 5 inches UPC: 620713000984	FG0133	FI	751.36/PC
G2706 NUHEAT standard mat, 240 V, 108"x24", 0.9 Amps, 216 W. Mat dimensions 9' x 2' Weight: 3.3 lbs Pkg: 44 x 5 x 5 inches UPC: 620713000991	FG0134	FI	312.84/PC
G2708 NUHEAT standard mat, 240 V, 108"x30", 1.1 Amps, 270 W. Mat dimensions 9' x 2.5' Weight: 3.05 lbs Pkg: 44 x 5 x 5 inches UPC: 620713001004	FG0135	FI	341.10/PC
G2709 NUHEAT standard mat, 240 V, 108"x36", 1.4 Amps, 324 W. Mat dimensions 9' x 3' Weight: 3.7 lbs Pkg: 44 x 5 x 5 inches UPC: 620713001011	FG0136	FI	372.60/PC
G2710 NUHEAT standard mat, 240 V, 108"x42", 1.6 Amps, 378 W. Mat dimensions 9' x 3.5' Weight: 4.25 lbs Pkg: 44 x 5 x 5 inches UPC: 620713001028	FG0137	FI	392.49/PC
G2712 NUHEAT standard mat, 240 V, 108"x48", 1.8 Amps, 432 W. Mat dimensions 9' x 4' Weight: 5.25 lbs Pkg: 44 x 11 x 5 inches UPC: 620713001035	FG0138	FI	429.84/PC
G2715 NUHEAT standard mat, 240 V, 108"x60", 2.3 Amps, 540 W. Mat dimensions 9' x 5' Weight: 6 lbs Pkg: 44 x 11 x 5 inches UPC: 620713001042	FG0139	FI	531.00/PC

PRODUCT DESCRIPTION	PART NO.	CATEGORY	LIST PRICE USD / UNIT
G2718 NUHEAT standard mat, 240 V, 108"x72", 2.7 Amps, 648 W. Mat dimensions 9' x 6' Weight: 6.2 lbs Pkg: 44 x 10 x 5 inches UPC: 620713001059	FG0140	FI	636.12/PC
G2721 NUHEAT standard mat, 240 V, 108"x84", 3.2 Amps, 756 W. Mat dimensions 9' x 7' Weight: 7.25 lbs Pkg: 44 x 9 x 4 inches UPC: 620713001066	FG0141	FI	740.88/PC
G2725 NUHEAT standard mat, 240 V, 108"x96", 3.6 Amps, 864 W. Mat dimensions 9' x 8' Weight: 7.8 lbs Pkg: 44 x 10 x 4 inches UPC: 620713001073	FG0142	FI	843.84/PC
G2727 NUHEAT standard mat, 240 V, 108"x108", 4.1 Amps, 972 W. Mat dimensions 9' x 9' Weight: 9.3 lbs Pkg: 59 x 10 x 4 inches UPC: 620713001080	FG0143	FI	947.70/PC
G3006 NUHEAT standard mat, 240 V, 118"x24", 1.0 Amps, 236 W. Mat dimensions 10' x 2' Weight: 3.25 lbs Pkg: 44 x 5 x 5 inches UPC: 620713001097	FG0144	FI	321.75/PC
G3008 NUHEAT standard mat, 240 V, 118"x30", 1.2 Amps, 295 W. Mat dimensions 10' x 2.5' Weight: 3.85 lbs Pkg: 44 x 5 x 5 inches UPC: 620713001103	FG0145	FI	356.95/PC
G3009 NUHEAT standard mat, 240 V, 118"x36", 1.5 Amps, 354 W. Mat dimensions 10' x 3' Weight: 3.8 lbs Pkg: 44 x 5 x 5 inches UPC: 620713001110	FG0146	FI	385.27/PC
G3010 NUHEAT standard mat, 240 V, 118"x42", 1.7 Amps, 413 W. Mat dimensions 10' x 3.5' Weight: 4.5 lbs Pkg: 44 x 5 x 5 inches UPC: 620713001127	FG0147	FI	412.31/PC

PRODUCT DESCRIPTION	PART NO.	CATEGORY	LIST PRICE USD / UNIT
G3012 NUHEAT standard mat, 240 V, 118"x48", 2.0 Amps, 472 W. Mat dimensions 10' x 4' Weight: 5.3 lbs Pkg: 44 x 10 x 5 inches UPC: 620713001134	FG0148	FI	465.71/PC
G3015 NUHEAT standard mat, 240 V, 118"x60", 2.5 Amps, 590 W. Mat dimensions 10' x 5' Weight: 5.9 lbs Pkg: 44 x 10 x 5 inches UPC: 620713001141	FG0149	FI	580.17/PC
G3018 NUHEAT standard mat, 240 V, 118"x72", 3.0 Amps, 708 W. Mat dimensions 10' x 6' Weight: 7.45 lbs Pkg: 44 x 10 x 5 inches UPC: 620713001158	FG0150	FI	693.84/PC
G3021 NUHEAT standard mat, 240 V, 118"x84", 3.4 Amps, 826 W. Mat dimensions 10' x 7' Weight: 8.3 lbs Pkg: 59 x 10 x 4 inches UPC: 620713001165	FG0151	FI	808.10/PC
G3025 NUHEAT standard mat, 240 V, 118"x96", 3.9 Amps, 944 W. Mat dimensions 10' x 8' Weight: 8.65 lbs Pkg: 59 x 10 x 4 inches UPC: 620713001172	FG0152	FI	920.40/PC
G3027 NUHEAT standard mat, 240 V, 118"x108", 4.4 Amps, 1062 W. Mat dimensions 10' x 9' Weight: 10.6 lbs Pkg: 59 x 10 x 4 inches UPC: 620713001189	FG0153	FI	1,033.68/PC
G3030 NUHEAT standard mat, 240 V, 118"x116", 4.8 Amps, 1141 W. Mat dimensions 10' x 10' Weight: 10.7 lbs Pkg: 59 x 10 x 4 inches UPC: 620713001196	FG0154	FI	1,108.35/PC
G144036 NUHEAT standard mat, 240 V, 144"x36", 1.8 Amps, 432 W. Mat dimensions 12' x 3' Weight: 5 lbs Pkg: 44 x 10 x 5 inches UPC: 620713010013	FG0422	FI	429.84/PC

PRODUCT DESCRIPTION	PART NO.	CATEGORY	LIST PRICE USD / UNIT
G144060 NUHEAT standard mat, 240 V, 144"x60", 3.0 Amps, 720 W. Mat dimensions 12' x 5' Weight: 6.25 lbs Pkg: 44 x 10 x 5 inches UPC: 620713010020	FG0424	FI	705.60/PC
G144072 NUHEAT standard mat, 240 V, 144"x72", 3.6 Amps, 864 W. Mat dimensions 12' x 6' Weight: 5.5 lbs Pkg: 44 x 10 x 5 inches UPC: 620713010037	FG0425	FI	843.84/PC
G144096 NUHEAT standard mat, 240 V, 144"x96", 4.8 Amps, 1152 W. Mat dimensions 12' x 8' Weight: 10 lbs Pkg: 59 x 10 x 5 inches UPC: 620713010044	FG0427	FI	1,119.36/PC
G144108 NUHEAT standard mat, 240 V, 144"x108", 5.4 Amps, 1296 W. Mat dimensions 12' x 9' Weight: 12.5 lbs Pkg: 59 x 10 x 5 inches UPC: 620713010051	FG0428	FI	1,254.96/PC
G144120 NUHEAT standard mat, 240 V, 144"x120", 6.0 Amps, 1440 W. Mat dimensions 12' x 10' Weight: 12 lbs Pkg: 59 x 10 x 5 inches UPC: 620713010068	FG0429	FI	1,389.60/PC
G144140 NUHEAT standard mat, 240 V, 144"x140", 7.0 Amps, 1679 W. Mat dimensions 12' x 12' Weight: 14 lbs Pkg: 59 x 10 x 7 inches UPC: 620713010075	FG0430	FI	1,612.80/PC
G168096 NUHEAT standard mat, 240 V, 168"x96", 5.6 Amps, 1344 W. Mat dimensions 14' x 8' Weight: 12 lbs Pkg: 59 x 10 x 5 inches UPC: 620713010082	FG0436	FI	1,299.20/PC
G168108 NUHEAT standard mat, 240 V, 168"x108", 6.3 Amps, 1512 W. Mat dimensions 14' x 9' Weight: 15 lbs Pkg: 59 x 10 x 7 inches UPC: 620713010099	FG0437	FI	1,456.56/PC

PRODUCT DESCRIPTION	PART NO.	CATEGORY	LIST PRICE USD / UNIT
G168120 NUHEAT standard mat, 240 V, 168"x120", 7.0 Amps, 1680 W. Mat dimensions 14' x 10' Weight: 18 lbs Pkg: 59 x 10 x 7 inches UPC: 620713010105	FG0438	FI	1,612.80/PC
G168140 NUHEAT standard mat, 240 V, 168"x140", 8.2 Amps, 1960 W. Mat dimensions 14' x 12' Weight: 20 lbs Pkg: 59 x 10 x 7 inches UPC: 620713010112	FG0440	FI	1,871.80/PC
G240120 NUHEAT standard mat, 240 V, 240"x120", 10.0 Amps, 2400 W. Mat dimensions 20' x 10' Weight: 20 lbs Pkg: 59 x 10 x 7 inches UPC: 620713010129	FG0467	FI	2,268.00/PC
STDXLD NUHEAT standard mat plus extended lead length to 22 ft max (standard is 10 ft)		MTD	Mat Price above plus \$8.40/ft
NUHEAT CUSTOM MATS, 120 V			
X1M008010 NUHEAT custom mat, 120 V, 7.5 - 10 sq. ft.		MTD	351.87/PC
X1M011020 NUHEAT custom mat, 120 V, 11 - 20 sq. ft.		MTD	418.24/PC
X1M021030 NUHEAT custom mat, 120 V, 21 - 30 sq. ft.		MTD	524.68/PC
X1M031040 NUHEAT custom mat, 120 V, 31 - 40 sq. ft.		MTD	633.60/PC
X1M041050 NUHEAT custom mat, 120 V, 41 - 50 sq. ft.		MTD	801.32/PC
X1M051060 NUHEAT custom mat, 120 V, 51 - 60 sq. ft.		MTD	973.28/PC
X1M061070 NUHEAT custom mat, 120 V, 61 - 70 sq. ft.		MTD	1,144.44/PC



PRODUCT DESCRIPTION	PART NO.	CATEGORY	LIST PRICE USD / UNIT
X1M071080		MTO	1,314.80/PC
NUHEAT custom mat, 120 V, 71 - 80 sq. ft.			
X1M081090		MTO	1,484.36/PC
NUHEAT custom mat, 120 V, 81 - 90 sq. ft.			
X1M091100		MTO	1,653.12/PC
NUHEAT custom mat, 120 V, 91 - 100 sq. ft.			
CUSTMAT		MTO	Mat Price above plus \$8.40/ft
NUHEAT custom mat plus extended lead length to 22 ft max (standard is 10 ft)			
NUHEAT CUSTOM MATS, 240 V			
X2M015020		MTO	441.72/PC
NUHEAT custom mat, 240 V, 15 - 20 sq. ft.			
X2M021030		MTO	524.68/PC
NUHEAT custom mat, 240 V, 21 - 30 sq. ft.			
X2M031040		MTO	633.60/PC
NUHEAT custom mat, 240 V, 31 - 40 sq. ft.			
X2M041050		MTO	801.32/PC
NUHEAT custom mat, 240 V, 41 - 50 sq. ft.			
X2M051060		MTO	973.28/PC
NUHEAT custom mat, 240 V, 51 - 60 sq. ft.			
X2M061070		MTO	1,144.44/PC
NUHEAT custom mat, 240 V, 61 - 70 sq. ft.			
X2M071080		MTO	1,314.80/PC
NUHEAT custom mat, 240 V, 71 - 80 sq. ft.			
X2M081090		MTO	1,484.36/PC
NUHEAT custom mat, 240 V, 81 - 90 sq. ft.			
X2M091100		MTO	1,653.12/PC
NUHEAT custom mat, 240 V, 91 - 100 sq. ft.			



PRODUCT DESCRIPTION	PART NO.	CATEGORY	LIST PRICE USD / UNIT
X2M101110		MTO	1,821.08/PC
NUHEAT custom mat, 240 V, 101 - 110 sq. ft.			
X2M111120		MTO	1,988.24/PC
NUHEAT custom mat, 240 V, 111 - 120 sq. ft.			
X2M121130		MTO	2,154.60/PC
NUHEAT custom mat, 240 V, 121 - 130 sq. ft.			
X2M131140		MTO	2,320.16/PC
NUHEAT custom mat, 240 V, 131 - 140 sq. ft.			
X2M141150		MTO	2,484.92/PC
NUHEAT custom mat, 240 V, 141 - 150 sq. ft.			
X2M151160		MTO	2,648.88/PC
NUHEAT custom mat, 240 V, 151 - 160 sq. ft.			
X2M161170		MTO	2,812.04/PC
NUHEAT custom mat, 240 V, 161 - 170 sq. ft.			
X2M171180		MTO	2,974.40/PC
NUHEAT custom mat, 240 V, 171 - 180 sq. ft.			
X2M181190		MTO	3,135.96/PC
NUHEAT custom mat, 240 V, 181 - 190 sq. ft.			
X2M191200		MTO	3,271.49/PC
NUHEAT custom mat, 240 V, 191 - 200 sq. ft.			
CUSTMAT		MTO	Mat Price above plus \$8.40/ft
NUHEAT custom mat plus extended lead length to 22 ft max (standard is 10 ft)			

HEATING CABLES




NUHEAT CABLES, 120 V

N1C008	FG0601	FI	199.16/PC
NUHEAT cable, 120 V, 8 sq. ft., 0.7 Amps. Cable length 29'			
Weight: 3 lbs Pkg: 14 x 13 x 5 inches UPC: 620713030011			

PRODUCT DESCRIPTION	PART NO.	CATEGORY	LIST PRICE USD / UNIT
N1C012 NUHEAT cable, 120 V, 12 sq. ft., 1.2 Amps. Cable length 47' Weight: 4 lbs Pkg: 14 x 13 x 5 inches UPC: 620713030028	FG0602	FI	207.80/PC
N1C015 NUHEAT cable, 120 V, 15 sq. ft., 1.4 Amps. Cable length 57' Weight: 4 lbs Pkg: 14 x 13 x 5 inches UPC: 620713030035	FG0603	FI	233.78/PC
N1C025 NUHEAT cable, 120 V, 25 sq. ft., 2.5 Amps. Cable length 98' Weight: 4 lbs Pkg: 14 x 13 x 5 inches UPC: 620713030042	FG0604	FI	268.42/PC
N1C030 NUHEAT cable, 120 V, 30 sq. ft., 2.9 Amps. Cable length 120' Weight: 5 lbs Pkg: 14 x 13 x 5 inches UPC: 620713030059	FG0605	FI	285.74/PC
N1C040 NUHEAT cable, 120 V, 40 sq. ft., 3.7 Amps. Cable length 148' Weight: 5 lbs Pkg: 14 x 13 x 5 inches UPC: 620713030066	FG0606	FI	320.36/PC
N1C050 NUHEAT cable, 120 V, 50 sq. ft., 4.7 Amps. Cable length 188' Weight: 6 lbs Pkg: 14 x 13 x 5 inches UPC: 620713030073	FG0607	FI	355.00/PC
N1C060 NUHEAT cable, 120 V, 60 sq. ft., 6.0 Amps. Cable length 234' Weight: 7 lbs Pkg: 14 x 13 x 5 inches UPC: 620713030080	FG0608	FI	398.30/PC
N1C070 NUHEAT cable, 120 V, 70 sq. ft., 6.7 Amps. Cable length 265' Weight: 7 lbs Pkg: 14 x 13 x 5 inches UPC: 620713030097	FG0609	FI	423.18/PC
N1C080 NUHEAT cable, 120 V, 80 sq. ft., 7.9 Amps. Cable length 318' Weight: 9 lbs Pkg: 14 x 13 x 5 inches UPC: 620713030103	FG0610	FI	467.56/PC
N1C085 NUHEAT cable, 120 V, 85 sq. ft., 8.5 Amps. Cable length 334' Weight: 9 lbs Pkg: 14 x 13 x 5 inches UPC: 620713030110	FG0611	FI	484.88/PC

PRODUCT DESCRIPTION	PART NO.	CATEGORY	LIST PRICE USD / UNIT
N1C095 NUHEAT cable, 120 V, 95 sq. ft., 9.7 Amps. Cable length 377' Weight: 11 lbs Pkg: 14 x 13 x 5 inches UPC: 620713030127	FG0612	FI	519.52/PC
N1C110 NUHEAT cable, 120 V, 110 sq. ft., 10.8 Amps. Cable length 423' Weight: 13 lbs Pkg: 14 x 13 x 5 inches UPC: 620713030134	FG0613	FI	580.12/PC
N1C120 NUHEAT cable, 120 V, 120 sq. ft., 12.2 Amps. Cable length 474' Weight: 10 lbs Pkg: 14 x 13 x 10 inches UPC: 620713030141	FG0614	FI	607.96/PC
NUHEAT CABLES, 240 V			
 N2C015 NUHEAT cable, 240 V, 15 sq. ft., 0.7 Amps. Cable length 56' Weight: 4 lbs Pkg: 14 x 13 x 5 inches UPC: 620713030158	FG0615	FI	223.58/PC
N2C020 NUHEAT cable, 240 V, 20 sq. ft., 0.9 Amps. Cable length 80' Weight: 4 lbs Pkg: 14 x 13 x 5 inches UPC: 620713030165	FG0616	FI	242.44/PC
N2C025 NUHEAT cable, 240 V, 25 sq. ft., 1.3 Amps. Cable length 102' Weight: 4 lbs Pkg: 14 x 13 x 5 inches UPC: 620713030172	FG0617	FI	277.08/PC
N2C035 NUHEAT cable, 240 V, 35 sq. ft., 1.7 Amps. Cable length 136' Weight: 5 lbs Pkg: 14 x 13 x 5 inches UPC: 620713030189	FG0618	FI	311.72/PC
N2C045 NUHEAT cable, 240 V, 45 sq. ft., 2.2 Amps. Cable length 178' Weight: 6 lbs Pkg: 14 x 13 x 5 inches UPC: 620713030196	FG0619	FI	350.68/PC
N2C055 NUHEAT cable, 240 V, 55 sq. ft., 2.6 Amps. Cable length 207' Weight: 6 lbs Pkg: 14 x 13 x 5 inches UPC: 620713030202	FG0620	FI	363.66/PC
N2C065 NUHEAT cable, 240 V, 65 sq. ft., 3.1 Amps. Cable length 250' Weight: 6 lbs Pkg: 14 x 13 x 5 inches UPC: 620713030219	FG0621	FI	411.10/PC

PRODUCT DESCRIPTION	PART NO.	CATEGORY	LIST PRICE USD / UNIT
N2C070 NUHEAT cable, 240 V, 70 sq. ft., 3.5 Amps. Cable length 277' Weight: 7 lbs Pkg: 14 x 13 x 5 inches UPC: 620713030226	FG0622	FI	424.28/PC
N2C085 NUHEAT cable, 240 V, 85 sq. ft., 4.3 Amps. Cable length 334' Weight: 9 lbs Pkg: 14 x 13 x 5 inches UPC: 620713030233	FG0623	FI	476.22/PC
N2C090 NUHEAT cable, 240 V, 90 sq. ft., 4.6 Amps. Cable length 358' Weight: 9 lbs Pkg: 14 x 13 x 5 inches UPC: 620713030240	FG0624	FI	498.94/PC
N2C100 NUHEAT cable, 240 V, 100 sq. ft., 5.0 Amps. Cable length 393' Weight: 9 lbs Pkg: 14 x 13 x 5 inches UPC: 620713030257	FG0625	FI	536.84/PC
N2C120 NUHEAT cable, 240 V, 120 sq. ft., 5.9 Amps. Cable length 472' Weight: 10 lbs Pkg: 14 x 13 x 5 inches UPC: 620713030264	FG0626	FI	607.82/PC
N2C135 NUHEAT cable, 240 V, 135 sq. ft., 6.8 Amps. Cable length 529' Weight: 12 lbs Pkg: 14 x 13 x 5 inches UPC: 620713030271	FG0627	FI	632.08/PC
N2C145 NUHEAT cable, 240 V, 145 sq. ft., 7.1 Amps. Cable length 561' Weight: 12 lbs Pkg: 14 x 13 x 5 inches UPC: 620713030288	FG0628	FI	666.72/PC
N2C160 NUHEAT cable, 240 V, 160 sq. ft., 8.0 Amps. Cable length 630' Weight: 13 lbs Pkg: 14 x 13 x 5 inches UPC: 620713030295	FG0629	FI	710.00/PC
N2C170 NUHEAT cable, 240 V, 170 sq. ft., 8.6 Amps. Cable length 665' Weight: 16 lbs Pkg: 14 x 13 x 10 inches UPC: 620713030301	FG0630	FI	727.32/PC
N2C190 NUHEAT cable, 240 V, 190 sq. ft., 9.6 Amps. Cable length 757' Weight: 19 lbs Pkg: 14 x 13 x 10 inches UPC: 620713030318	FG0631	FI	831.22/PC

PRODUCT DESCRIPTION		PART NO.	CATEGORY	LIST PRICE USD / UNIT	
	N2C215	FG0632	FI	883.18/PC	
	NUHEAT cable, 240 V, 215 sq. ft., 10.8 Amps. Cable length 849’				
	Weight: 22 lbs Pkg: 14 x 13 x 10 inches UPC: 620713030325				
	N2C240	FG0633	FI	987.08/PC	
	NUHEAT cable, 240 V, 240 sq. ft., 12.1 Amps. Cable length 953’				
	Weight: 25 lbs Pkg: 14 x 13 x 10 inches UPC: 620713030332				
MEMBRANE					
	NUHEAT MEMBRANE				
	NUMEM161	AC0105	FI	370.88/PC	
	NUHEAT Membrane - Large Roll (161 sqft) Roll dimensions 3’3” x 49.5ft				
	Weight: 30 lbs Pkg: 39 x 14.5 inches UPC: 715629008640				
	NUMEM054	AC0106	FI	137.02/PC	
	NUHEAT Membrane - Small Roll (54 sqft) Roll dimensions 3’3” x 16.5ft				
	Weight: 10 lbs Pkg: 39 x 9.5 inches UPC: 715629008657				
	NUMEM250	FG0800	FI	599.26/PC	
	NUHEAT Membrane Sheets (10.6 sq. ft. x 25 sheets)				
	Weight: 45 lbs Pkg: 40 x 40 x 8 inches UPC: 715629008688				
	PRBPE 1505	AC0107	FI	24.32/PC	
	Waterproofing Seam Tape - 6” x 16 ft				
	Weight: 1 lbs Pkg: 6 x 3 x 3 inches UPC: 715629008664				
	PRBPE 1530	AC0108	FI	119.50/PC	
	Waterproofing Seam Tape - 6” x 98 ft				
	Weight: 1 lbs Pkg: 6 x 5 x 5 inches UPC: 715629008671				
	HEATING MESH				
		NUHEAT MESH, 120 V			
N1M012		SZ18300139	FI	206.04/PC	
NUHEAT mesh, 120 V, 12 sq. ft., 1.2 Amps, 139 W. Mat dimensions 20” x 8’					
Weight: 2.01 lbs Pkg: 8 x 8 x 21 inches UPC: 715629008329					

PRODUCT DESCRIPTION	PART NO.	CATEGORY	LIST PRICE USD / UNIT
N1M015 NUHEAT mesh, 120 V, 15 sq. ft., 1.4 Amps, 170 W. Mat dimensions 20" x 9' Weight: 2.4 lbs Pkg: 8 x 8 x 21 inches UPC: 715629008336	SZ18300140	FI	226.64/PC
N1M025 NUHEAT mesh, 120 V, 25 sq. ft., 2.5 Amps, 300 W. Mat dimensions 20" x 15' Weight: 3.53 lbs Pkg: 8 x 8 x 21 inches UPC: 715629008343	SZ18300141	FI	288.46/PC
N1M030 NUHEAT mesh, 120 V, 30 sq. ft., 2.9 Amps, 344 W. Mat dimensions 20" x 19' Weight: 4.19 lbs Pkg: 8 x 8 x 21 inches UPC: 715629008350	SZ18300142	FI	329.66/PC
N1M040 NUHEAT mesh, 120 V, 40 sq. ft., 3.7 Amps, 442 W. Mat dimensions 20" x 23' Weight: 4.96 lbs Pkg: 8 x 8 x 21 inches UPC: 715629008367	SZ18300143	FI	412.08/PC
N1M050 NUHEAT mesh, 120 V, 50 sq. ft., 4.7 Amps, 563 W. Mat dimensions 20" x 29' Weight: 6.06 lbs Pkg: 8 x 8 x 21 inches UPC: 715629008374	SZ18300144	FI	484.20/PC
N1M060 NUHEAT mesh, 120 V, 60 sq. ft., 6.0 Amps, 720 W. Mat dimensions 20" x 36' Weight: 7.41 lbs Pkg: 8 x 8 x 21 inches UPC: 715629008381	SZ18300145	FI	572.80/PC
N1M070 NUHEAT mesh, 120 V, 70 sq. ft., 6.7 Amps, 809 W. Mat dimensions 20" x 41' Weight: 7.5 lbs Pkg: 8 x 8 x 21 inches UPC: 715629008398	SZ18300146	FI	629.56/PC
N1M080 NUHEAT mesh, 120 V, 80 sq. ft., 7.9 Amps, 947 W. Mat dimensions 20" x 49' Weight: 8.99 lbs Pkg: 11 x 11 x 21 inches UPC: 715629008404	SZ18300147	FI	709.30/PC

PRODUCT DESCRIPTION	PART NO.	CATEGORY	LIST PRICE USD / UNIT
N1M085 NUHEAT mesh, 120 V, 85 sq. ft., 8.5 Amps, 1022 W. Mat dimensions 20" x 52' Weight: 10.19 lbs Pkg: 11 x 11 x 21 inches UPC: 715629008411	SZ18300148	FI	736.18/PC
N1M095 NUHEAT mesh, 120 V, 95 sq. ft., 9.7 Amps, 1161 W. Mat dimensions 20" x 58' Weight: 11.4 lbs Pkg: 11 x 11 x 21 inches UPC: 715629008428	SZ18300149	FI	787.18/PC
N1M110 NUHEAT mesh, 120 V, 110 sq. ft., 10.8 Amps, 1299 W. Mat dimensions 20" x 65' Weight: 12.61 lbs Pkg: 11 x 11 x 21 inches UPC: 715629008435	SZ18300150	FI	985.60/PC
N1M120 NUHEAT mesh, 120 V, 120 sq. ft., 12.2 Amps, 1461 W. Mat dimensions 20" x 73' Weight: 14.51 lbs Pkg: 11 x 11 x 21 inches UPC: 715629008442	SZ18300151	FI	1,065.34/PC
NUHEAT MESH, 240 V			
 N2M015 NUHEAT mesh, 240 V, 15 sq. ft., 0.7 Amps, 165 W. Mat dimensions 20" x 9' Weight: 2.4 lbs Pkg: 8 x 8 x 21 inches UPC: 715629008459	SZ18300152	FI	226.64/PC
N2M020 NUHEAT mesh, 240 V, 20 sq. ft., 0.9 Amps, 224 W. Mat dimensions 20" x 13' Weight: 3.06 lbs Pkg: 8 x 8 x 21 inches UPC: 715629008466	SZ18300153	FI	257.56/PC
N2M025 NUHEAT mesh, 240 V, 25 sq. ft., 1.3 Amps, 302 W. Mat dimensions 20" x 16' Weight: 3.64 lbs Pkg: 8 x 8 x 21 inches UPC: 715629008473	SZ18300154	FI	288.46/PC
N2M035 NUHEAT mesh, 240 V, 35 sq. ft., 1.7 Amps, 403 W. Mat dimensions 20" x 21' Weight: 4.63 lbs Pkg: 8 x 8 x 21 inches UPC: 715629008480	SZ18300155	FI	382.94/PC

PRODUCT DESCRIPTION	PART NO.	CATEGORY	LIST PRICE USD / UNIT
N2M045 NUHEAT mesh, 240 V, 45 sq. ft., 2.2 Amps, 523 W. Mat dimensions 20" x 28' Weight: 5.84 lbs Pkg: 8 x 8 x 21 inches UPC: 715629008497	SZ18300156	FI	463.60/PC
N2M055 NUHEAT mesh, 240 V, 55 sq. ft., 2.6 Amps, 632 W. Mat dimensions 20" x 32' Weight: 6.64 lbs Pkg: 8 x 8 x 21 inches UPC: 715629008503	SZ18300157	FI	527.46/PC
N2M065 NUHEAT mesh, 240 V, 65 sq. ft., 3.1 Amps, 742 W. Mat dimensions 20" x 39' Weight: 7.85 lbs Pkg: 8 x 8 x 21 inches UPC: 715629008510	SZ18300158	FI	616.58/PC
N2M070 NUHEAT mesh, 240 V, 70 sq. ft., 3.5 Amps, 842 W. Mat dimensions 20" x 43' Weight: 8.62 lbs Pkg: 8 x 8 x 21 inches UPC: 715629008527	SZ18300159	FI	629.56/PC
N2M085 NUHEAT mesh, 240 V, 85 sq. ft., 4.3 Amps, 1020 W. Mat dimensions 20" x 52' Weight: 10.19 lbs Pkg: 11 x 11 x 21 inches UPC: 715629008534	SZ18300160	FI	736.18/PC
N2M090 NUHEAT mesh, 240 V, 90 sq. ft., 4.6 Amps, 1102 W. Mat dimensions 20" x 55' Weight: 10.85 lbs Pkg: 11 x 11 x 21 inches UPC: 715629008541	SZ18300161	FI	762.14/PC
N2M100 NUHEAT mesh, 240 V, 100 sq. ft., 5.0 Amps, 1211 W. Mat dimensions 20" x 61' Weight: 11.84 lbs Pkg: 11 x 11 x 21 inches UPC: 715629008558	SZ18300162	FI	812.22/PC
N2M120 NUHEAT mesh, 240 V, 120 sq. ft., 5.9 Amps, 1427 W. Mat dimensions 20" x 73' Weight: 14.07 lbs Pkg: 11 x 11 x 21 inches UPC: 715629008565	SZ18300163	FI	1,065.34/PC
N2M135 NUHEAT mesh, 240 V, 135 sq. ft., 6.8 Amps, 1621 W. Mat dimensions 20" x 82' Weight: 15.61 lbs Pkg: 11 x 11 x 21 inches UPC: 715629008572	SZ18300164	FI	1,168.26/PC

PRODUCT DESCRIPTION	PART NO.	CATEGORY	LIST PRICE USD / UNIT
N2M145 NUHEAT mesh, 240 V, 145 sq. ft., 7.1 Amps, 1704 W. Mat dimensions 20" x 87' Weight: 16.49 lbs Pkg: 11 x 11 x 21 inches UPC: 715629008589	SZ18300165	FI	1,286.00/PC
N2M160 NUHEAT mesh, 240 V, 160 sq. ft., 8.0 Amps, 1914 W. Mat dimensions 20" x 97' Weight: 19.49 lbs Pkg: 11 x 11 x 21 inches UPC: 715629008596	SZ18300166	FI	1,391.70/PC
N2M170 NUHEAT mesh, 240 V, 170 sq. ft., 8.6 Amps, 2054 W. Mat dimensions 20" x 102' Weight: 20.41 lbs Pkg: 14 x 14 x 21 inches UPC: 715629008602	SZ18300167	FI	1,468.66/PC
N2M190 NUHEAT mesh, 240 V, 190 sq. ft., 9.6 Amps, 2314 W. Mat dimensions 20" x 117' Weight: 23.24 lbs Pkg: 14 x 14 x 21 inches UPC: 715629008619	SZ18300168	FI	1,624.42/PC
N2M215 NUHEAT mesh, 240 V, 215 sq. ft., 10.8 Amps, 2589 W. Mat dimensions 20" x 131' Weight: 25.93 lbs Pkg: 14 x 14 x 21 inches UPC: 715629008626	SZ18300169	FI	1,838.60/PC
N2M240 NUHEAT mesh, 240 V, 240 sq. ft., 12.1 Amps, 2905 W. Mat dimensions 20" x 147' Weight: 28.48 lbs Pkg: 14 x 14 x 21 inches UPC: 715629008633	SZ18300170	FI	2,051.86/PC

THERMOSTATS



FLOOR HEATING THERMOSTATS			
SIGNATURE SIGNATURE WiFi touchscreen programmable dual-voltage thermostat Weight: 1 lbs Pkg: 6 x 4 x 3 inches UPC: 620713001714	AC0055	FI	287.10/PC
HOME HOME touchscreen programmable dual-voltage thermostat Weight: 1 lbs Pkg: 6 x 4 x 3 inches UPC: 620713001721	AC0056	FI	225.72/PC

	PRODUCT DESCRIPTION	PART NO.	CATEGORY	LIST PRICE USD / UNIT
	ELEMENT Element non-programmable dual-voltage thermostat Weight: 1 lbs Pkg: 6 x 4 x 3 inches UPC: 620713001738	AC0057	FI	140.08/PC
ACCESSORIES				
	FLOOR HEATING ACCESSORIES			
	NUHEAT-MECHANICAL-RELAY-120V/25A Relay 120 V input & load relay 25 Amps Weight: 0.5 lbs Pkg: 2 x 2 x 2 inches UPC: 620713004135	AC0006	FI	76.40/PC
	NUHEAT-MECHANICAL-RELAY-240V/25A Relay 240 V input & load relay 25 Amps Weight: 0.5 lbs Pkg: 2 x 1 x 2 inches UPC: 620713004159	AC0007	FI	76.40/PC
	AC0038 Extra cable guides for NUHEAT cable system - 12 pc Weight: 0.5 lbs Pkg: 14 x 4 x 1 inches UPC: 620713031018	AC0038	FI	4.14/PAC
	AC0040 NUHEAT floor heating cable repair kit Weight: 1 lbs Pkg: 12 x 6 x 1 inches UPC: 620713031025	AC0040	FI	38.20/PC
	AC0014 NUHEAT floor heating mat repair kit Weight: 0.2 lbs Pkg: 1 x 2 x 1 inches UPC: 715629008701	AC0014	FI	31.84/PC
	AC0016 Lead wire repair kit 120 V for NUHEAT mats Weight: 0.6 lbs Pkg: 9 x 5 x 1 inches UPC: 715629008718	AC0016	FI	101.88/PC
	AC0017 Lead wire repair kit 240 V for NUHEAT mats Weight: 0.65 lbs Pkg: 1 x 2 x 4 inches UPC: 620713004166	AC0017	FI	101.88/PC
	NUHEATSENSOR-PROBE NUHEAT floor sensing probe, 15-ft lead wire Weight: 0.125 lbs Pkg: 5 x 1 x 1 inches UPC: 620713004081	AC0008	FI	30.56/PC
	MATSENSE PRO MatSense Pro electric fault indicator Weight: 0.2 lbs Pkg: 6 x 4 x 1 inches UPC: 620713001615	AC0100	FI	25.46/PC

Sorted product overview

Product Reference	Page No
PIPE FREEZE PROTECTION	4
FG1-6P	4
FG1-12P	4
FG1-18P	4
FG1-24P	4
FG1-36P	4
FG1-50P	4
FG1-75P	5
FG1-100P	5
FG2-6L	5
FG2-12L	5
FG2-18L	5
FG2-24L	5
H311100	5
H311250	5
H611050	6
H611100	6
H611250	6
H621050	6
H621100	6
H621250	6
H612050	6
H612100	6
H612250	7
H612500	7
H6121000	7
H622050	7
H622100	7
H622250	7
H622500	7
H6221000	7
CCH-1C	8
CCH-2C	8
TC3	8
AMC-F5	8
AMC-1A	8
EC-TS	8
H900	9
H908	9
H910	9
H912	9
H903	9
ROOF & GUTTER DE-ICING	10
FG1-6P	10
FG1-12P	10
FG1-18P	10
FG1-24P	10
FG1-36P	10
FG1-50P	10
FG1-75P	11
FG1-100P	11
H612050	11
H612100	11
H612250	11
H612500	11
H6121000	11
H622050	11
H622100	12
H622250	12
H622500	12
H6221000	12
AMC-F5	12
AMC-1A	12
EC-TS	12
PD Pro	13
GF Pro	13
RCU-3	13
RCU-4	13

Product Reference	Page No
LCD-8	13
CIT-1	13
GIT-1	13
H900	14
H908	14
H910	14
H912	14
H913	14
H914	14
H915	14
CCB-CU	14
CCB-AL	14
CCB-AL	14

SURFACE SNOW MELTING	15
EMK-XR	15
EMK-XP	15
EMK-XS	15
EMK-XEJ	15
EMK-XJR	16
EMK-XJB	16
EMK-XCT	16
EMK-XT	16
SMCS	16
SUA3	16
SUA4	16
SUA5	17
SUA7	17
SUA8	17
SUA9	17
SUB1	17
SUB2	17
SUB3	18
SUB4	18
SUB5	18
SUB6	18
SUB7	18
SUB8	18
SUB9	19
SUB10	19
HARD-SPACER-GALV-25MM-25M	19
HARD-SPACER-SS-25MM-25M	19
SMCS	19
MI-GROUND-KIT	19
EC-TS	20
PD Pro	20
GF Pro	20
RCU-3	20
RCU-4	20
LCD-8	20
CIT-1	20
SIT-6E	20

FLOOR HEATING	21
F1006	21
F1008	21
F1010	21
F1012	21
F1206	21
F1208	21
F1209	22
F1212	22
F1506	22
F1508	22
F1509	22
F1510	22

Sorted product overview

Product Reference	Page No	Product Reference	Page No
F1512	22	G2510	31
F1515	22	G2512	31
F1806	23	G2515	31
F1808	23	G2518	31
F1809	23	G2521	32
F1810	23	G2525	32
F1812	23	G2706	32
F1815	23	G2708	32
F1818	23	G2709	32
F2106	23	G2710	32
F2108	24	G2712	32
F2109	24	G2715	32
F2110	24	G2718	33
F2112	24	G2721	33
F2115	24	G2725	33
F2118	24	G2727	33
F2121	24	G3006	33
F2506	24	G3008	33
F2508	25	G3009	33
F2509	25	G3010	33
F2510	25	G3012	34
F2512	25	G3015	34
F2515	25	G3018	34
F2518	25	G3021	34
F2521	25	G3025	34
F2525	25	G3027	34
F2706	26	G3030	34
F2708	26	G144036	34
F2709	26	G144060	35
F2710	26	G144072	35
F2712	26	G144096	35
F2715	26	G144108	35
F2718	26	G144120	35
F2721	26	G144140	35
F2725	27	G168096	35
F2727	27	G168108	35
F3006	27	G168120	36
F3008	27	G168140	36
F3009	27	G240120	36
F3010	27	STDXLD	36
F3012	27	X1M008010	36
F3015	27	X1M011020	36
F3018	28	X1M021030	36
F3021	28	X1M031040	36
F3025	28	X1M041050	36
F3027	28	X1M051060	36
F3030	28	X1M061070	36
F032032-S	28	X1M071080	37
STDXLD	28	X1M081090	37
G1509	28	X1M091100	37
G1510	29	CUSTMAT	37
G1512	29	X2M015020	37
G1515	29	X2M021030	37
G1808	29	X2M031040	37
G1809	29	X2M041050	37
G1810	29	X2M051060	37
G1812	29	X2M061070	37
G1815	29	X2M071080	37
G1818	30	X2M081090	37
G2106	30	X2M091100	37
G2108	30	X2M101110	38
G2109	30	X2M111120	38
G2110	30	X2M121130	38
G2112	30	X2M131140	38
G2115	30	X2M141150	38
G2118	30	X2M151160	38
G2121	31	X2M161170	38
G2506	31	X2M171180	38
G2508	31	X2M181190	38
G2509	31	X2M191200	38

Sorted product overview

Product Reference	Page No
CUSTMAT	38
N1C008	38
N1C012	39
N1C015	39
N1C025	39
N1C030	39
N1C040	39
N1C050	39
N1C060	39
N1C070	39
N1C080	39
N1C085	39
N1C095	40
N1C110	40
N1C120	40
N2C015	40
N2C020	40
N2C025	40
N2C035	40
N2C045	40
N2C055	40
N2C065	40
N2C070	41
N2C085	41
N2C090	41
N2C100	41
N2C120	41
N2C135	41
N2C145	41
N2C160	41
N2C170	41
N2C190	41
N2C215	42
N2C240	42
NUMEM161	42
NUMEM054	42
NUMEM250	42
PRBPE 1505	42
PRBPE 1530	42
N1M012	42
N1M015	43
N1M025	43
N1M030	43
N1M040	43
N1M050	43
N1M060	43
N1M070	43
N1M080	43
N1M085	44
N1M095	44
N1M110	44
N1M120	44
N2M015	44
N2M020	44
N2M025	44
N2M035	44
N2M045	45
N2M055	45
N2M065	45
N2M070	45
N2M085	45
N2M090	45
N2M100	45
N2M120	45
N2M135	45
N2M145	46
N2M160	46
N2M170	46
N2M190	46
N2M215	46

Product Reference	Page No
N2M240	46
SIGNATURE	46
HOME	46
ELEMENT	47
NUHEAT-MECHANICAL-RELAY-120V/25A	47
NUHEAT-MECHANICAL-RELAY-240V/25A	47
AC0038	47
AC0040	47
AC0014	47
AC0016	47
AC0017	47
NUHEATSENSOR-PROBE	47
MATSENSE PRO	47

ORDER REQUIREMENTS

The following are applicable to nVent authorized distributors.

Each order is subject to nVent's Terms and Conditions of Sale which can be accessed at www.nvent.com/terms.

If unintentional ambiguity or conflict is discovered to exist between these Order Requirements, nVent's Terms and Conditions of Sale and the Distributor Agreement, the Distributor Agreement takes precedence followed by nVent's Terms and Conditions of Sale. www.nvent.com/terms

1. ORDERS

Minimum order: \$150.00. Written purchase orders are required. No verbal orders will be accepted. Each order shall be acknowledged within 24 hours of order entry.

2. WHERE TO PLACE THE ORDER

nVent Thermal LLC

Standard Factory Inventoried Products:

All orders can be placed in E-Commerce at b2b.thermal.nvent.com through your local Rep (Recommended for fastest service)

Order and quote support: RES.Customercare@nvent.com; Tel: 1.800.778.9276; Fax: 1.604.529.4404

3. CREDIT HOLD

If a Distributor is placed on credit-hold, all orders will be removed from the shipping queue and materials allocated thereto will be released for shipment to other firms. Upon removal of the credit-hold, Distributor's orders will be re-scheduled as new orders.

4. CHANGES, CANCELLATIONS

All changes must be received in writing, accompanied by a revised purchase order. Additions to existing orders will be allowed if the order is still 'open'. Open orders are those where at least one line item has not shipped. Additions to 'closed' orders will not be accepted and will be treated as a new order with minimum order value requirements.

For Made-to-Order product orders, there is a 100% cancellation charge once engineering, procurement, or manufacturing has begun.

For any special length product orders, there is a 30% Cancellation Charge once order has been processed.

5. SHIPMENTS

Orders are shipped subject to availability and credit approval.

Urgent orders for Factory Inventoried products requesting same day air shipment (Self Regulating Cable, Components and Accessories) must be received by NTM Customer Service Center, by 10:00 a.m., Pacific Time and do not qualify for freight prepaid.

All urgent orders should be coordinated with NTM Customer Service.

Orders that require special handling cannot be guaranteed same day shipment.

6. FREIGHT COSTS

Freight costs are calculated based on weight, destination & origin.

7. QUALIFY FOR FREIGHT PREPAID

Qualifying freight is the dollar amount that an order has to meet in order to qualify for freight prepaid. An order for standard /factory inventoried nVent RAYCHEM products must be over \$1500 to qualify for freight prepaid.

8. FACTORY INVENTORIED (FI) & QUALIFIED FOR FREIGHT (QF) PRODUCTS

All NTM "Factory Inventoried" and "Qualified for Freight" product orders over \$1500 shall be shipped from the factory warehouse ground freight allowed via NTM-selected carrier. Orders less than \$1500 will be shipped via NTM carrier prepaid and add or customer carrier account.

9. MADE-TO-ORDER (MTO) OR CUSTOM PRODUCTS

All NTM "Made-To-Order" or "custom" product orders (including but not limited to NUHEAT custom mats, nVent RAYCHEM MI cable, controllers and panels) shall be shipped from the factory warehouse ground prepaid and add via NTM-selected or customer carrier account. In this document, all products are marked as either MTO, QF, or FI, so you can determine when step 8 applies.

10. DROP SHIP

All Drop Ship orders, regardless of size or type of product, shall be shipped from the factory warehouse via NTM selected carrier prepaid and add or customer carrier account. Drop Ship orders do not qualify for freight prepaid.

11. SPECIFIC LENGTH REQUEST

Orders requesting specific heating cable lengths require a \$50 handling charge per specific length requested, which shall be entered on the order.

12. RETURNS

All product returns must be accompanied by a Return Authorization (RA) number to be obtained from the Customer Service Center, are subject to the rules written on the RA, and must be freight pre-paid by the shipper.

All returns for Factory Inventoried products are subject to a minimum 30% restocking charge, unless authorized in accordance with the following exceptions:


- A. With prior approval from the Regional Sales Manager, product from a Distributor can be returned once per year to improve the mix of local inventory and accompanied by a replacement order equal to 1.5 times the credit value of the returned goods. The Distributor shall be responsible for return freight charges. The credit value for returned goods will be the original purchase price of Distributor inventory on a first in, first out basis.
- B. Product not as ordered.
- C. Products shipped within 90 days of being declared obsolete.
- D. Product determined by nVent to be defective.

NTM will refund the freight charges in situations outlined in items B and D above.

No returns or exchanges on floor heating thermostats, floor heating accessories, floor heating custom mats, or any Made-To-Order products (warranty excluded).

13. PAYMENT TERMS

Net 30 days from date of shipment.



North America
nVent Thermal LLC

Tel: 1.800.778.9276

Fax: +1.604.529.4404

RES.customercare@nvent.com

PROPRIETARY

**FOR MORE INFORMATION ON PRODUCTS AND SERVICES,
VISIT OUR WEBSITE OR CONTACT CUSTOMER SERVICE**

Our powerful portfolio of brands:

CADDY

ERICO

HOFFMAN

RAYCHEM

SCHROFF

TRACER



nVent.com/RAYCHEM

© 2019 nVent. All nVent marks and logos are owned or licensed by nVent Services GmbH or its affiliates.
All other trademarks are the property of their respective owners. nVent reserves the right to change
specifications without notice.

RAYCHEM-PB-H54725-ResiElectRefrigUSD-EN-1908